1135

UNITED STATES DEPARTMENT OF AGRICULTURE
Agricultural Research Service

BIBLIOGRAPHY

OF ORGANIC ACIDS

IN HIGHER PLANTS

BIBLIOGRAPHY OF ORGANIC ACIDS IN HIGHER PLANTS

by
M. L. Buch

Scientific interest in the organic acids of higher plants has prompted a search of the literature and tabulation of these acids and their occurrence, with available literature references.

Non-volatile, non-nitrogen-containing, carboxylic acids whose structure is generally accepted (44)(272) are included. Fatty acids and long chain polymers such as pectins are excluded, as are compounds which contain a sugar group as part of the molecule. Thus carboxylic sapogenins are included but saponins are not. The acids reported are those which are found in the free state or as salts, not as esters.

Plants are listed by family, genus and species. The family name follows the system given by Willis (799), as do genus and species when possible. Only spermatophyta are included.

Journal abbreviations and listings are, so far as possible, those used by Chemical Abstracts. All titles are in English.

This review covers all available publications through 1954. Only a limited number of references have been included from more recent literature.

Table I.

Naturally Occurring Organic Acids Listed in Alphabetical Order

	Page
Abietic	6
Aconitic	6
Adipic	8
Ascorbic	8
Bassic	8
Benzoic	9
Betulic See Betulinic	

	Page
Betulinic	10
Caffeic	10
Caffeic acid-3-methyl ether - See Ferulic.	
Caffeic acid-4-methyl ether - See Isoferulic.	
Chelidonic	11
Chlorogenic	18
Cinnamic	25
Citramalic	26
Citric	26
Coumaric	26
Cumaric - See Coumaric.	
Digallic	27
3,4-Dihydroxy benzoic - See Protocatechuic	
5,6-Dihydroxy-3-carboxy phenyl ester of gallic - See Digallic.	
3,4-Dihydroxy cinnamic - See Caffeic	
3,4-Dihydroxy hydrocinnamic - See Hydrocaffeic	
Dihydroxy maleic	27
Dihydroxy malonic - See Mesoxalic	
α.β-Dihydroxy tricarballylic - See Hydroxycitric	
3,4-Dimethoxybenzoic - See Veratric	
3,4-Dimethoxycinnamic	27
3,4-Dimethoxyphthalic - See Hemipinic	
Ethyl malic	27
Ferulic	27
Fluoracetic	28
Fumaric	28
Galacturonic	29
Gallic	30

Page

Gallic-3,5-dimethyl ether - See Syringic

Ginkgolic 31

Gluconic 31

Glucosaccharic - See Saccharic

Glucuronic 31

Glutaric 32

Glyceric 32

Glycolic 32

Glycuronic - See Glucuronic

Glyoxalic 34

Glyoxylic - See Glyoxalic

Hemipic - See Hemipinic

Hemipinic 35

Hydrocaffeic 35

Hydrocoumaric - See also melilotic (o-Hydrocoumaric) 35

2-Hydroxybutane-1,2-dicarboxylic - See Ethyl malic

p-Hydroxybenzoic 35

Hydroxycinnamic - See Coumaric

Hydroxycitric 36

4-Hydroxy-3,5-dimethoxybenzoic - See Syringic

1-Hydroxy-1-ethyl succinic - See Ethyl malic

Hydroxyglutaric 36

Hydroxy hydrocinnamic - See Melilotic

Hydroxymalonic - See Tartronic

2-Hydroxy-6-methoxy benzoic 36

3-Hydroxy-4-methoxycinnamic - See Isoferulic

4-Hydroxy-3-methoxycinnamic - See Ferulic

Page

1-Hydroxy-1-methylsuccinic - See Methylmalic

p-Hydroxyphenylacetic 36

4-Hydroxy-α-toluic - See Phenylacetic

Isochlorogenic 36

Isocitric 37

Isoferulic 28

Isophthalic 38

Ketoadipic 38

Ketoglutaric 38

Ketomalonic - See Mesoxalic

α-Keto-γ-methyleneglutaric -See γ-methylene-α-ketoglutaric

Ketosuccinic - See Oxalacetic

Lactic 39

Malic 41

Malonic 42

Meconic 43

Melilotic 43

Mesaconic 43

Mesoxalic 44

3,4-Methylenedioxybenzoic - See Piperonilic

γ-Methylene-α-ketoglutaric 44

γ-Methylene-α-oxoglutaric - See γ-Methylene-α-ketoglutaric

Methylfumaric - See Mesaconic

1-Methylmalic - See Citramalic

Morolic 44

Mucic 44

Neoabietic 440

Oleanolic 45

	Page
Oxalacetic	45
Oxalic	46
Phthalic	57
m-Phthalic - See Isophthalic	
Pimaric	57
Piperonilic	58
Podocarpic	58
Protocatechuic	58
Protocatechuic dimethyl ether - See Veratric	
Pyruvic	59
Quinic	59
Quinovic	61
Saccharic	61
Saccharinic	61
Salicylic	61
Shikimic	63
Succinic	64
Syringic	69
Tartaric	69
Tartronic	75
Tricarballylic	76
Ursolic	76
Veratric	77a

TABLE II.

Occurrence of Organic Acids in Higher Plants

Abietic Acid



Family	Genus and Species	Source	Reference
Pinaceae		Colophony	37, 117, 166, 173
	Pinus abies	Resin	48, 422
	P. larix		422
	P. palustris	Resin	35a, 265a, 344a

Aconitic Acid



Chenopodiaceae	Beta vulgaris	Juice	396, 399
	" "	Unripe beet	713
Compositae	Achillea millefolium		291
	Helianthus annuus		58
Gramineae	Avena sativa		483
	Hordeum vulgare	Etiolated shoot	172
	" "	Seedling	320, 483
	Saccharum officinarum	Juice	10,36,50,415,609,610, 611, 702, 707, 711, 794, 821, 827.
	Secale cereale		483

Family	Genus and Species	Source	Reference
	Secale cereale	Seedling	676
	Sorghum vulgare		419, 754
	" "	Scale from evap. pans	513
	" "	Juice	755, 796, 797
	Triticum sp.		481
	" "	Temporary in sprout	675
	T. sativum	Seedling	676
	Zea mays	Sprouting seed	676
Leguminosae	Phaseolus coccineus		58
Ranunculaceae	Aconitum spp.		58, 112, 504
	A. columbianum		49
	A. heterophyllum		328
	" "	Root	779
	A. napellus		50
	A. septentrionale	Tuber & root	321
	A. vernalis		504
	" "	Leaf	392
	Delphinium barbeyi		49
	D. bicolor		49
	D. consolida	Leaf sap	791
	D. culculatum		49
	D. geyeri		49
	D. glaucescens		49
	D. nelsonii		49
Solanaceae	Solanum lycopersicum	Fruit	113
	" "	Root, leaf, ripe fruit	120

Family	Genus and Species	Source	Reference
Umbelliferae	Angelica archangelica	Root	698

Adipic Acid

$HOOC-CH_2CH_2CH_2CH_2COOH$

Chenopodiaceae	Beta vulgaris		400, 752

Ascorbic Acid



Since its structure was elucidated by Svirbely and Szent-Györgyi in 1932 (699) (700), ascorbic acid has been reported in almost every plant in which its presence has been investigated.

Bassic Acid



Sapotaceae	Achras sapota	Seed	282
	Bassia butyracea	Seed	282, 283
	B. latifolia	Seed	282, 283
	B. longifolia	Seed	282
	B. parkii	Seed	282, 283
	Dumoria heckelii	Seed	282
	Mimusops djave	Seed	282
	M. elengi	Seed	282
	M. hexandra	Seed	282

Family	Genus and Species	Source	Reference
	Payena lucida	Seed	

Benzoic Acid



Compositae	Dahlia sp.		517
Droseraceae	Drosera rotundifolia		806
Empetraceae	Empetrum nigrum	Leaf	312
Ericaceae	Vaccinium macrocarpum	Berry	247, 436, 475
	V. oxycoccus	Berry	247, 418, 485, 605
	V. vitis-idaea	Berry	51, 247, 334, 385, 407, 485
Gramineae	Bambusa arundinaceae	Young shoot	226
Leguminosae	Daviesia latifolia	Leaf & stem	562
	Myroxylon pereirae	Balsam	364
	M. toluiferum	Balsam	114, 150
Lentibulariaceae	Pinguicula vulgaris	Leaf	409
Liliaceae	Dracena draco	Resin	725
	Gloriosa superba	Tuber	127
Magnoliaceae	Illicium anisatum	Fruit & Seed	505
Myrtaceae	Psidium spp.		521
Papaveraceae	Papaver somniferum		641
Pinaceae	Agathis australis		464
Rosaceae	Prunus serotina	Bark	557
	" "	Leaf	558
Rubiaceae	Coffea sp.		414, 522
Rutaceae	Casimiroa edulis	Seed	556

Family	Genus and Species	Source	Reference
Scrophulariaceae	Digitalis purpurea		337
Styracaceae	Styrax sp.		375, 535
	Styrax benzoin	Resin	725

Betulinic Acid



Apocynaceae	Alyxia buxifolia	Bark	22
Cornaceae	Cornus florida		612
Gentianaceae	Menyanthes trifoliata	Rhizome	679
Loranthaceae	Nuytsia floribunda	Leaves, stems, bark	22
Myrtaceae	Melaleuca-6 species	Bark	22
	Syncarpia laurifolia	Bark	586
Platanaceae	Platanus acerifolia	Bark	104
Punicaceae	Punica granatum	Leaves and bark	102
Rhamnaceae	Ziziphus vulgaris	Seeds & bark	339

Caffeic Acid



Aquifoliaceae	Ilex aquifolium	Leaf	686

Family	Genus and Species	Source	Reference
	I. paraguayensis	Leaf	686
Compositae	Anthemis nobilis	Flower	554
	Taraxacum officinale	Root	553
Labiatae	Melissa sp.	Leaf	279
Pinaceae	Larix europaea	Resin	37
Ranunculaceae	Aconitum septentrionale		321
	Clematis vitalba	Flowering branch	740
Rosaceae	Crataegus oxyacantha	Leaf, fruit, flower	194
Rubiaceae	Cinchona cuprea	Bark	352
	Coffea sp.	Bean	194
	Coffea sp.	Leaf	686
Scrophulariaceae	Digitalis purpurea		89, 337
	Scrophularia nodosa	Root	323
Solanaceae	Solanum tuberosum		329
Umbelliferae	Angelica archangelica		698
	Conium maculatum		294

Chelidonic Acid



Amarylidaceae			692
	Agave sp.	Leaf	588
	Agave falcata	Anther, perigone	589
	Amaryllis crispa	Leaf, perigone, anther	589
	Androstemma junceum	Leaf, perigone, anther	589

Family	Genus and Species	Source	Reference
	Anigozanthos humilis	Leaf	589
	A. preissii	Anther	589
	Anoiganthus breviflorus	Pericarp	589
	Blancoa canescens	Leaf, perigone	589
	Brunsvigia angustifolia	Leaf, Flower	589
	B. josephinae	Pericarp, leaf, perigone, anther	589
	B. uitenhagensis	Flower	589
	Buphane ciliaris	Leaf, perigone, anther	589
	Carpolyza spiralis	Leaf, perigone, bulb	582
	Conostylis 12 spp		589
	Crinum capese	Leaf, perigone, pedicel	589
	C. kirkii	Leaf, perigone, pedicel	589
	C. purpurascens	Leaf, perigone, anther	589
	Cummingia tenella	Perigone	589
	Galanthus nivalis	Leaf, pedicel, anther, perigone	589
	G. plicatus	Leaf, perigone, pedicel, bulb	589
	Hessea maximiliani	Flower	589
	Hippeastrum mandoni	Leaf, perigone anther, pedicel	589
	Hypoxis juncea	Flower	589
	H. minuta	Flower, leaf	589
	H. probata	Perigone	589
	H. serrata	Perigone, leaf, anther	589

Family	Genus and Species	Source	Reference
	H. villosa	Leaf, perigone	589
	Ixiolirion montanum	Perigone, leaf, flower	589
	Lanaria plumosa	Leaf, perigone	589
	Leucojum 5 spp.		589
	Lophiola americana	Leaf, flower	589
	Lycoris aurea	Perigone, anther, pedicel, pericarp	589
	Narcissus 14 spp.		589
	Pancratium canariense	Leaf, anther	589
	Sternbergia colchiciflora	Leaf, perigone, anther, seed	589
	S. lutea	Leaf, perigone, anther	589
	Tribonanthes uniflora	Perigone	589
	Zephyranthes rosea	Perigone, leaf, anther	589
Berberidaceae	Berberis vulgaris		373
Campanulaceae	Centropogon 6 spp.		589
	Downingia pulchella		589
	Isotoma 5 spp.		589
	Laurentia 4 spp.		589
	Lobelia 25 spp.		589
	Lobelia cardinalis		373
	L. inflata		373
	L. inflata	Fruit	588
	L. syphilitica		373
	Siphocampylus 9 spp.		589
Cannaceae	Canna spp.	Root	588

Family	Genus and Species	Source	Reference
Dioscoreaceae	Discorea balcanica	Leaves, flower, pericarp	589
	D. deltoidea	Leaves, flower	589
	D. humifusa	Seed, pericarp	589
Haemodoraceae	Dilatris corymbosa	Flowers, leaves	589
	Lachenalia tinctoria	Flowers, leaves	589
	Wachendorfia paniculata	Flowers, leaves, pericarp	589
	W. thyrsiflora	Anther	589
Hippocastanaceae	Aesculus flava	Perigone, leaf	589
	A. hippocastanum		588
Liliaceae	Acanthocarpus Preissii	Pericarp, leaf	589
	Allium cirrhosum	Leaf	589
	A. flavescens	Leaf	589
	A. obliquum	Leaf	589
	A. tenuissimum	Leaf, flower	589
	Aloe minima	Leaf	589
	Androcymbium 3 spp.		589
	Anguillaria dioica	Leaf	589
	A. tenella	Leaf	589
	Anticlea sibirica	Leaf, bulb, filament	589
	Asparagus 11 spp.		589
	Asparagus officinalis		587
	Asphodelus clavatus		589
	A. damascena		589
	Bellevalia dubia	Flower	589
	Boemetra columellaris	Filament, leaf, perigone	589

Family	Genus and Species	Source	Reference
	Borya septentrionalis	Leaf	589
	Brodiaea 3 spp.		589
	Bulbine alooides	Flower	589
	Bulbocodium ruthenicum	Leaf	589
	B. versicolor	Leaf	589
	Chlorophytum Bowkeri	Flower	589
	C. parviflorum	Pedicel	589
	Colchicum 12 spp.		589
	C. autumnale		373
	Convallaria majalis		373
	" "	Leaf, anther, perigone	589
	Cordyline Banksii	Flower	589
	C. Pumilio	Leaf	589
	Dasylirion graminifolium	Flower	589
	Dasypogon bromeliifoius	Flower	589
	Dichopogon humilis	Flower	589
	Dracena angustifolia	Leaf	589
	D. elliptica	Flower	589
	Eremurus himalaicus	Leaf	589
	Gloriosa superba		373
	Hookera hyacintha	Flower	589
	H. minor	Flower	589
	Hyacinthys leucophaeus	Flower	589
	Iphigenia diuterik	Leaf	589
	I. indica	Leaf	589
	Johnsonia lupulina	Leaf	589

Family	Genus and Species	Source	Reference
	Kniphofia 4 spp.		589
	Lachenalia montigena	Leaf	589
	L. picta	Leaf, flower	589
	Liriope graminifolia	Leaf	589
	Melanthium tenue	Leaf, perigone, seed	589
	M. virginicum	Leaf, flower	589
	Merendera 5 spp.		589
	Muscari botryoides	Flower	589
	M. calandrinianum	Flower, leaf	589
	Narthecium scardicum	Flower	589
	Ophiopogon bockianus	Leaf	589
	O. japonicus	Leaf	589
	Ornithogalum arabicum	Anther	589
	O. fimbriatum	Leaf, perigone	589
	O. narbonense	Flower	589
	O. oligophyllum	Pedicel	589
	Ornithoglossum glaucum	Leaf, flower	589
	Paradisea liliastrum	Leaf	589
	Paris bockiana	Leaf, perigone	589
	Polygonatum 4 spp.	Leaf, perigone	589
	Reineckea carnea	Leaf, pedicel	589
	Rhipogonum album	Pedicel	589
	R. scandens	Leaf, pedicel	589
	Ruscus hypoglossum	Flower	589
	Sabadilla officinarum		692
	Sandersonia aurantiaca	Leaf, perigone	589

Family	Genus and Species	Source	Reference
	Schoenocaulon officinale		373
	Scilla obtusifolia	Leaf, flower	589
	S. pratensis	Flower	589
	S. verna	Leaf	589
	Smilax 6 spp.		589
	Sugerokia orientalis	Leaf, flower, anther	589
	Tofieldia 4 spp.		589
	Trichopetalum stellatum	Flower	589
	Trillium 9 spp.		589
	Tupistra viridiflora	Leaf	589
	Urginea maritima		373
	Uvularia sessilifolia	Leaf, flower	589
	Veratrum 7 spp.		589
	V. album		373, 642, 692
	V. viride		373
	Wurmbea 4 spp.		589
	Xerotes elongata	Flower	589
	X. pauciflora	Flower	589
	X. suaveolens	Flower	589
	Yucca brevifolia	Perigone, pedicel	589
	Zygadenus 5 spp.		589
Papaveraceae	Chelidonium majus		262, 306, 373, 386, 391, 643, 692, 830
	" "	Leaf	567
	" "	Leaf, perigone, pedicel	589
	Stylophrum diphyllum	Leaf, perigone, anther	589, 638

Family	Genus and Species	Source	Reference
Rhamnaceae	Paliurus aculeatus	Pedicel	589
	Rhamnella franguloides	Leaf	589
	Rhamnus 21 spp.		589
	Rhamnus cathartica	Fruit	588
	Sageretia minutifolia	Leaf	589
	Zizyphus lotus	Leaf	589
Rubiaceae	Uragoga ipecacuanha		373
Thymelaeaceae	Daphne 9 spp.		589
	D. gnidium	Fruit	588
	Gnidia 9 spp.		589
	Passerina 5 spp.		589
	Pimelea flava	Leaf	589
	Stellera chamaejasme	Leaf, flower	589
	Thymelaea 4 spp.		589
	Wikstroemia 3 spp.		589

Chlorogenic Acid



Acanthaceae	Barleria cristata		236
	Eranthemum macrophyllum		236
	Graptobilanthes hortense		236
	Strobilanthes lupinus		236
	Thunbergia laurifolia		236

Family	Genus and Species	Source	Reference
Apocynaceae	Allamanda Hendersonii		236
	Alstonia scholaris		236
	Kopsia flavida		236, 238
Aquifoliaceae	Ilex aquifolium	Leaf, stem, root	122
	I. salicifolia		236
Araliaceae	Aralia maculata		236
	Hedera helix		257
	Heptapleurum sp.		236
	Paratropia sp.		236
	Trevesia sundaica		236
Asclepiadaceae	Hoya bandanensis		236
Bignoniaceae	Crescentia cuneifloia		236
	Kigelia pinnata		236
	Spathodea campanulata		236
Boraginaceae	Cordia suaveolens		236
	Ehretia buxifolia		236
Cannaceae	Canna indica		236
Caprifoliaceae	Lonicera sp.		236
	Sambucus javanica		236
	S. nigra	Flower	122
Chenopodiaceae	Suaeda dodeneifloia		236
Compositae	95 genera		547
	Achillea millefolium	Flower	122
	Anacyclus pyrethrum	Flower	122
	Arnica montana	Flower	122
	Centaurea jacea	Leaf	122

Family	Genus and Species	Source	Reference
	Cichorium intybus	Leaf	122
	Clibadium asperum		236
	C. surinamense		236
	Dahlia variabilis		544
	Eupatorium javanicum		236
	E. pallescens		236
	Gymnanthemum grande		236
	Helianthus sp.	Seed	240
	H. annuus	Seed	232, 237, 367, 502
	H. doronicoides	Leaf	122
	H. tuberosus		543, 544, 545
	Lactuca sativa		545
	Lappa major	Leaf	122
	Pluchea indica		236
	P. odorata		236
	Silybum marianum		543
	Stifftia chrysantha		236
	Tagetes erecta		236
	Taraxaxum gymnanthum		544
	Tithonia diversifolia		236
	Vernonia sp.		236
Convolvulaceae	Argyreia kurzei		236
	Erycibe tomentosa		236
	Ipomoea batatas		236, 545
	" "	Root	616
	Lepistemon flavescens		236
	Merremia dissecta		236

Family	Genus and Species	Source	Reference
	Porana paniculata		236
Cornaceae	Mastixia cuspidata		236
Cucurbitaceae	Coccinia cordifolia		236
	Trichosanthes sp.		236
Dipsacaceae	Dipsacus silvestris		122
Ericaceae	Vaccinium lucidum		236
Erythroxylaceae	Erythroxylum coca		236
	E. novogranatense		236
Eucommiaceae	Eucommia sp.	Leaf	255
Gesneriaceae	Aeschynanthus longiflora		236
	Agalmyla staminea		236
	Cyrtandra bicolor		236
	Episcia pulchella		236
	Gloxinia caulescens		236
	Sinningia sp.		236
Gnetaceae	Gnetum ovalifolium		236
Goodeniaceae	Scaevola sericea		236
Gramineae		Mixed herbage	305
	Bambusa sp.		236
	Oryza sativa		236
	Paspalum vaginatum		236
	Phragmites sp.		236
	Saccharum officinarum		236
Labiatae	Ballota foetida	Leaf	122
	Calamintha officinalis		122

Family	Genus and Species	Source	Reference
	Mentha javanica		236
	M. rotundifolia		122
	Salvia coccinea		236
	S. pratensis		122
	Stachys lanata		122
Liliaceae	Convallaria maialis	Leaf	122
Loganiaceae	Crateriphytum moluccanum		236
	Strychnos sp.	Seed	240
	S. nux vomica		236
	" " "	Seed	735
Magnoliaceae	Michelia fuscata		236
Malvaceae	Gossypium sp.		502a
Martyniaceae	Martynia diandra		236
Moraceae	Castilloa elastica	Latex	239
	Ficus elastica	Latex	239
Oleaceae	Jasminum nudiflorum	Leaf, flower	122
Orbanchaceae	Orobanche epithymum	Stem	122
	O. rapum	Stem, flower, underground parts	122
	Phelipaea lutea		122
Pandanaceae	Freycinetia strobilacea		236
Pedaliaceae	Sesamum orientale		236
Ranunculaceae	Aconitum septentrionale		321
	Clematis paniculata		236
	C. vitalba	Leaf	122
	Ranunculus bulbosus	Leaf	122
Rosaceae	Crataegus oxyacantha	Fruit, leaf, flower	194

Family	Genus and Species	Source	Reference
	Prunus domestica	Fruit	151
	Pyrus communis	Fruit	95, 789
	" "	Leaf	798
	P. Malus	Fruit	95, 302, 467, 789
	" "	Juice	537, 538
	" "	Leaf	798
Rubiaceae	Adina cordifolia		236
	Coelospermum corymbosum		236
	Coffea sp.	Bean	194, 240, 248, 292
	C. arabica		236, 599
	C. bengalensis		236
	C. liberica		235, 236, 238
	Exostemma longiflorum		236
	Hymenodictyon sp.		236
	Mussaenda officinalis		236
	Nauclea fagifolia		236
	Oxyanthus hirsutus		236
	Palicourea gardenioides		236
	Timonius compressicaule		236
Saxifragaceae	Hydrangea mutabilis		236
Scrophulariaceae	Capraria biflora		236
	Torenia sp.		236
	Veronica alpina	Whole plant	122
	V. chamoedrys	" "	122
	V. officinalis	" "	122
	V. traversii	Root, stem, leaf	122

Family	Genus and Species	Source	Reference
Solanaceae	Atropa belladona	Leaf	546
	Brunsfelsia americana	Leaf	546
	Capsicum annuum	Leaf	546
	C. grossum	Leaf	546
	C. violaceum	Leaf	546
	Cestrum aurantiacum	Leaf	546
	C. elegans	Leaf	546
	Datura arborea	Leaf	546
	D. stramonium	Leaf	546
	Hyoscyamus albus	Leaf	546
	H. aureus	Leaf	546
	H. pusillus	Leaf	546
	H. reticulatus	Leaf	546
	Mandragora officinarum	Leaf	546
	Nicotiana sp.		351
	Petunia nyctaginiflora	Leaf	546
	Physalis alkekengi	Leaf	122
	P. angulata	Leaf	546
	P. peruviana	Leaf	546
	Physochlaena orientalis	Leaf	546
	Scopolia carnifolica	Leaf	546
	Solanum 16 spp.	Leaf	546
	S. lycopersicum		122
	S. tuberosum		327, 329, 544
	Vithania frutescens		546
	V. somnifera		546

Family	Genus and Species	Source	Reference
Theaceae	Thea sinensis	Leaf	608
Tiliaceae	Corchorus olitorius		236
Umbelliferae	Angelica archangelica	Root	698
	Apium graveolens		544
	Eryngium pandanifolium		236
	Hydrocotyle sp.		236
	Thapsia garganica		544
Urticaceae	Boehmeria nivea		236
Verbenaceae	Verbena officinalis	Leaf	122

Cinnamic Acid



Compositae	Parthenium argentatum	Aq. extract of root, rubber, resin, leaf	79, 776
Ericaceae	Enkianthus japonicus	Leaf	169
Globulariaceae	Globularia spp.		268
	G. alypum	Stalk, leaf	269
	G. vulgaris	Stalk, leaf	269, 753
Hamamelidaceae	Liquidambar sp.	Resin	299, 310
	L. orientalis	Resin	727
	L. styraciflua	Resin	311, 728
Lauraceae	Cinnamonum sp.	Leaf	368
Leguminosae	Myroxylon pereiae	Balsam	219, 273, 359, 364
	M. toluiferum	Balsam	114, 121, 150 219
Myrtaceae	Eugenia jambolana	Seed	552
Scrophulariaceae	Scrophularia nodosa	Root	323
Styracaceae	Styrax liquidus	Resin	666

Family	Genus and Species	Source	Reference

Citramalic Acid



Rosaceae	Pyrus malus	Peel	303, 304

Citric Acid



Citric acid was first found by Scheele (631) (632) in lemons and appears to be ubiquitous in higher plants. Franzen & Helwert (207) have made a critical review of the literature on occurrence of citric acid.

Coumaric Acid

$HOC_6H_4CH{=}CHCOOH$

Bignoniaceae	Catalpa bignonioides	Leaf	469
	C. ovata	Leaf, bark	288
Leguminosae	Daviesia latifolia	Leaf, stem	562
	Melilotus alba	Vegetative part	103
	" "	Root	622
	M. officinalis	Vegetative part	103
	Trifolium pratense	Flower	560
Papaveraceae	Papaver somniferum		641
Pinaceae	Pinus sp.	Resin	37
Rosaceae	Prunus serotina	Bark	557

Family	Genus and Species	Source	Reference

Digallic Acid



Theaceae	Thea sinensis	Leaf	607, 608

Dihydroxymaleic Acid



Papaveraceae	Glaucium luteum	Pressed juice	640

3,4-Dimethoxycinnamic Acid



Scrophylariaceae	Veronica virginica	Rhizome, root (leptandra)	559

Ethylmalic Acid



Euphorbiaceae	Euphorbia biglandulosa	Latex	347

Ferulic Acid



Bignoniaceae	Catalpa ovata	Bark	288

Family	Genus and Species	Source	Reference
Pinaceae	Larix europaea	Resin	37
Umbelliferae	Ferula assafoetida	Resin of roots and rhizomes	644

Isoferulic Acid



Bignoniaceae	Catalpa ovata	Root bark	288
Ranunculaceae	Cimicifuga racemosa	Rhizome	195

Fluoracetic Acid

CH_2FCOOH

Dichapetalaceae	Dichapetalum cymosum		428

Fumaric Acid

H-C-COOH
"
HOOC-C-H

Aceraceae	Acer saccharum	Sirup	476
	" "	"sugar sand"	477
	" "	Sap, sirup	549
Asclepiadaceae	Asclepias syriaca	Root	430
Chenopodiaceae	Beta vulgaris	Beet diffusion juice	508, 681
Compositae	Helianthus annuus		58
Cruciferae	Bunias orientalis	Stem, leaf, flowering top	322
Eucommiaceae	Eucommia ulmoides	Leaf	254
Euphorbiaceae	Cluytia similis	Leaf, stem	739
	Ricinus communis	Germinating bean	149

Family	Genus and Species	Source	Reference
Gramineae	Hordeum vulgare	Leaf	118
	" "	Etiolated shoot	172
	" "	Seedling	320
	Oryza sativa	Grain	264
	" "	Leaf	819
	Saccharum officinarum	Juice	609, 610, 611
	Sorghum sp.	Sirup	419
Labiatae	Salvia officinalis	Leaf	100
Leguminosae	Daviesia latifolia	Leaf, stem	562
	Phaseolus coccineus		58
	P. mungo		133
Papaveraceae	Corydalis bulbosa		790
	Fumaria officinalis	Sap	142, 144, 722, 800
	Glaucium flavum	Leaf	494
	G. luteum		567, 568, 640
	Papaver somniferum		641
Solanaceae	Nicotiana sp.		661, 758, 759
Umbelliferae	Daucus carota	Root tissue	109, 110, 413
	Myrrhis odorata	Leaf	494, 314

Galacturonic Acid

```
      H OH OH H
      ' ' ' '
HOOC-C-C-C-C-CHO
      ' ' ' '
      OH H H OH
```

Rosaceae	Fragaria vesca	Juice	450, 451, 452
	Prunus persica	Juice	19
	" "	Fruit	20
	Pyrus comunis	Fruit	20
	P. malus	Juice	537

Family	Genus and Species	Source	Reference
	Gallic Acid		



Anacardiaceae	Rhus coriaria	Stalks	389, 685
	R. glabra	Fruit	624
	R. semialata	Fruit	744
Celastraceae	Celastrus scandens	Fruit	786
Commelinaceae	Commelina agraria		600
Cornaceae	Cornus sericea	Fruit pulp	687
	C. florida	Flowers and bracts	624a
Ericaceae	Arctostaphylos uva ursi		613
	Epigaea repens		509
Euphorbiaceae	Phyllanthus distichus	Root bark	140
Fagaceae	Quercus aegilops	Acorn	685
	Q. pedunculata	Wood	445
Geraniaceae	Geranium onoli		307
	G. pratense		92
	G. zonale		94
Lauraceae	Persea gratissima	Fruit kernel	520, 521
Leguminosae	Pithecolobium saman	Bark	313
Loganiaceae	Gelsemium sempervirens	Root	295
Musaceae	Musa paradisica	Sap	267
Myrtaceae	Psidium spp.		521
Nymphaeaceae	Brasenia schreberi		468
Oleaceae	Olea europea	Leaves	119
Polygonaceae	Rheum austriacum	Root	280
	R. rhaponticum	Root	280

Family	Genus and Species	Source	Reference
Punicaceae	Punica granatum	Root bark	454
Rubiaceae	Coffea sp.		536
Sapotaceae	Mimusops sp.		521
Scrophulariaceae	Digitalis sp.		470
	D. purpurea		274
Simarubaceae	Quassia simaruba	Root bark	457
Solanaceae	Nicotiana tabacum	Leaf	360
Theaceae	Thea sinensis		372, 607, 608

Ginkgolic Acid



Ginkgoaceae	Ginkgo biloba	Fruit	340

Gluconic Acid



Chenopodiaceae	Beta vulgaris	Crust on juice preheater	406

Glucuronic Acid



Compositae	Taraxacum officinale	Young leaf	510
Cucurbitaceae	Cucurbita pepo	Seed	510
Gramineae	Hordeum vulgare	Germinating Seed	510
	Musa sp.	Shoot	626

Family	Genus and Species	Source	Reference
Leguminosae	Phaseolus or vicia	Germinating seed, etiolated leaf	510

Glutaric Acid

$HOOC-CH_2-CH_2-CH_2-COOH$

Chenopodiaceae	Beta vulgaris	Beet	398, 400, 752

Glyceric Acid

$CH_2OH-CH(OH)-COOH$

Chenopodiaceae	Beta vulgaris	Diffusion juice	681
Gramineae	Hordeum vulgare		56
	" "	Leaf	57, 118
Leguminosae	Glycine sp.	Leaf	25
Solanaceae	Nicotiana tabacum		695

Glycolic Acid

$HO-CH_2-COOH$

Caprifoliaceae	Sambucus niger	Leaf	35
Caryophyllaceae	Herniaria glabra	Leaf	35
Chenopodiaceae	Beta vulgaris	Beet juice	400, 508, 680, 681
Combretaceae	Combretum micranthum	Leaf	35
Compositae	Cynara scolymus	Leaf	35
	Solidago virgaaurea	Flowering twig	35
Dichapetalaceae	Dichapetalum cymosum		428
Ericaceae	Arbutus unedo	Leaf	35
	Erica multiflora	Flowering twig	35
Euphorbiaceae	Ricinus communis		65, 149

Family	Genus and Species	Source	Reference
Gramineae	Agropyron repens	Root and/or rhizome	35
	Avena sativa	Seedling	297
	Hordeum vulgare		56, 57
	" "	Leaf	118, 695
	" "	Etiolated shoot	172
	" "	Seedling	297
	Saccharum officinarum	Juice	566, 609, 610, 611, 662, 794
	Zea mays	Stigmata	35
Labiatae	Lavandula vera	Flowering twig	35
	Orthosiphon stamineus	Leaf	35
	Rosmarinus spp.	Flowering twig	35
Leguminosae	Lupinus albus	Seedling	297
	Medicago sativa	Sap	191
	Pisum sativum	Seedling	297
Liliaceae	Asparagus spp.	Root and/or rhizome	35
	Ruscus aculeatus	Root and/or rhizome	35
Pinaceae	Juniperus communis	Berry	35
Rosaceae	Prunus cerasus	Peduncle	35
	Pyrus communis	Juice	598
	P. malus	Juice	708
Solanaceae	Nicotiana tabacum		694
	" "	Leaf	695
	Physalis akekengi	Berry	35
	Solanum lycopersicum	Leaf	694, 695
Umbelliferae	Apium graveolens	Root and/or rhizome	35

Family	Genus and Species	Source	Reference
	Eryngium campestre	Root and/or rhizome	35
	Foeniculum vulgare	Root and/or rhizome	35
	Petroselinum sativum	Root and/or rhizome	35
Urticaceae	Parietaria spp.	Leaf	35
Vitaceae	Ampelopsis nederacea	Leaf	243
	Vitis vinifera	Unripe fruit	105, 187, 188
	" "	Fruit	286

Glyoxalic Acid

CHO
|
COOH

Chenopodiaceae	Beta vulgaris		400
Cornaceae	Cornus mas	Fruit	637
Ericaceae	Vaccinium oxycoccus		690
Gramineae	Saccharum officinarum	Juice	794
Labiatae	Mentha piperita	Leaf	717, 719
Leguminosae	Arachis hypogaea	Seedling	202, 203
Liliaceae	Tulipa gesneriana		717, 718
Polygonaceae	Rheum officinale		106
Rosaceae	Prunus domestica	Unripe fruit	106
	Pyrus malus	Unripe fruit	106
	" "	Fruit	303
Saxifragaceae	Ribes sp.	Unripe fruit	106
	R. grossularia	Unripe fruit	106
Solanaceae	Solanum tuberosum	Tuber	719
Umbelliferae	Daucus carota	Leaf, root	717
	" "	Root	719

Family	Genus and Species	Source	Reference
Vitaceae	Vitis vinifera		106, 107, 256, 286
	" "	Juice	653

Hemipinic Acid



Papaveraceae	Papaver somniferum		641

Hydrocaffeic Acid



Chenopodiaceae	Beta vulgaris	Leaf	401
Solanaceae	Solanum tuberosum	Tuber	593
Vitaceae	Ampelopsis hederacea		593

Hydrocoumaric Acid



Leguminosae	Melilotus officinalis		832

p-Hydroxybenzoic Acid

Bignoniaceae	Bignonia catalpa	Unripe fruit	541
	Catalpa ovata	Leaf	469
Papaveraceae	Papaver somniferum		641

Family	Genus and Species	Source	Reference
	Hydroxycitric Acid		
	CH_2-COOH | HO-C-COOH | HO-C-COOH | H		
Chenopodiaceae	Beta vulgaris	Juice	399
	α-Hydroxyglutaric Acid		
	HOOC-CH_2CH_2CHOH-COOH		
Chenopodiaceae	Beta vulgaris	Sap	398
	2-Hydroxy-6-Methoxy Benzoic Acid		
			
Liliaceae	Gloriosa superba	Tubers	127
	p-Hydroxyphenylacetic Acid		
			
Compositae	Taraxacum officinale	Root	553
	Isochlorogenic Acid		
			
Rosaceae	Pyrus communis	Leaf and shoot	95
	" "	Leaf	798
Rubiaceae	Coffea sp.		41

Family	Genus and Species	Source	Reference
	Isocitric Acid		
	$CH(OH)-COOH$ $\vert$ $CH-COOH$ $\vert$ CH_2-COOH		
Anonaceae	Anona muricata		479
Crassulaceae	Bryophyllum sp.	Leaf	511, 579, 81
	B. calycinum	Leaf	113, 365, 570, 571, 574, 575, 694, 695 748, 757
	" "	Leaf and stem	573
	Escheveria sp.	Leaf	365
	E. secunda		492, 493
	Sedum acre		493
	S. maximum		493
	S. praealtum		813
	Sempervivum tectorum		493
Gramineae	Hordeum vulgare		56
	" "	Leaf	57, 695
Lecythidaceae	Couroupita guianensis	Fruit	484
Leguminosae	Pisum sativum	Ungerminated seeds	427
Rosaceae	Pyrus malus	Fruit	109, 110
	Rubus fructicosus	Fruit	131, 473, 478
Scrophulariaceae	Digitalis purpurea		337
	" "	Leaf	365
Solanaceae	Nicotiana tabacum		694
	" "	Leaf	695
	Solanum lycopersicum	Leaf	694, 695
	S. tuberosum	Juice of tuber	130

Family	Genus and Species	Source	Reference
Umbelliferae	Daucus carota		109, 110

Isophthalic Acid



Iridaceae	Iris versicolor	Rhizome	561

α-Ketoadipic Acid

$HOOC-CH_2-CH_2-CH_2-CO-COOH$

Leguminosae	Pisum sativum	Germinating seed	763

Ketoglutaric Acid

$HOOC-CH_2-CH_2-CO-COOH$

Euphorbiaceae	Ricinis communis	Germinating seed	149
Gramineae	Hordeum vulgare	Etiolated Shoot	172
Labiatae	Mentha piperita	Leaf	717, 719
Leguminosae	Arachis hypogaea	Seedling	202,203
	Pisum sativum	Young plant	767, 769
	Trifolium pratense		766, 767
Liliaceae	Tulipa gesneriana		717, 718
Rosaceae	Pyrus malus	Fruit	303
Solanaceae	Solanum tuberosum	Tuber	38, 719
Umbelliferae	Daucus carota	Root and leaf	717
	" "	Root	719

Family	Genus and Species	Source	Reference
	Lactic Acid		
	CH_3-CHOH-COOH		
Amaryllidaceae	Agave sisalana	Leaf	417, 646, 647
Bromeliaceae	Ananas sativas		521
Chenopodiaceae	Beta vulgaris		440
	" "	Juice	680, 681
	" "	Beet	688, 689
	" "	Beet and leaf	752
Compositae	Helianthus annuus		58
	Lactuca sp.		521
	" "	Leaf	646
	L. sativa	Leaf	647
Crassulaceae	Bryophyllum calycinum		811
Cruciferae	Brassica oleracea	Kale	42
	" "	Cabbage	647
Cucurbitaceae	Cucumis sativus		688
Ericaceae	Vaccinium myrtillus		331
Euphorbiaceae	Ricinis communis		141
	" "	Germinating Seed	149, 300
	" "	Seedling	646
	" "	Seedling, leaf	647
Fagaceae	Castanea vesca	Fruit	152
	Fagus sylvatica	Nut	333
Gentianaceae	Erythreae centaurium		261
Gramineae	Bambusa sp.	Shoot	626
	Hordeum distichum	Germinating Seed	689
	H. sativum		803
	H. vulgare	Etiolated shoot	172

Family	Genus and Species	Source	Reference
	Oryza spp.	Leaf	819
	Secale cereale	Leaf	676
	Triticum sativum	Leaf	676
	T. Vulgare	Germinating seed	689
	Zea mays	Germinating seed	646, 647, 803
Leguminosae	Glycine sp.		333
	Lupinus sp.	Seed	463
	L. luteus	Germinating seed	689
	Phaseolus coccineus		58
	P. vulgaris	Seedling	647
	Pisum sativum	Germinating seed	646, 647, 689
	Tamarindus indica		3, 331
	Vicia faba	Leaf, sprout	646, 647
	" "	Germinating seed	689
Malvaceae	Gossypium sp.	Seed	333
Myricaceae	Myrica rubra	Fruit	357
Myrsinaceae	Maesa picta	Seed	23
Papaveraceae	Glaucium luteum	Pressed juice	640
	Papaver somniferum	"Poppy straw"	641
Polygonaceae	Rheum sp.	Leaf	646
	R. hybridum	Tuber	647
Rosaceae	Eriobotrya japonica	Milky juice	192
	Fragaria sp.	Juice of Fruit	287
	Prunus avium		204

Family	Genus and Species	Source	Reference
	Prunus cerasus	Juice of fruit	439
	Pyrus communis	Juice of fruit	439
	" "	Juice, fruit	598
	P. malus	Fruit	206, 287
	" "	Juice of fruit	438, 439, 710
	Rubus sp.	Leaf	646
	R. fructicosus	Leaf	210, 211, 647
	R. idaeus	Leaf	217, 218, 648
Rutaceae	Citrus decumana	Juice of fruit	287
Salicaceae	Salix sp.	Bark	155
Scrophulariaceae	Digitalis purpurea		337
	Euphrasia officinalis		176
	Veronica officinalis		175
Solanaceae	Solanum dulcamara	Peduncle	809
	S. lycopersicum	Fruit	113, 120, 747
	" "	Fruit juice	601
	S. tuberosum	Tuber	39, 40, 646, 647, 688, 689, 788, 803
Sterculiaceae	Theobroma cacao	Seed	459, 460
Umbelliferae	Daucus carota		646
	" "	Root	647, 689
Vitaceae	Vitis vinifera	Juice	439
	" "	Sap	810

Malic Acid



Malic acid was discovered by Scheele (633), who reported its presence in a number of plants. Franzen & Keyssner (212) have made a critical review of the literature on its occurrence but it appears to be ubiquitous in higher plants.

Family	Genus and Species	Source	Reference
	Malonic Acid		
	$\begin{array}{l} COOH \\ \vert \\ CH_2COOH \end{array}$		
Chenopodiaceae	Beta vulgaris	Incrustation on evaporator	397
	" "	Beet juice	399
	" "	Beet and leaf	752
Compositae	Helianthus annuus		58
	H. tuberosus		234
Cruciferae	Bunias orientalis	Stem, leaf, flowering top	322
Gramineae		Mixed herbage	305
	Avena sativa		297, 483
	Dactylis glomerata		138
	Hordeum vulgare		297, 483
	Triticum sp.		481
Leguminosae	Anthyllis sp.		58
	Astragalus sp.		58
	A. sinicus		822
	Colutea sp.		58
	Lotus sp.		58
	Lupinus sp.		58, 297
	Medicago sp.		58
	M. sativa		737
	Melilotus sp.		58
	Ononis sp.		58
	Phaseolus coccineus		58
	Sophora sp.		58

Family	Genus and Species	Source	Reference
	Thermopsis sp.		58
	Trifolium sp.		58
	Trigonella sp.		58
	Vicia sp.		58
Rosaceae	Fragaria sp.	Fruit	691
Umbelliferae	Anthriscus sp.		58
	Apium sp.		58

Meconic Acid



Papaveraceae	Papaver Rhoeas		516
	P. somniferum		66
	" "	Dried capsules	145
	" "	Milky sap	654, 655

Melilotic Acid



Leguminosae	Melilotus alba	Vegetative part	103
	M. officinalis	Vegetative part	103, 832
Solanaceae	Nicotiana tabacum	Leaf	360

Mesaconic Acid



Bignoniaceae	Crescentia sp.	Curare	336
Cruciferae	Brassica oleracea	Leaf	115, 116
Gramineae	Saccharum officinarum	Juice	609, 610, 611

Family	Genus and Species	Source	Reference

Mesoxalic Acid



Leguminosae	Medicago sativa		191

γ-Methylene-α-ketoglutaric Acid



Leguminosae	Arachis hypogaea	Seedling	202, 203
Liliaceae	Tulipa gesneriana		717, 718

Morolic Acid



Ericaceae	Agauria salicifolia		162

Mucic Acid



Chenopodiaceae	Beta vulgaris	Diffusion juice	680
Elaeocarpaceae	Elaeocarpus serratus	Fruit pulp	817
Rosaceae	Prunus persica	Ripe fruit	20
	Pyrus communis	Ripe fruit	20

Family	Genus and Species	Source	Reference
	Neoabietic Acid		



Pinaceae	Pinus palustris	oleoresin	265a
	P. silvestris	oleoresin, wood rosin	265b

Family	Genus and Species	Source	Reference

Oleanolic Acid



Apocynaceae	Alyxia buxifolia	Bark	22
Ericaceae	Vaccinium myrtillus		590
Euphorbiaceae	Petalogstigma sericea		22
Labiatae	Thymus vulgaris		615
	Salvia officinalis		101
Loranthaceae	Viscum album	Leaf	805
Myrtaceae	Psidium guaijava	Leaf	26
Oleaceae	Olea europea	Leaf	259
Rosaceae	Crataegus oxyacantha	Leaf	60
	Eriobotrya japonica	Leaf	27
Solanaceae	Anthocercis intricata	Bark	22
	A. littorea	Bark	22
	A. odgersii	Bark	22
Vitaceae	Vitis labrusca	Pomace	434

Oxalacetic Acid

$HOOC-CH_2-CO-COOH$

Gramineae	Hordeum vulgare		766
	Phleum pratense		766
Labiatae	Mentha piperita		717, 719

Family	Genus and Species	Source	Reference
Leguminosae	Convalia ensiformis		766
	Pisum sativum		765, 766, 767, 768, 769
	Trifolius pratense	Young leaves	764, 765, 766, 767
Liliaceae	Tulipa gesneriana		717, 718
Rosaceae	Pyrus malus	Fruit	303
Solanaceae	Solanum tuberosum	Tuber	719
Umbelliferae	Daucus carota	Root, leaf	717
	" "	Root	719

Oxalic Acid

$$\begin{array}{c} COOH \\ | \\ COOH \end{array}$$

Reviews and surveys of the occurrence of oxalic acid include Andrews and Viser (18), Esbach (189), Kohman (354), Meyen (446), Miller, Ross and Lewis (449), Molisch (455), Patschovsky (514), Schimper (636), and Treviranus (721).

Aceraceae	Acer platanoides	Root	362
	A. saccharum	Sap, sugar sand	778
Aizoaceae	Mesembryanthemum sp.		515
	M. acinaciforme		2
	M. crystallinum		17, 63
	" "	Leaf, flower	62
Amarantaceae			515
	Alternanthera sessilis		298
	Amarantus sp.		244
	A. aquatica		627
	A. caudatus	Leaf, flower	63
	" "		62
	A. gangeticus		298
	A. polygonoides		298

Family	Genus and Species	Source	Reference
Amaryllidaceae	Agave americana	Leaf	825
Anacardiaceae	Mangifera indica		87
Araceae	Acorus calamus		820
	Arum italicum	Berry	348
Aristolochiaceae	Asarum sp.		515
Balsaminaceae	Impatiens parviflora		462
	I. sultani		462
Begoniaceae	Begonia sp.		228
	B. evansiana		658, 659, 660
	B. rex		770
	B. semperflorens		129, 617, 742
Berberidaceae	Berberis vulgaris	Fruit	348
Betulaceae	Alnus sp.	Leaf	781
	Betula sp.		362
	Ostrya vulgaris		362
Bombacaceae	Adansonia digitata	Fruit	5
Bromelianceae	Bromelia pinguin	Fruit	29
Cactaceae			515
	Cereus peruvianus		738
	Opuntia sp.		486
	O. vulgaris	Stem	348
Caprifoliaceae	Sambucus nigra	Young leaf	47
	Symphoricarpus sp.	Leaf	781
Caryophyllaceae	Dianthus barbatus		500
	D. carthusianorum	Leaf, stem	13

Family	Genus and Species	Source	Reference
	Lychnis coronaria		75
	L. dioica		13, 75, 92
	L. flos-jovis		75
	L. githago		13
	Saponaria sp.		486
	S. officinalis		13
	Spergula arvensis		75
	Stellaria media		462, 500
	Tunica saxifraga		13
Celastraceae	Celastrus obscurus	Leaf	158
	Euonymus japonicus		2
Chenopodiaceae			449
	Atriplex sp.		515
	Beta vulgaris		500, 515, 540, 627
	" "	Juice	400, 447, 508, 680, 681
	" "	Root, leaf	421, 752
	" "	Leaf	34, 461, 621, 629
	" "	Swiss chard, mangold, beet leaf	630
	" "	Seed	153, 693
	" "	Root	24, 190, 234, 244, 783
	Chenopodium		515
	C. quinoa	Leaf, flower	62, 63
	Halogeton glomeratus		198, 296
	Spinacia oleracea		24, 91, 189, 190; 384, 482, 515, 540.
	" "	Leaf	46, 70, 154, 244, 500, 621, 792, 820.

Family	Genus and Species	Source	Reference
Commelinaceae	Callisia repens		462
	Tradescantia		515
	T. fluminensis		53, 787
	T. selloi	Leaf	636
	T. virginica	Leaf	348
Compositae	Cichorium endivia		24, 190
	Helianthus tuberosus		234
	Kleinia articulata		318
	Lactuca spp.		521
	L. sativa		482, 540, 792
Convolvulaceae	Ipomoea aquatica		298
Cornaceae	Cornus sericea	Fruit pulp	687
Crassulaceae	Bryophyllum calycinum	Leaf	113, 570, 574, 580, 694, 695, 748
	" "	Leaf, stem	573
	B. crenatum	Leaf	81, 348
	Echeveria glauca	Leaf	348
	Sedum azureum		17
	S. fabaria	Leaf	348
	Sempervivum glaucum	Leaf	52
	S. tectorum	Leaf	348
Cruciferae			515
	Brassica oleraceae		24, 190, 482
	B. pekinensis		820
	Bunias orientalis	Stem, leaf, flowering top	322
Cucurbitaceae	Cucumis melo		24, 190, 540
	Cucurbita pepo		792
Dipsacaceae	Succisa pratensis		500
Ericaceae	Vaccinium myrtillus		24, 190, 331

Family	Genus and Species	Source	Reference
Euphorbiaceae	Aleurites cordata	Leaf	229
	Euphorbia sp.		515
	Mercuralis annuelle		134
	M. perennis		500
	Phyllanthus emblica		332
	Ricinus communis		65
Fagaceae	Fagus sylvatica		98, 500, 652
	Quercus pedunculata		445
Gesneraceae	Aeschynanthus sp.		515
Globulariaceae	Globularia spp.		268
Gramineae			515
	Avena sativa	Seedling	297, 483, 530
	Bambusa sp.	Shoot	626
	Hordeum vulgare	Leaf	47, 695
	" "	Seedling	297, 320, 483, 694
	Lolium perenne		423
	Oplismenus imbecillis		53
	Oryza spp.	Leaf	819
	Phyllostachys mitis	Sprout	703
	Poa pratensis		540
	Saccharum officinarum	Juice	10, 86, 518, 609, 610, 611, 707, 821
	Secale cereale		483
	Sorghum sp.	Juice	419
	S. vulgare		796, 797
	S. vulgare	Leaf	812
	Triticum sp.		481
	T. aestivum		540
	Zea mays		53, 771

Family	Genus and Species	Source	Reference
Hippocastanaceae	Aesculus hippocastanum	Young leaf	47
Hydrocharitaceae	Elodea densa		466
	E. canadensis		466
Juglandaceae	Juglans regia	Bark	356
Labiatae			515
Leguminosae	Acacia spp.	Bark	683
	Acacia cambagei	Bark and wood	682, 683
	Arachis hypogaea	Kernel	516
	Cassia sp.	Leaf	773
	Cicer arietinum	Secretion from hairs	453
	" "	Fruit	828
	Glycine soja		540
	Lupinus albus	Seedling	297
	L. luteus	Seed	606
	Medicago sativa		540
	Mimosa speggazzinii		462
	Phaseolus limensis		540
	Pisum sativum	Seedling	297, 540, 792
	Tamarindus indica		209, 331, 332
	" "	Mature leaf	245
	Vicia sp.		324
	Vicia faba		24, 190
Liliaceae			515
	Agapanthus umbellatus	Leaf	348
	Allium cepa		8, 221, 363, 792
	Asparagus officinalis		24, 190
	Erythronium dens canis	Bulb	157

Family	Genus and Species	Source	Reference
	Hyacintha orientalis	Bulb	76
	Smilacina bifolia	Fruit	167
	S. racemosa	Fruit	167
Loranthaceae	Viscum sp.		515
Malvaceae	Gossypium sp.		184, 185, 186, 415a
Melastomaceae	Memecylon tinctorum		159
Menispermaceae	Jateorhiza columba		734
Moraceae	Cannabis sp.		134
	Ficus carica		244
Musaceae	Musa sapientum	Over-ripe fruit	490
Myricaceae	Myrica rubra	Fruit	357
Myristicaceae	Myristica surinamensis	Seed	724
Myrtaceae	Eucalyptus 12 spp.	Bark	673
	Psidium guajava	Leaf	11
Nyctaginaceae	Mirabilis sp.	Flower, fruit	542
Nymphaeaceae	Nymphaea alba	Rhizome	252
	N. lutea	Rhizome	252
Orchidaceae			515
	Vanilla planifolia		777
Oxalidaceae	Averrhoa carambola		124
	" "	Fruit	388
	" "	Juice	480
	Oxalis sp.		228, 244, 515
	O. acetosella	Leaf	348, 500
	O. corniculata		245
	O. stricta		63

Family	Genus and Species	Source	Reference
Oxalidaceae	Oxalis violacea		521
Papaveraceae			515
	Fumaria officinalis	Seed coat	246
Pedaliaceae	Sesamum indicum	Seed	266a
Phytolaccaceae	Phytolacca sp.		515
	P. dioica	Shoot, bark, pith	2
Pinaceae			614
	Pinus abies	Sap	330, 652
	P. cembra	Seedling	650
	P. excelsa	Needle	500, 823
Piperaceae	Peperomia sp.		515
Polygonaceae	Emex sp.		515
	Fagopyrum esculentum		53, 540
	" "	Leaf, stem	584
	Oxyria sp.		515
	Polygonum sp.		515
	Rheum sp.		24, 108, 190, 244, 384, 515, 760, 792
	" "	Leaf	684
	R. crispum	Stem	506
	R. hybridum	Leaf, rhizome	9
	" "	Leaf	572, 583, 695, 770
	" "	Stem, rhizome	618, 619
	R. leucorhizum	Stem	506
	R. nepalense	Stem	506
	R. nutans	Stem	506
	R. officinale	Leaf	106, 770
	R. palmatum	Stem	506
	R. paragon	Stem	506

Family	Genus and Species	Source	Reference
Polygonaceae	R. rhaponticum	Stem	378
	R. undulatum	Petiole	348
	Rumex sp.		228, 244, 515
	R. acetosa	Leaf	45
	" "	Seed, root	63
	" "		61, 190, 521
	R. obtusifolius	Root	362
Polypodiaceae	Lonchitis sp.		515
Portulacaceae	Portulaca sp.		244, 515
	Talinum speciosa		298
Primulaceae			515
	Primula elatior		500
Punicaceae	Punica granatum		332
	" "	Bark	486
Pyrolaceae	Monotropa sp.		515
Ranunculaceae	Anemone sp.		515
	A. nemorosa		742
Rhamnaceae	Rhamnus lycioides	Leaf	221
	Zizyphus jujuba		332
Rosaceae	Crataegus sp.	Leaf	781
	C. oxyacantha	Leaf	47
	Fragaria sp.	Fruit	24, 190, 792
	" "		6
	Mespilus germanica	Over-ripe fruit	490
	Prunus armenica	Dried fruit	472
	P. avium	Fruit	204
	P. cerasus	Fruit	24, 343

Family	Genus and Species	Source	Reference
Rosaceae	Prunus domestica	Fruit	24, 108
	P. persica	Fruit	24, 190
	Pyrus communis	Fruit	24
	" "	Over-ripe fruit	490
	P. malus	Fruit	24, 206, 303, 736
	Quillaja		486
	Rubus sp.	Fruit	24, 792
	R. fructicosus	Leaf	211
	" "	Fruit	473
	R. idaeus		742
Rubiaceae	Cinchona spp.	Bark	592
	Coffea sp.	Seed	46
	C. arabica	Fruit capsule	277
	Dentella asiatica		298
	Galium lucidum	Leaf	348
Rutaceae	Citrus aurantium	Fruit	24, 490, 792
	" "	Leaf	668
	" "	Peel	667
	C. decumana	Fruit	332, 441
	" "	Peel	667
	C. limonum	Fruit	24, 332, 490, 792
	" "	Peel	667
	C. medica	Petiole	221
	" "	Fruit	332
	C. nobilis	Fruit	490
Santalaceae	Santalum album		315

Family	Genus and Species	Source	Reference
Saxifragaceae	Ribes grossularia		24, 108, 792
	R. rubrum		205
	R. sanguineum		361
Simarubaceae	Quassia amara	Root bark	457
Solanaceae			134
	Capsicum annuum		24, 63, 190, 244
	Datura sp.		515
	D. stramonium		462
	Nicotiana sp.	Leaf	31,501,511,576,581
	" "		582,670,758,759,81 33,694,715,716,761
	Nicotiana tabacum	Leaf	360, 462, 695
	Solanum sp.		515
	S. lycopersicum		4,63,126,540,694, 820
	" "	Fruit	7,24,108,190,354, 384,792
	" "	Unripe fruit	84, 85
	S. tuberosum	Tuber	130,190,309,429, 462,569,664,792
Sterculiaceae	Sterculia plantanifolia		8
	Theobroma cacao		24, 244, 458, 459, 460, 792
Theaceae			244, 298, 795
Umbelliferae			515
	Angelica archangelica	Root	698
	Anethum graveolens	Leaf	792
	Apium graveolens		24, 190
	Pastinaca sativa		792
	Petroselinum sativum		792
Valerianaceae	Valeriana officinalis		92
	Valerianella sp.		515

Family	Genus and Species	Source	Reference
Vitaceae	Ampelopsis sp.		515
	A. quinquefolia	Fruit	564
	Vitis vinifera	Fruit	24, 188, 190, 193, 284 285, 286
	" "		
	" "	Vines	489
	" "	Leaf, fruit	348
	" "	Leaf, shoot	487
	" "	Sap	488, 814
Zingiberaceae	Hedychium sp.	Leaf	221
Zygophyllaceae	Guaiacum sp.	Phloem	221

Phthalic Acid



Papaveraceae	Papaver somniferum		641

Pimaric Acid



d-pimaric



levopimaric

Pinaceae	Picea vulgaris	Resin	67
	P. excelsa	Resin	265c, 349a, 349b
	Pinus 5 spp.	Oleoresin	265c
	P. maritima	Resin	161, 381
	P. palustris	Oleoresin	35a, 265a
	" "	Resin	360a
	" "	Turpentine gum	509a
	P. pinaster		163
	P. silvestris		265b, 280a

Family	Genus and Species	Source	Reference

Piperonilic Acid



Rubiaceae	Palicourea densiflora	bark	324

Podocarpic Acid



Pinaceae	Dacrydium cupressinum		165, 657
	Podocarpus cupressina		507, 657
	P. dacrydioides		165, 657

Protocatechuic Acid



Bignoniaceae	Crescentia sp.	Crude curare	336, 793
Globulariaceae	Globularia alypum		753
Liliaceae	Allium cepa	Skin	21, 393, 394, 772
Magnoliaceae	Illicium anisatum	Fruit, seed	505
	I. religiosum	Fruit	125, 168, 170
	I. verum	Capsule	77
Saxifragaceae	Hydrangea Thunbergii	Leaf	706
Vitaceae	Vitis vinifera	Leaf	74

Family	Genus and Species	Source	Reference

Pyruvic Acid



Chenopodiaceae	Spinacia oleracea	Leaf	32
Euphorbiaceae	Ricinus communis	Germinating seed	149
Gramineae	Hordeum vulgare		57
	" "	Seedling	320
Labiatae	Mentha piperita	Leaf	717, 719
Leguminosae	Arachis hypogaea	Seedling	202, 203
	Pisum sativum	Leaf	32
	" "	Seedling	769
	" "		767
	Trifolium pratense		767
Liliaceae	Allium cepa		55
	" "	Juice	456
	Tulipa gesneriana		717, 718
Rosaceae	Pyrus malus	Fruit	303
Solanaceae	Solanum tuberosum	Tuber	38, 719
Umbelliferae	Daucus carota	Leaf, root	717
	" "	Root	719

Quinic Acid



Compositae	Taraxacum officinale		408

Family	Genus and Species	Source	Reference
Ericaceae	Vaccinium arctostaphylos	Leaf	678
	V. myrtillus		331
	" "	Young leaf	346
	" "	Foliage	831
	V. oxycoccus	Fruit	355, 382
	V. vitis idaea	Leaf	334
Gramineae		Hay	407, 408
		Mixed herbage	305
Leguminosae	Tamarindus indica	Fruit	331
Magnoliaceae	Illicium verum	Capsule	77
Pinaceae	Cedrus Libani	Needle	709
	Larix europaea	Needle	709
	Picea excelsa	Young shoot	345
	" "		346
Ranunculaceae	Aconitum septentrionale		321
Rosaceae	Prunus domestica	Ripe fruit	151
	" "	Fruit	355
	P. persica	Fruit	19, 137
	Pyrus communis	Juice	598
	" "	Fruit	743
	P. malus	Fruit	301, 303
	" "	Juice	537, 538, 708
Rubiaceae	Cinchona sp		293, 527, 528, 592, 751
	C. Cordifolia		528
	Coffea sp.	Fruit	833
	Gallium mollugo		498
Solanaceae	Nicotiana tabacum	Leaf	360

Family	Genus and Species	Source	Reference
Umbelliferae	Angelica archangelica	Root	698
Vitaceae	Vitis vinifera	Fruit	355

Quinovic Acid



Rosaceae	Potentilla	Root	595
Rubiaceae	Cinchona spp.		592
	C. sp.		620
Zygophyllaceae	Zygophyllum coccineum		677

Saccharic Acid



Moraceae	Ficus elastica	Latex	239

Saccharinic Acid

$CH_2OH-CHOH-CHOH-C(CH_3)(OH)-COOH$

Bromeliaceae	Ananas sativas	Fruit	80

Salicylic Acid



Compositae	Calendula officinalis		147

Family	Genus and Species	Source	Reference
Compositae	Matricaria chamomilla	Flower head	555
Euphorbiaceae	Cluytia similis	Stem, leaf	739
Iridaceae	Iris versicolor	Rhizome	561
Leguminosae	Daviesia latifolia	Leaf, stem	562
	Glycyrrhiza glabra	Root	146
	Trifolium pratense	Flower	560
Liliaceae	Aloe sp.		741
	Gloriosa superba	Tuber	127
	Hyacinthus sp.		249
	Tulipa sp.		249
	Yucca sp.		249
Moraceae	Morus sp.	Fruit	146
Pittosporaceae	Pittosporum undulatum	Fruit	563
Polygalaceae	Polygala sp.	Root	645
Ranunculaceae	Cimicifuga racemosa	Rhizome	195
Resedaceae	Reseda odorata		424
Rosaceae	Fragaria sp.	Calyx, pedicel	437
	" "	Fruit	550, 551, 720, 745
	" "	Fruit pulp and juice	697
	" "	Juice	801
	Prunus armenica	Fruit	720
	P. avium	Fruit	147
	P. cerasus	Fruit	147, 251, 720
	" "	Juice	317
	P. domestica	Fruit	720
	P. persica	Fruit	720
	Rubus fructicosus	Fruit	720

Family	Genus and Species	Source	Reference
Rosaceae	Rubus idaeus	Fruit	146, 251, 720, 745
	" "	Juice	271, 801
	R. occidentalis	Fruit	720
	Spiraea ulmaria	Flower	424, 425
Rubiaceae	Uragoga ipecacuanha	Root	424
Rutaceae	Barosma sp.		780
	Casimiroa edulis	Seed	556
Saxifragaceae	Ribes sp.	Fruit	720
Solanaceae	Solanum lycopersicum		201, 525
Violaceae	Viola 6 spp.		147
	V. syrtica	Leaf, stem, rhizome	426
	V. tricolor	Flower, leaf, stem, root	250
	" "	Leaf, stem, rhizome	426
Vitaceae	Vitis labrusca	Fruit	251
	V. vinifera	Fruit	437

Shikimic Acid



Ginkgoaceae	Ginkgo biloba	Leaf	266, 818
Gramineae	Lolium perenne		602
Magnoliaceae	Illicium anisatum		505
	I. religiosum	Fruit	125, 168
	" "		170
	" "	Carpel	663
	I. Verum		77, 220

Family	Genus and Species	Source	Reference
Magnoliaceae	Illicium verum	Carpel	663
Pinaceae	25 spp.		266
Taxaceae	4 spp.		266

Succinic Acid



Critical review of literature - Franzen & Ostertag (215)

Aceraceae	Acer saccharum	Sirup	476, 549
	" "	"Sugar sand"	477
Amaryllidaceae	Narcissus poeticus	Leaf, root	762
Begoniaceae	Begonia semperflorens		617, 742
Betulaceae	Corylus sp.	Nut	148
Bignoniaceae	Crescentia sp.		72
	" "	Crude curare	336
Bombacaceae	Adansonia digitata	Fruit	5
Celastraceae	Goupia tomentosa	Wood	160
Compositae	Artemisia absinthium		714
	" "	Leaf	829
	Helianthus annuus		58
	Lactuca sativa		350, 742
	L. virosa		350
	Taraxacum officinale		408
Chenopodiaceae	Beta vulgaris	Juice	400, 508, 680, 681
	" "	Top, root	578
	" "	Leaf, root	752
	Spinacia oleraceae	Leaf	381

Family	Genus and Species	Source	Reference
Compositae	Lactuca spp.		521
Crassulaceae	Bryophyllum sp.	Leaf	577, 578
	B. calycinum	Leaf	113, 570, 695
	" "	Detached leaf	748
	" "		694
	Echeveria secunda		214
	" "	Leaf	492
	Sedum acre	Leaf	492
	Sempervivum glaucum	Leaf	52
Cruciferae	Brassica oleraceae	Leaf, bud	482
	Bunias orientalis	Stem, leaf, flowering top	322
Ericaceae	Vaccinium myrtillus	Fruit	331
	" "	Whole plant	590
Euphorbiaceae	Ricinus communis		65, 149
Fagaceae	Fagus sylvatica	Sap	652
	Quercus sp.	Nut	148
Gramineae			305
	Avena sativa		297
	Bambusa sp.		71
	Dactylis glomerata		138
	Hordeum vulgare	Leaf	118, 695
	" "	Etiolated shoot	172
	" "	Seedling	297, 694
	" "		320, 749
	Lolium perenne		138
	Oryza spp.		819
	O. sativa		264

Family	Genus and Species	Source	Reference
Gramineae	Phleum pratense		138
	Saccharum officinarum	Juice	10,99,609,610,611 804,821
	Triticum sp.		749
	Zea mays	Leaf	43, 578
Juglandaceae	Juglans regia	Nut	148
Lauraceae	Persea gratissima	Kernel	520
Leguminosae	Lupinus albus	Seedling	297
	Phaseolus coccineus		58
	Pisum sativum	Seedling	297
	Tamarindus indica		209, 331
Loganiaceae	Strychnos toxifera		71, 73
Malvaceae	Gossypium sp.		185
Moraceae	Morus sp.		816
	M. alba	Bark exudate	233
	M. indica	Leaf	332
Musaceae	Musa basjoo	Juice	628
	M. sapientum	Fruit	200
Papaveraceae	Chelidonium majus		643
	Eschscholtzia sp.		776
	Glaucium luteum	Juice	640
	Papaver somniferum		776
Pinaceae		Turpentine	383
	Abies pectinata	Turpentine	117
	" "	Resin	733
	Agathis australis	Resin	464
	A. dammara	Resin	729

Family	Genus and Species	Source	Reference
Pinaceae	Larix decidua	Rosin	732
	Picea vulgaris	Resin	730
	Pinus sp.	Sap	652
	P. silvestris	Resin	731
Polygonaceae	Fagopyrum esculentum		148
	" "	Leaf and stem	578
	Rheum hydridum	Rhizome, stem	618
	" "	Leaf	695
	R. officinale	Petiole	106
	R. rhaponticum	Leaf, petiole	578
	R. Undulatum	Petiole	348
Proteaceae	Orites excelsa	Wood	672
Ranunculaceae	Anemone nemorosa	Leaf	404
	" "		742
Rosaceae	Fragaria sp.	Fruit	6
	Prunus avium	Fruit	204
	P. cerasus	Juice	325
	" "	Fruit	343
	P. communis	Fruit pulp	326
	P. persica	Fruit	19
	Pyrus aucuparia	Fruit	213
	" "		405
	P. communis	Juice	598
	" "	Fruit	743
	P. malus	Fruit	43, 109, 110
	" "		206
	" "	Juice	537, 710

Family	Genus and Species	Source	Reference
Rosaceae	Rubus fructicosus	Leaf	211
	" "	Fruit	473
	R. idaeus	Leaf	218, 325, 742
Rutaceae	Citrus limonum	Fruit	332
Santalaceae	Santalum album		315
Sapotaceae	Mimusops sp.		521
Saxifragaceae	Ribes rubrum		205
Scrophulariaceae	Digitalis purpurea		88, 337
Solanaceae	Atropa belladonna		369
	Nicotiana sp.		43, 578, 661, 694
	" "	Leaf	577, 758, 759
	N. tabacum	Leaf	695, 761
	Solanum lycopersicum	Fruit	7, 746, 747
	" "	Over-ripe fruit	83, 84, 85
	" "	Leaf, stalk	578
	" "	Leaf	694, 695
	S. tuberosum	Tuber	824
Umbelliferae	Angelica archangelica	Root	698
	Daucus carota	Root	109, 110, 413
Vitaceae	Vitis vinifera	Leaf	74
	" "	Unripe fruit	105
	" "	Fruit	106, 348

Family	Genus and Species	Source	Reference
Vitaceae	Vitis vinifera	Sap, fruit	286
	" "	Sap	489, 814

Syringic Acid



Gramineae	Saccharum officinarum	Juice	611
	" "	Crude molasses	704

Tartaric Acid



Critical review of literature
Franzen & Helwert (208)

Aceraceae	Acer saccharum	"Sugar sand"	402, 674
	" "	Sirup	477
Amaryllidaceae	Agave americana	Leaf sap	111
Anacardiaceae	Mangifera indica		87
	Rhus coriaria		156
	R. semialata		744
	Spondias purpurea		565
Araliaceae	Aralia hispida	Fruit	230
Ascelpiadaceae	Asclepias syriaca	Milky sap	649
Berberidaceae	Berberis integerrima	Fruit	348
	Caulophyllum thalictroides	Fruit pulp	687
Betulaceae	Betula alba	Sap	225
Bombacaceae	Adansonia sp.	Fruit pulp	270

Family	Genus and Species	Source	Reference
Bombacaceae	Adansonia sp.	Fruit	448
	A. digitata	Fruit	5
Bromeliaceae	Ananas sativas	Fruit	80, 521
Caprifoliaceae	Diervilla florida	Fruit	139
	Lonicera xylosteum	Fruit	174
	Sambucus calicarpa	Fruit	128
	S. ebulus	Fruit	178
	" "	Root	179
	S. nigra	Fruit	177
	Symphoricarpus racemosus	Fruit	671
	Viburnum lantana		182
	V. nudum		410
Caricaceae	Carica papaya	Fruit	519
Celastraceae	Celastrus obscurus	Leaf	158
	C. scandens	Fruit	786
	Euonymus atropurpureus	Root bark	471
	E. europaeus	Seed kernel	253
Chenopodiaceae	Beta vulgaris	Root	234, 400
	" "	Root, leaf	752
	Chenopodium ambrosioides		69
Commelinaceae	Tradescantia purpurea	Stem sap	227
	T. zebrina	Stem sap	227
Compositae	Bellis perennis		183
	Helianthus tuberosus	Tuber	93, 234
	Matricaria chamomilla	Flower	276

Family	Genus and Species	Source	Reference
Cornaceae	Cornus paniculatum	Fruit	656
	C. sericea	Fruit	687
Cruciferae	Capella bursa pastoris		135
Elaegnaceae	Hippophaë rhamnoides	Fruit	807
Elaeocarpaceae	Elaeocarpus serratus	Fruit	817
Ericaceae	Vaccinium sp.	Leaf	334
	V. corymbosum	Fruit	265
	V. vitis idaea	Leaf	499
	" " "	Fruit	802
Eucommiaceae	Eucommia ulmoides	Leaf	254
Euphorbiaceae	Euphorbia cyparissias	Milky sap	784
	E. platyphylla	Milky sap	785
	Phyllanthus emblica		332
	Ricinus communis		65
Fagaceae	Quercus pedunculata	Wood	445
Geraniaceae	Geranium zonale		94
Gramineae	Bambusa sp.	Shoot	626
	Saccharum officinarum	Juice	821
	Sorghum vulgare		419, 796, 797
Guttiferae	Garcinia gambogia	Fruit rind	370
Hydnoraceae	Prosopanche burmeisteri		826
Labiatae	Glechoma hederaceae		180
	Orthosiphon stamineus		344
Lauraceae	Persea gratissima	Fruit pulp	520, 521

Family	Genus and Species	Source	Reference
Leguminosae	Astragalus sp.	Twig	412
	Bauhinia reticulata	Fruit, leaf	585
	Cassia sp.	Leaf	726, 773
	C. acutifolia	Leaf	379
	Tamarindus indica	Fruit pulp	82, 596, 756
	" "		3, 199, 209, 241 634, 750
	" "	Leaf	245
	" "	Mesocarp	278
	" "	Green and ripe fruit	316, 565
	" "	Fruit	332, 701
Liliaceae	Clintonia borealis	Fruit	669
	Erythronium dens canis	Bulb	157
	Smilacina bifolia	Fruit	167
	S. racemosa	Fruit	167
Magnoliaceae	Schizandra chinensis	Fruit	531
Moraceae	Morus indica	Leaf	332
Myrtaceae	Eugenia australis		411
	Psidium guajava		625
Musaceae	Musa sapientum	Fruit	200
Orchidaceae	Vanilla planifolia	Fruit	387
Oxalidaceae	Oxalis corniculata	Leaf	245
Pinaceae	Pinus sylvestris	Pollen	366
Piperaceae	Piper nigrum		526
Papaveraceae	Adlumina cirrhosa	Root	639
	Chelidonium majus	Leaf	567

Family	Genus and Species	Source	Reference
Papaveraceae	Fumaria officinalis	Sap	444
	Papaver somniferum	Capsule	145
Polygonaceae	Polygonum reynoutria	Stem	705
Ranunculaceae	Aconitum napellus		594
Rosaceae	Crataegus sp.	Fruit	435
	Cydonia vulgaris	Fruit	123, 701, 723
	Eriobotrya japonica	Fruit	371
	Fragaria sp.		123, 465, 723
	Prunus armeniaca	Fruit	123, 495, 497, 701
	" "		723
	P. avium		123
	P. cerasus	Fruit	123, 465, 495, 496, 497, 723
	P. domestica	Fruit	495, 496, 497, 723
	P. persica	Fruit	496, 635
	P. spinosa		648
	Pyrus arbutifolia	Fruit	591
	P. aucuparia		390, 405
	P. malus	Fruit	495, 497
	P. "	Juice	701
	Ru[illegible]		136
	R[illegible]	Fruit	465
	"	Fruit juice	123, 341
	[illegible]	Sap	338
Rubiaceae	C[illegible]		522
Rutaceae	C[illegible]a	Fruit	441
	Cusparia trifoliata		97

Family	Genus and Species	Source	Reference
Santalaceae	Leptomeria acida	Fruit	597
Sapindaceae	Sapindus saponaria		241
Sapotaceae	Achras sapota		523
	Bassia latifolia		349
	Sideroxylon crassi-pedicellatum	Fruit	523
Saxifragaceae	Ribes sp.		465
	R. grossularia		802
	R. nigrum		123
	R. rubrum		216, 802
Scrophulariaceae	Antirrhinum majus		775
	Digitalis grandiflora		775
	Euphrasia officinalis		176
	Linaria cymbalaria		775
	Scrophularia nodosa		775
	Veronica officinalis		175
Solanaceae	Cyphomandra calycina		524
	Physalis peruviana	Fruit	376
	Solanum dulcamara	Fruit	16, 786
	S. lycopersicum		4
	" "	Fruit	7, 181, 348, 701
	S. Tuberosum	Tuber	171
Sterculiaceae	Theobroma cacao	Berry	90

Family	Genus and Species	Source	Reference
Tiliaceae	Tilia vulgaris		275
Urticaceae	Parietaria officinalis		289
Vitaceae			193
	Ampelopsis hederacea		242
	A. "	Leaf	243
	Parthenocissus quinquefolia	Leaf	539
	Vitis sp.		12
	" "	Leaf	511
	V. hederaceae		808
	V. labrusca	Juice	416, 635
	V. "	Fruit	474
	V. sylvestris	Fruit	604
	V. vinifera		14, 64, 224, 286, 308, 488
	" "	Fruit	15, 197, 284, 332, 495, 548, 701
	" "	Leaf	74, 348, 533, 651
	" "	Juice	143, 222, 231, 263, 358, 534, 653
	" "	Sap	377, 810, 814
	" "	Vine	285
	" "	Unripe fruit	420, 503, 532
	" "	Young shoot, leaf	487

Tartronic Acid

COOH
CHOH
COOH

Gramineae

603

Family	Genus and Species	Source	Reference

Tricarballylic Acid

$$\begin{array}{l} CH_2COOH \\ CH\ COOH \\ CH_2COOH \end{array}$$

Aceraceae	Acer saccharum	"Sugar sand"	402, 477
Chenopodiaceae	Beta vulgaris	Evaporated juice	395, 406
	" "	Root	396, 713
	" "	Juice	399
	" "	Root, leaf	752
Gramineae	Hordeum vulgare	Whole plant	483

Ursolic Acid



Apocynaceae	Allamanda cathartica	Leaf	27
Aquifoliaceae	Ilex aquifolium		196
	I. latifolia	Cuticle	335
	I. paraguariensis	Leaf	442
Cornaceae	Cornus florida	Flower, bract	624a
Ericaceae	Arctostaphylos uva-ursi	Leaf	623
	Enkianthus quinqueflorus		28
	Erica arborea		196
	E. carnea		196
	E. mediterranea		196

Family	Genus and Species	Source	Reference
Ericaceae	Kalmia angustifolia		319
	Leucothoe keiskei	Leaf	665
	Rhododendron 6 sp.		28
	R. pulchrum	Leaf	27
	R. simsii	Leaf	27
	Vaccinium macrocarpon-	Pomace	433
	V. myrtillus		196, 590
	V. oxycoccus	Fruit pulp	374
	V. vitis-idaea		196
Labiatae	Thymus vulgaris		615
	Salvia officinalis		101
Myrtaceae	Psidium guaijava	Leaf	26
Punicaceae	Punica granatum	Peel, leaf	102
Pyrolaceae	Pyrola minor		196
	P. umbellata		196
Rosaceae	Crataegus oxyacantha		59
	Eriobotrya japonica		27
	Prunus avium	Cuticle	433a
	P. serotina		258
	" "	Leaf	623
	Pyrus communis	Fruit skin	431
	P. malus	Fruit	260
	" "	Fruit skin	281, 623
	" "	Fruit cuticle	432
Solanaceae	Anthocercis intricata		22
	A. littorea		22
	A. odgersii		22
Verbenaceae	Verbena stricta		512

Family	Genus and Species	Source	Reference
	Veratric Acid		
			
Liliaceae	Sabadilla officinalis	Seed	443

REFERENCES

1. Abderhalden, E. Biochemical Handbook. Julius Springer, Berlin, 1911.

2. Acqua, C. Calcium Oxalate Crystals. Annuario del R. Instituto Bot. di Roma 3, 109-121 (1888). Abstr.- J. Chem. Soc. 1890, 1182.

3. Adam, F. Report on the investigation of Tamarindus. Z. d. Allgem. Österr-Apoth-V. 43, 797-800 and 821-825 (1905). Abstr.-Chem. Zentr. 1905, ii, 1042.

4. Airan, J. W. and J. Barnabas. Organic acids and sugars in Lycopersicum esculentum. J. Univ. Bombay 22, Pt. 3, Sci. No. 34B, 29-31 (1953). Abstr.-C. A. 48, 10132.

5. Airan, J. W. and R. M. Desai. Sugars and organic acids in Adensonia digitata (Linn.) fruit. J. Univ. Bombay 22, Pt. 5, Sci.No. 35A, 23-7 (1954). Abstr.-C. A. 49, 4903.

6. Akuta, S. and R. Koda. Utilization of strawberries. III. Detection of strawberry components by paper chromatography. J. Fermentation Technol. (Japan) 32, 257-62 (1954). Abstr.-C. A. 49, 1987.

7. Albahary, J. M. Complete analysis of the fruit of the tomato, Lycopersicum esculentum. Compt. rend. 145, 131-3 (1907). Abstr.-J. Chem. Soc. 1907, ii, 715.

8. Alexandrow, W. G. and A. S. Timofeev. Solution of calcium oxalate crystals in plants. Bot. Archiv. 15, 279-93 (1926). Abstr.-C. A. 22, 2963. Biol. Abstr. 1, 1021.

9. Allsopp, A. Seasonal changes in the organic acids of rhubarb (Rheum hybridum). Biochem. J. (London) 31, 1820-9 (1937). Abstr.-C. A. 32, 2177. Brit. Abstr. 1937, A III, 443.

10. Almeida, J. R. de. Reactions of cane juice. Brasil açucareiro 27, 366-72 (1946). Cited by (712).

11. Altan, A. Psidium Guayava (Djamboe) leaves. Pharm. Post. 37, 713-714. (1904). Abstr.- J. Chem. Soc. 1905, ii, 192. Chem. Zentr. 1905i, 265.

12. Alwood, W. B., B. G. Hartmann, J. R. Eoff, M. J. Ingle, and S. F. Sherwood. Development of sugar and acid in grapes during ripening. U.S.D.A. Bull. No. 335, 28 pp. (1916). Abstr.-C. A. 10, 1560.

13. Amar. Role of calcium oxalate in plant nutrition. Compt. rend. 136, 901-2 (1903). Abstr. - J. Chem. Soc. 1903, ii, 505. Chem. Zentr. 1903, i, 1090.

14. Amerine, M. A. and A. J. Winkler. Maturity Studies with California grapes. II. The titratable acidity, pH, and organic acid content. Proc. Am. Soc. Hort. Sci. 40, 313-24 (1942). Abstr. - Brit. Abstr. 1943, AIII, 539.

15. Amthor, C. Studies on grapes. Hoppe - Seyler's Z. Physiol. Chem. 6, 227-33 (1882). Abstr. - Abstr. J. Chem. Soc. 1883, 881.

16. Anderson, B. R. A study of the fruit of the Solanum dulcamara. Chem. News 104, 2-3 (1911). Abstr.- J. Chem. Soc. 1911, ii, 762.

17. André, G. Simultaneous variations of organic acids in some grasses. Compt. rend. 140, 1708-11 (1905). Abstr. - J. Chem. Soc. 1905, ii, 605.

18. Andrews, J. C. and E. T. Viser. Oxalic acid content of some common foods. Food Research 16, 306-12, (1951). Abstr. - C. A. 45, 9187.

19. Anet, E. F. L. J. and T. M. Reynolds. Isolation of l-quinic acid from the peach fruit. Nature 172, 1188-9, (1953). Abstr. - C. A. 48, 4057.

20. Anet, E. F. L. J. and T. M. Reynolds. Isolation of mucic acid from fruits. Nature 174, 930, (1954). Abstr. - C. A. 49, 4201.

21. Angell, H. R., J. C. Walker and K. P. Link. The relation of protocatechuic acid to disease resistance in the onion. Phytopathology 20, 431-8 (1930). Abstr. - C. A. 24, 4531. Brit. Abstr. 1930, A, 1224.

22. Anstee, J. R., H. R. Arthur, A. L. Beckwith, D. K. Dougall, P. R. Jefferies, M. Michael, J. C. Watkins and D. E. White. Chemistry of Western Australian plants. VI. Occurrence of betulic, oleanolic and ursolic acids. J. Chem. Soc. 1952, 4065-7. Abstr. - C. A. 47, 2288. Brit. Abstr. 1953, AIII, 732.

23. Apoiger. Analysis of seeds of Maesa picta, Hochst. Vierteljahrsschr f. pr. Pharm. 6, 481-496 (1857). Abstr. - Jahresbericht über die Fortschritte der Chemie 1857, 530.

24. Arbenz, E. Estimation of oxalic acid in foods and condiments. Mitt. Lebensm. Hyg. 8, 98-104 (1917). Abstr. - J. Chem. Soc. 1917, ii, 583. C. A. 11, 2374.

25. Arcnoff, S. Metabolism of soybean leaves. III. Organic acids produced in short-time photosynthesis. Arch. Biochem. and Biophys. 32, 237-48 (1951). Abstr. - C. A. 46, 1624. Brit. Abstr. 1952, AIII, 552.

26. Arthur, H. R. and W. H. Hui. Triterpene acids from the leaves of Psidium guaijava. J. Chem. Soc. 1954, 1403-6. Abstr. - C. A. 49, 5393.

27. Arthur, H. R. and W. H. Hui. Products from some plants of Hong Kong. J. Chem. Soc. 1954, 2782-4. Abstr. - C. A. 49, 568.

28. Arthur, H. R. and W. H. Hui. Examination of the Ericaceae of Hong Kong. Occurrence of ursolic acid. J. Chem. Soc. 1954, 4683. Abstr. - C. A. 49, 4797.

29. Asenjo, C. F., J. A. Goyco and M. del C. Fernández. Note on the presence of calcium oxalate in the maya fruit. J. Am. Pharm. Assoc., Sci. Ed. 33, 344-5 (1944). Abstr. - Brit. Abstr. 1945, AIII, 147. C. A. 39, 564.

30. Ash, A. S. F. and T. M. Reynolds. Water-soluble constituents of fruit. I. Some observations on the occurrence of free galacturonic acid in fruit. Australian J. Biol. Sci. 7, 435-43 (1954). Abstr. - C. A. 49, 6499.

31. Asku, S. The organic acids of tobacco. Tekel Enstitüleri Reporlari 5, 40 (1947). Abstr. - C. A. 45, 1305.

32. Axelrod, B., R. S. Bandurski, C. M. Greiner and R. Jang. Metabolism of hexose and pentose phosphates in higher plants. J. Biol. Chem. 202, 619-34 (1953). Abstr. - J. Sci. Food Agr. Abstr. 5, 216.

33. Bacon, C. W., R. Wenger and J. F. Bullock. Biochemical changes in tobacco during flue curing. U. S. D. A. Tech. Bull. 1032, 37 pp. (1951). Abstr.- C. A. 47, 10071.

34. Baker, C. J. L. and A. Eden. Studies on the oxalate contents of the leaves of certain varieties of Beta vulgaris. J. Agr. Sci. 44, 394-9 (1954). Abstr. - C. A. 49, 11094.

35. Balansard, J. A study of the hspato-renal diuretics. V. The presence of glycolic acid in various drugs used as diuretics. Méd. trop. 11, 638-9 (1951). Abstr. - C. A. 46, 1716.

35a. See page 135

36. Balch, R. T., C. B. Broeg and J. A. Ambler. Aconitic acid in sugar products. Intern. Sugar J. 48, 186-7 (1946). Abstr. - C. A. 40, 5938.

37. Bamberger, M., and A. Landsiedl. Natural resins. Monatsh. 18, 481-509 (1897). Abstr. - J. Chem. Soc. 1898, i, 88.

38. Barker, J. and L. W. Mapson. Studies in the respiratory and carbohydrate metabolism of plant tissues. V. Experimental studies on the formation of carbon dioxide and of the changes in lactic acid, sucrose, and in certain fractions of keto-acids in potato tubers in air following anaerobic conditions. VI. Analysis of the interrelationships between the rate of carbon dioxide production and the changes in the contents of lactic acid, sucrose and of certain fractions of keto-acids in potato tubers in air following anaerobic conditions. Proc. Roy. Soc. (London) B 141, 321-37, 338-62 (1953). Abstr. - C. A. 47, 9423.

39. Barker, J. and A. F. el Saifi. Studies in the respiratory and carbohydrate metabolism of plant tissues. I. Experimental studies of the formation of carbon dioxide, lactic acid, and other products in potato tubers under anaerobic conditions. II. Interrelationship between the rates of production of carbon dioxide, of lactic acid, and of alcohol in potato tubers under anaerobic conditions. Proc. Roy. Soc. (London) B 140, 362-85 and 385-403 (1952). Abstr. - C. A. 47, 1242.

40. Barker, J. and A. F. el Saifi. Studies in the respiratory and carbohydrate metabolism of plant tissues. III. Experimental studies of the formation of carbon dioxide and of the changes in lactic acid and other products in potato tubers in air following anaerobic conditions. IV. The relation between the rate of carbon dioxide production in potato tubers in air following anaerobic conditions, and the accompanying changes in lactic acid content and sugar concentration. Proc. Roy. Soc. (London) B 140, 508-22 and 522-55 (1953). Abstr. - C. A. 47, 3933. Brit. Abstr. 1953, AIII, 1271.

41. Barnes, H. M., J. R. Feldman and W. V. White. Isochlorogenic acid. Isolation from coffee and structure studies. J. Am. Chem. Soc. 72, 4178-82 (1950). Abstr. - C. A. 45, 2883.

42. Barnett, A. J. G. and R. E. B. Duncan. The volatile fatty acids present in fresh and in fermented marrow-stem kale. Plant and Soil 4, 370-6 (1953). Abstr. - Brit. Abstr. 1953, B III, 337.

43. Barr, C. G. Investigations on the fluorometric determination of malic and succinic acids in apple tissue. Plant Physiol. 23, 443-54 (1948). Abstr. - C. A. 43, 267.

44. Barton, D. H. R. The triterpenoids. 2, B, Chap. 16, 726-64 in Chemistry of Carbon Compounds ed. by E. H. Rodd. Elsevier Publ. Co. Amsterdam 1953.

45. Bassalik, K. Formation of oxalic acid in green plants. Verhandl. schweiz. Naturforsch Ges. 99, ii, 226-7 (1918). Abstr. - C. A. 14, 1841. Physiol. Abstr. 4, 103 (1919).

46. Bau, A. The determination of oxalic acid in tea, coffee, marmalade, vegetables and bread. Z. Untersuch Nahr. u. Genussm. 40, 50-66 (1920). Abstr. - C. A. 14, 3731.

47. Bau, A. The oxalic acid content of early spring leaves, and some observations concerning this acid. Z. tech. Biol. 8, 151-5 (1921). Abstr. - J. Chem. Soc. 1922, i, 309 and 1921, i, 838. Physiol. Abstr. 1922, 6, 599. C. A. 15, 4018.

48. Baup, S. Abstract of letter to the editors from Baup on some new substances. Ann. Chim. et Phys. (Paris) 31, 108-9 (1926). Abstr. - Ann. Phys. Chem. Poggendorff 87, 39 (1827). J. pr. Chem. Schweigger 46, 375 (1826).

49. Beath, O. A. The natural occurrence of aconitic acid and its isomers. J. Am. Chem. Soc. 48, 2155-8 (1926). Abstr.-Chem. Zentr. 1926, ii, 1755.

50. Behr, A. Aconitic acid in the juice of the sugar cane. Ber. deut. Chem. Ges. 10, 351-55 (1877). Abstr.- J. Chem. Soc. 1877, ii, 182.

51. Behre, A., F. Grosse, and G. Schmidt. Analysis of fruit juices of 1908. Z. Untersuch. Nahr. u. Genussm. 16, 734-7 (1908). Abstr. C. A. 3, 669.

52. Bendrat, M. The physiology of organic acids in green plants. VI. Oxygen metabolism in succulent plants. Planta 7, 508-84 (1929). Abstr.-C. A. 26, 5123. Chem. Zentr. 1931, ii, 2171.

53. Benecke, W. Formation of oxalic acid in green plants. Bot. Zeitung 61, 79-110 (1903). Naturw. Rundschau 18, 540-541 (1903). Abstr. - J. Chem. Soc. 1904, ii, 508. Bied. Centr. 33, 387-9 (1904).

54. Bennerscheidt. Brandes Archiv. 31, 195. Abstr. - Borgelius' Jahresbericht über die Fortschritte der physischen Wissenschaften 10, 189 (1831).

55. Bennett, E. A note on the presence of pyruvic acid in Ebenezer onions. Plant Physiol. 20, 461-3 (1945). Abstr. - Brit. Abstr. 1945, A III, 901.

56. Benson, A. A. Carboxylation reactions of photosynthesis. Brookhaven Conference Report Symposia No. 3. Carbon Dioxide Assimilation reactions in Biological Systems. pp. 119-138. Upton, N. Y., Brookhaven National Laboratory, 1950. C. A. 45, 8598.

57. Benson, A. A. and M. Calvin. The path of carbon in photosynthesis. VII. Respiration and photosynthesis. J. Exptl. Botany (London) 1, 63-8 (1950). Abstr. - Biol Abstr. 24, 3224 (1950).

58. Bentley, L. E. Occurrence of malonic acid in plants. Nature 170, 847-8 (1952). Abstr. - C. A. 47, 8842. Brit. Abstr. 1953, A III, 856.

59. Bersin, T. and Müller, A. The composition of Crataegus oxyacantha L. 1. Ursolic acid. Helv. Chim. Acta 34, 1868-72 (1951). Abstr.-C. A. 47, 2737.

60. Bersin, T. and Müller, A. Composition of Crataegus oxyaxantha. Helv. Chim. Acta. 35, 1891-5 (1952).

61. Berthelot and André. Formation of oxalic acid in plants - Rumex acetosa. Compt. rend. 102, 995-1001 (1886). Abstr.- J. Chem. Soc. 1886, 734.

62. Berthelot and André. Formation of oxalic acid in vegetation - various plants. Compt. rend. 102, 1043-1049 (1886). Abstr.- J. Chem. Soc. 1886, 734.

63. Berthelot and André. Study of oxalic acid in vegetation. Ann. Chim. et Phys. (Paris) /6 7, 10, 308-350 (1887). Abstr.-Jahresbericht über die Fortschritte der Chemie 1887, 2289.

64. Berthelot and A. de Fleurieu. Comparative amounts of tartaric acid in grapes and wine. Compt. rend. 58, 720-4 (1864).

65. Bharucha, F. R. and G. V. Joshi. A note on organic acids of Ricinus communis Linn. Science and Culture (India) 19, 565-6 (1954). Abstr.- C. A. 48, 12253. Biol. Abstr. 29, 2694 (1955).

66. Biltz, H. Chemical study of opium. Trommsdorff's neures Journal 23, 245-93 (1831). Allgemeine medizinische Zeitung. Dec. 1831, p. 1593. Abstr. - Ann. Pharm. Justus Liebig, 4, 234-5 (1832).

67. Binder, H. Resin of Picea vulgaris, L., var. Montana Schur. Arch. Pharm. 252, 547-89 (1914). Abstr. - J. Chem. Soc. 1915, i, 430.

68. Binkley, W. W. and M. L. Wolfrom. Composition of cane juice and cane final molasses. Advances in Carbohydrate Chemistry 8, 291-314 (1953). Academic Press, New York.

69. Bley, L. F. Chemical study of Mexican Chenopodium ambrosiodes. Neues Journ. d. Pharm. von Trommsdorff /2 7 14, 49 (1827). Cited by (208).

70. Boas, F. The tomato. Hippokrates 13, 975-6 (1942). Abstr. - C. A. 39, 3328. Chem. Zentr. 1944, I, 1392-3.

71. Boehm, R. South American Arrow Poison - Curare. Abhandlungen der Kgl. Sächs. Ges. d. Wissensch. - Math.-Phys. 37, 201-38 (1895).

72. Boehm, R. South American Arrow Poison - Curare. Abhandlungen der Kgl. Sächs. Ges. d. Wissensch. - Math. - Phys. 42, 1-54 (1897).

73. Boehm, R. Curare and curare alkaloid. Arch. Pharm. 235, 660-84 (1897). Abstr. - Chem. Zentr. 1898, i, 676.

74. Boettinger, C. Soluble constituents of grape leaves. Chem. Ztg. 25, 6-8; 17-18, 24-25 (1901) Abstr. - J. Chem. Soc. 1901, ii, 269. Chem. Zentr. 1901, i, 332.

75. Bohn, P. R. Presence of crystals of calcium oxalate on the surface of certain caryophyllaceae. Compt. rend. 181, 135-7 (1925). Abstr. - C. A. 19, 3293. J. Chem. Soc. 1925, i, 1124. Chem. Zentr. 1925, ii, 1532-33.

76. Bohn, P. R. The role of calcium oxalate in plants. Bull. soc. botan. France 82, 15-17, (1935)

77. Boldt, A. Detection of quinic acid in admixture with shikimic acid in the capsules of Illicium verum Hooker, and preparation of quinic acid derivatives. Pharm. Zentralhalle 78, 157-66 (1937). Abstr. - C. A. 31, 4054. Brit. Abstr. 1937, A ii, 194.

78. Bonner, J. Plant Biochemistry. Academic Press, New York, 1950.

79. Bonner, J. and A. W. Galston. Toxic substances from the culture media of guayule which may inhibit growth. Botan. Gaz. 106, 185-98 (1944). Abstr.- C. A. 39, 1199.

80. Bonner, W. D., Jr. Studies on the organic acids of plants. Ph.D. Thesis. California Inst. of Tech., Pasadena, Calif. 103 pp. (1946).

81. Bonner, W. and J. Bonner. The role of carbon dioxide in acid formation by succulent plants. Am. J. Botany 35, 113-17 (1948). Abstr. - C. A. 42, 3815.

82. Borkowski, B. The use of the Fürth-Herrmann reaction for the detection of agaricinic, tartaric, citric, and aconitic acids in plants; chemical characterization of plant drugs. Acta Polon. Pharm. 2, 131-8 (1938). Abstr. - C. A. 34, 6410. Chem. Zentr. 1939, I, 182.

83. Bornträger, A. The organic acids of tomatoes, besides citric acid, and their state of combination. Z. Untersuch. Nahr. u. Genussm. 50, 273-300 (1925). Abstr. - C. A. 20, 952. Brit. Abstr. 1926, B,105.

84. Bornträger, A. The organic acids of tomatoes. Z. Untersuch. Lebensm. 55, 112-43 (1928). Abstr. - C. A. 22, 2799. Brit. Abstr. 1928, B, 543.

85. Bornträger, A. The organic acids of tomatoes. Ann. ist. super. agrar. Portici /3/5, 72-119 (1932). Abstr. - C. A. 30, 3110.

86. Bosz, J. E. Q. Oxalic acid in sugar cane and cane wax. Archief Suikerind. Ned. - Indië 1920, 969-77. Abstr. - Chem. Zentr. 1920, III, 637.

103. Brink, R. A. and W. L. Roberts. The coumarin content of Melilotus dentata. Science 86, 41-2 (1937). Abstr. - C. A. 31, 6286.

104. Bruckner, V., J. Kovács, and I. Koczka. Occurrence of betulinic acid in the bark of the plane tree. J. Chem. Soc. 1948, 948-51. Abstr. - C. A. 43, 730.

105. Brunner, H. and R. Brandenburg. Occurrence of succinic acid in unripe grapes. Ber. deut. chem. Ges. 9, 982-4 (1876). Abstr. - J. Chem. Soc. 1876, ii, 400.

106. Brunner, H. and E. Chuard. Phytochemical studies. Ber. deut. chem. Ges. 19, 595-622 (1886). Abstr.- J. Chem. Soc. 1886, 576.

107. Brunner, H. and E. Chuard. Glyoxylic acid in green fruits. Bull. soc. chim. (Paris), /3/ 13, 126-8 (1895). Abstr. - J. Chem. Soc. 1895, ii, 409.

108. Bryan, J. D. The organic acids of some common fruits. Ann. Rept. Agr. and Hort. Research Sta., Long Ashton, Bristol 1946, 138-40. Abstr. - C. A. 44, 10204.

109. Bryant, F. and B. T. Overell. Displacement chromatography on ion exchange columns of the carboxylic acids in plant tissue extracts. Nature 167, 361-2 (1951). Abstr. - C. A. 45, 5744. Biol. Abstr. - 25, 29159.

110. Bryant, F. and B. T. Overell. Quantitative chromatographic analysis of organic acids in plant tissue extracts. Biochim et Biophys. Acta 10, 471-6 (1953). Abstr. - C. A. 47, 6000.

111. Buchner, A. Chemical investigation of the nectars of Agave americana. Buchner's Repert. d. Pharm. /1/, 37, 217-29 (1831).

112. Buchner, L. A. von, jun. Studies on aconitic acid. Buchner's Repert. /2/ 13, 145-163 (1838). Abstr. - Ann. Chem. Justus Liebig 28, 243-6 (1838).

113. Bulen, W. A., J. E. Varner and R. C. Burrell. Separation of organic acids from plant tissue. Anal. Chem. 24, 187-90 (1952). Abstr. C.A. 46, 4042.

114. Busse, E. The composition of tolubalsams. Ber. deut. chem. Ges. 9, 830-3 (1876). Abstr. - J. Chem. Soc. 1876, ii, 640-1.

115. Buston, H. W. Note on the isolation of mesaconic acid from cabbage leaves. Biochem. J. (London) 22, 1523-5 (1928). Abstr. - Brit. Abstr. 1929, A,106. Chem. Zentr. 1929, i, 1225.

116. Buston, H. W. and S. B. Schryver. The isolation from cabbage leaves of a carbohydrate, hitherto undescribed, containing three carbon atoms. Biochem. J. (London) 17, 470-2 (1923). Abstr. - Chem. Zentr. 1923, iii, 1622-3

117. Cailliot, A. Chemical study of the turpentine of pine. Journ. de Pharm. 16, 436-41 (1830). Trommsd. neues Journ. d. Pharm. /2/, 23, 168-76 (1831). Abstr. - Berzelius' Jahresb. Fortschr. phys. Wissensch. 11, 273 (1832).

118. Calvin, M., J. A. Bassham, A. A. Benson, V. H. Lynch, C. Ouellet, L. Schou, W. Stepka, and N. E. Tolbert. Carbon dioxide assimilation in plants. Symposia Soc. Exptl. Biol. 5, Carbon Dioxide Fixation and Photosynthesis, 284-305 (1951).

119. Canzoneri, F. Olive leaves. Gazz. chim. ital. 36, ii, 372-6 (1906). Abstr. - J. Chem. Soc. 1906, ii, 886. Chem. Zentr. 1906, ii, 1573.

120. Carangal, A. R. Jr., E. K. Alban, J. E. Varner, and R. C. Burrell. The influence of mineral nutrition on the organic acids of the tomato, Lycopersicum esculentum. Plant Physiol. 29, 355-60 (1954). Abstr. - C. A. 49, 447. Abstr. J. Sci. Food Agr. 6, i, 165.

121. Carles, P. On the balsam of the tolu. J. Pharm. et Chim. /4/ 19, 112-13 (1874). Abstr.- J. Chem. Soc. Abstr. - 1874, 908. Chem. Zentr. 1874, 266.

122. Charaux, C. Occurrence and detection of chlorogenic acid in plants. Extraction and yield of caffeic acid from plants. J. pharm. chim. /7/ 2, 292-8 (1910). Abstr, - C. A. 5, 2525. J. Chem. Soc. 1910, ii, 991.

123. Chauvin, Joulin and Canu. Composition of certain juices and alcoholic extracts of fruits for the manufacture of jams, sirups, liqueurs, etc. Monit. scient. /4/ 22, II, 449-53 (1908). Abstr. - C. A. 2, 2831. Chem. Zentr. 1908, ii, 735-6.

124. Chen, M. S. Acidic constituents of Averrhoa carambola grown in Taiwan. Formosan Sci. 4, 31-2 (1950). Abstr. - C. A. 48, 8876.

125. Chen, S. Y. Illicium religiosum, Siebold, Mang Tsao; a phytochemical study. Am. J. Pharm. 101, 550-74, 622-37, 687-716 (1929). Abstr. - C. A. 24, 464. Brit. Abstr. - 1930, A, 259.

126. Clark, H. E. Effect of ammonium and of nitrate nitrogen on the composition of the tomato plant. Plant Physiol. 11, 5-24 (1936). Abstr.-C. A. 30, 3567.

127. Clewer, H. W. B., S. J. Green and F. Tutin. The constituents of Gloriosa superba. J. Chem. Soc. 107, 835-46 (1915). Abstr. - C. A. 9, 2884.

128. Cook, R. H. and F. J. Goodrich. Investigation of the fruit of Sambucous calicarpa. J. Am. Pharm. Asso. 26, 1252-5 (1937). Abstr. - Brit. Abstr. 1938, AIII, 358. C. A. 32, 2379.

129. Crombie, W. M. L. Oxalic acid metabolism in Begonia semperflorens. J. Exptl. Botany (London) 5, 173-83 (1954). Abstr. - C. A. 49, 3319.

130. Curl, A. L. and E. K. Nelson. The non-volatile acids of the potato. Am. Potato J. 17, 328-30 (1940). Abstr. - Brit. Abstr. 1947, AIII, 371.

131. Curl, A. L. and E. K. Nelson. The occurrence of citric and isocitric acid in blackberries and in dewberry hybrids. J. Agr. Research 67, 301-3 (1943). Abstr. - Brit. Abstr. 1944, A III, 315.

132. Czapek, F. Biochemie der Pflanzen. 3 vols. Gustav Fischer, Jena 1922, 1925.

133. Damodaran, M. and T. R. Venkatesan. Amide syntheses in plants. I. The succinoxidase system in plants. Proc. Indian Acad. Sci. 13B, 345-59 (1941). Abstr.-C. A. 35, 8021

134. Daniel, L. Variations of calcium oxalate in certain grafted plants. Compt. rend. 186, 1143-4 (1928). Abstr. - C. A. 22, 3193. Brit. Abstr. 1928, A, 802.

135. Daubrawa, F. Chemical study of Capsella bursa pastoris. Vierteljahrsschr. pr. Pharm. 3, 337-348 (1854). Abstr. - Ausz. Pharm. Centr. 1854, 731. Jahresb. über die Fortschr. Chem. 1854, 659.

136. Daughters, M. R. The loganberry and the acid content of its juice. J. Ind. Eng. Chem. 10, 30 (1918). Abstr.-J. Chem. Soc. 1918, i, 152.

137. David, J. J., B. S. Luh and G. L. Marsh. Organic acids in peaches. Food Research 21, 184-94 (1956).

138. Davies, C. W. and R. B. Hughes. The organic acids of grass extracts. J. Sci. Food Agr. 5, 200-5 (1954). Abstr.-C. A. 48, 7126.

139. Dawson, L. E. The fruit of Diervilla florida. Chem. News 106, 18-20 (1912). Abstr. - C. A. 6, 2672.

140. Dekker, J. Botanical chemistry notes. Pharm. Weekblad 45, 1156-62 (1908). Abstr.-C. A. 3, 659. Chem. Zentr. 1908, ii, 1446.

141. Deleano, N. T. Chemical study of germination. Zentr. Bakteriol. Parasiten-Kunde und Infectionskrankheiten Abt. II, 24, 130-146 (1909)

142. Delffs, W. Improved method of preparing Fumaric acid. Ann. der Phys. u. Chem. Poggendorff 156, 435-40 (1850). Abstr.-Jahresbericht über die Fortschritte der Chemie 1850, 371.

143. Delile (Regimbeau) Sap of grapevines. Journ. de Pharm. [2], 18, 36-42, (1832).

144. Demarçay, H. Identity of the fumaric acid of Winckler with para-maleic acid of Pelouze. Ann. chim. et phys. (Paris) [2] 56, 429-33 (1834). Annal. d. Pharm. 12, 16-20 (1834). Abstr.-Ann. Phys. Chem. Poggendorff 112, 54 (1835).

145. Deschamps, (d'Avallon). The dried capsules of Papaver somniferum. Ann. chim. et phys. (Paris) [4] 1, 453-64 (1864). Compt. rend. 58, 541-542 (1864). Abstr.- Chem. Zentr. 1864, 703.

146. Desmoulière, A. - J. pharm. chim. 16, 86 (1902). Cited by (720).

147. Desmoulière, A. Normal occurrence of salicylic acid in certain plants of the Violaceae. J. pharm. chim. [6] 19, 121-5 (1904). Abstr. - J. Chem. Soc. 1904, ii, 282. Analyst 29, 90 (1904). Chem. Zentr. 1904, i, 958.

148. Dessaignes, V. Succinic fermentation. J. Pharm. chim. /3/ 25, 27-30 (1854 Abstr. - Jahresbericht über die Fortschritte der Chemie 1854, 394.

149. Desveaux R. and Kogane. The acids formed during the germination of castor bean. Congr. intern. botan., Paris, Rapps. et communs. 8, Sect. 11/12, 37 (1954). Abstr. - C. A. 48, 11562.

150. Deville, H. Studies on resins. Ann. chim. et phys. (Paris) /3/ 3, 151-95 (1841). Abstr. - Ann. Chem. Justus Liebig 44, 304-8 (1842).

151. Dickinson, D. and J. H. Gawler. The chemical constituents of Victoria plums: preliminary qualitative analysis. J. Sci. Food Agr. 5, 525-9 (1954). Abstr. - Anal. Abstr. 2. 1932 (1955)

152. Dietrich, E. Chemical investigation of the edible chestnut. Vierteljahresschr. prakt. Pharm. 15, 196-206 (1866). Abstr. - Chem. Zentr. 1867, 271. Jahresbericht über die Fortschritte der Chemie 1866, 706.

153. Doby, G. The role of oxalate in the germination of beet seed. Landwirtsch. Vers. - Sta. 70, 155-8 (1909). Abstr. - J. Chem. Soc. 1909, ii, 256.

154. Doesburg, J. J. and A. K. Zweede. The amount of oxalic acid, vitamin C, and water in thirty-one spinach varieties. Voeding 9, 12-25 (1948). Abstr. - C. A. 42, 2691.

155. Dott, D. B. The acid of willow bark. Pharm. J. Trans. /3/ 8, 221 (1877). Abstr. - Am. J. Pharm. 49, 609-11 (1877).

156. Dragendorff, G. On the folk-remedies of Turkestan. Buchner's Neues Repert. f. Pharm. 23, 65-102 (1874).

157. Dragendorff. Analysis of the bulbs of Erythronium dens canis (L). Arch. Pharm. /3/ 13, 7-13 (1878). Abstr. J. Chem. Soc. 1878, 904.

158. Dragendorff. On an Abyssinian remedy. Arch. Pharm. 212, 97-125 (1878). Abstr. - Chem. Zentr. 1878, 232.

159. Dragendorff. Analysis of the leaves of Memecylon tinctorum. Pharm. Ztsch. f. Russl. 21, 232-41 (1882). Abstr. - J. Chem. Soc. 1882, 1124. Chem. Zentr. 1882, 332.

160. Dunstan, W. R. and T. A. Henry. The volatile constituents of the wood of Cupressus tomentosa. J. Chem. Soc. 73, 286-9 (1898). Proc. Chem. Soc. London 1897/98 No. 189, 44. Abstr. - Chem. Zentr. 1898, i, 851, 1138.

161. Dupont, G. The acid constituents of the gum of the pine: dextro- and levopimaric acids. Compt. rend. 172, 923-5 (1921). Abstr. - J. Chem. Soc. 1921, i, 487.

162. Dussy, J. and A. Sosa. The composition of a toxic Ericaceas, Angavodiania of Madagascar. Bull. soc. chim. biol. 33, 1672-8 (1951). Abstr. - C. A. 47, 3280.

163. Duvernoy, J. On pimaric acid and its modification. Ann. Chem. Justus Liebig 148, 143-8 (1868). Abstr. - Chem. Zentr. 1869, 522-523.

164. Dyson, G. M. A Manual of Organic Chemistry for Advanced Students. Vol. 1. Longmans, Green and Co. London 1950.

165. Easterfield, T. H. The chemistry of the Podocarpi. Trans. New Zealand Inst. 43, 53-5 (1910).

166. Easterfield, T. H. and G. Bagley. The resin acids of the Coniferae. Part I. The constitution of abietic acid. J. Chem. Soc. 85, 1238-49 (1904). Abstr. - J. Chem. Soc. Proc. 1904, No. 280, 112-113.

167. Edredge, C. G. and L. M. Liddle. The fruit of Smilacina racemosa and S. bifolia. Chem. News 95, 182-3 (1907). Abstr. - J. Chem. Soc. 1907, ii, 501.

168. Eijkman, J. F. Illicium religiosum. Rec. trav. chim. 4, 32-54 (1885). Abstr. - J. Chem. Soc. 1886, 95. Ber. deut. chem. Ges. 18, part 3, 281-282 (1885).

169. Eijkman, J. F. Presence of cinnamic acid in plants of the Ericaceae family. Rec. trav. chim. 5, 297-8 (1886). Abstr. - J. Chem. Soc. 1887, 517-518.

170. Eijkman, J. F. On the Illicium religiosum. Rec. trav. chim. 5, 299-304 (1886). Abstr. - J. Chem. Soc. 1887, 497.

171. Einhof, H. Chemical investigation of the potato. Hermbstadt's Arch. d. Agrikulturchem. 2, 3-63 (1805). Abstr. - Neues Allgemeines Journal der Chemie Gehlin 4, No. 3, 315-317 (1804).

172. Elliott, D. C. Detection of glycolic acid in etiolated barley shoots. J. Exptl. Botany (London) 5, 353-6 (1954). Abstr. -C. A. 49, 9747.

173. Emmerling, O. Contribution to the knowledge of abietic acid. Ber. deut. chem. Ges. 12, 1441-6 (1879).

174. Enz. J. B. Study of the berries of Lonicera xylosteum. Wittstein's Vierteljahrsschr. f. prakt. Pharm. 5, 196-207 (1856). Abstr. - Chem. Zentr. 1856, 393-394. Jahresbericht über die Fortschritte der Chemie 1856, 691.

175. Enz, J. B. Constituents of Veronica officinalis. Wittstein's Vierteljahrsschr. f. prakt. Pharm. 7, 182-9 (1858). Abstr. - Chem. Zentr. 1858, 498. Jahresbericht über die Fortschritte der Chemie 1858, 519.

176. Enz, J. B. Chemical Investigation of Euphrasia officinalis. Wittstein's Vierteljahrsschr. f. prakt. Pharm. 8, 175-183 (1859). Abstr. - Jahresbericht über die Fortschritte der Chemie 1859, 563.

177. Enz, J. B. Wittstein's Vierteljahrsschr. f. prakt. Pharm. 8, 311-315 (1859). Abstr. - Jahresb. Fortschr. Chem. 1859, 588.

178. Enz. J. B. Wittstein's Vierteljahrsschr. f. prakt. Pharm. 8, 509-518 (1859). Abstr.- Jahresb. Forschr. Chem. 1859, 588.

179. Enz, J. B. Wittstein's Vierteljahrsschr. f. prakt. Pharm. 9, 15-18 (1860). Abstr. - Jahresb. Fortschr. Chemie 1859, 571.

180. Enz, J. B. Wittstein's Vierteljahrsschr. f. prakt. Pharm. 10, 11-18 (1861). Abstr.-Jahresb. Fortschr. Chemie 1860, 542.

181. Enz. J. B. On the juice of the fruit of Solanum lycopersicum. Wittstein's Vierteljahrsschr. f. prakt. Pharm. 11, 321-326 (1862). Abstr. - Jahresb. Fortschr. Chemie 1862, 514. Am. J. Pharm. 34, 515-19 (1862).

182. Enz, J. B. Berries of Viburnum Lantana. Wittstein's Vierteljahrsschr. f. prakt. Pharm. 12, 528-35 (1863). Abstr. - Jahresb. Fortschr. Chem. 1863, 614. Am. J. Pharm. 36, 108 (1864).

183. Enz, J. B. The flower-cluster of Bellis perennis. Wittstein's Vierteljahrsschr. f. prakt. Pharm. 19, 1-14 (1870). Abstr. - Chem. Zentr. 1870, 132. Jahresbericht über die Fortschritte der Chemie 1870, 886.

184. Ergle, D. R. and F. M. Eaton. Organic acids of the cotton plant. Plant. Physiol. 24, 373-88 (1949). Abstr. - C. A. 43, 8017.

185. Ergle, D. R. and F. M. Eaton. Succinic acid content of the cotton plant. Plant Physiol. 26, 186-8 (1951). Abstr. - Brit. Abstr. 1951, AIII, 1138.

186. Ergle, D. R., L. E. Hessler and J. E. Adams. Identity of some electrodialyzable constituents of cotton root bark. J. Am. Chem. Soc. 68, 48-9 (1946). Abstr. - C. A. 40, 1562.

187. Erlenmeyer, E. Occurrence of Glycolic acid in plants. Heidelb. Jahrb. 1866 257. Abstr. - Zeitschrift fur Chemie 9, 639 (1866).

188. Erlenmeyer, E. and F. Hoster. Gradual formation of carbon-rich substances in plants. Z. für Chemie u. Pharmacie 7, 212-15 (1864). Abstr.- J. prakt. Chem. 91, 255 (1864). Jahresbericht über die Fortschritte der Chemie 1864, 359.

189. Esbach, G. Oxaluria. Bull. Gen. Ther. Med. Chir. 104, 385-415 (1883). Cited by (482).

190. Esbach. E. von Leyden, Handb. d.Ernährungstherapie ü Diätetik, II, Aufl. 2, 317. Cited by (24).

191. Euler, H. and I. Bolin. Purification and chemical constitution of Medicago-Laccase. Hoppe-Seyler's Z. physiol. Chem. 61, 1-11 (1909). Abstr. - C. A. 3, 2709.

192. Eymard, L. Chemical examination of the sap of the Japanese medlar. J. Pharm. et chim. Paris /5/ 21, 192-195 (1890). Cited by (132).

193. Famintzin, A. The ripening of grapes. Verhandlungen der naturforschenden Gesellschaft zu Frieburg I. B. 2, 177 (1860). Abstr. - Annalen der Oenologie 2, 242-61(1872).

194. Fiedler, U. Further constituents of hawthorn. Paper chromatographic identification of chlorogenic acid and caffeic acid. Arzneimittel-Forsch.,4, 41-5 (1954). Abstr. - Anal. Abstr. 2, 1366. C. A. 49, 1650.

195. Finnemore, H. Chemical examination of the rhizome of Cimicifuga racemosa. Pharm. J. /4/ 31, 142-4 (1910). Abstr. - J. Chem. Soc. 1910, ii, 801. C. A. 4, 3274.

196. Fischer, R. and E. Linser. Microchemical detection of arbutin and ursone /ursolic acid/ in plants. Arch. Pharm. 268, 185-90 (1930). Abstr. - C. A. 24, 3320. Brit. Abstr. 1930, A, 825.

197. Flanzy, M. Organic acids in grapes and wine. Ann. Agron. 18, 60-64 (1948).

198. Fleming, C. E. Annual report of the Board of Control for the fiscal year ending June 30, 1949. Nevada Agr. Expt. Sta. Ann. Rept. 1949, 5-73 /1950/ Abstr. - C. A. 45, 2601.

199. Flueckiger. Crystals in vegetable tissues. Wittstein's Vierteljahrsschr. f. prakt. Pharm. 12, 569 (1863). Schweiz. Wochenschr. f. Ph. 1862, No. 8 and 9. Abstr. - Am. J. Pharm. 36, 110. (1864).

200. Fonseca, C. Some data on the nutritive value of the banana. Arquiv. hig. e. saúde publ. (São Paulo) 4, No. 6, 59-62 (1939). Abstr. -C.A. 34, 1407.

201. Formenti, C. and A. Scipiotti. Study of Italian tomato juice. Z. Untersuch Nahr. u. Genussm. 12, 283-95 (1906). Abstr. - Chem. Zentr. 1906, ii, 1517.

202. Fowden, L. and J. A. Webb. γ-Methylene-α-oxoglutaric acid: a constituent of groundnut plants. (Arachis hypogaea). Biochem. J. (London) 58, iii, (1954).

203. Fowden, L. and J. A. Webb. Evidence for the occurrence of γ-Methylene-α-oxoglutaric acid in groundnut plants (Arachis hypogaea). Biochem. J. (London) 59, 228-34 (1955). Abstr. - C. A. 49, 6380.

204. Franzen, H. and F. Helwert. The chemical constituents of green plants. XX. The acids of the cherry (Prunus avium). Hoppe-Seyler's Z. physiol. Chem. 122, 46-85 (1922). Abstr. - C. A. 17, 125. J. Chem. Soc. 1922, i, 1102.

205. Franzen, H. and F. Helwert. The chemical constituents of green plants. XXI The presence of succinic acid and of oxalic acid in the currant (Ribes rubrum). Hoppe-Seyler's Z. physiol. Chem. 124, 65-74 (1922). Abstr. - J. Chem. Soc. 1923, i, 77.

206. Franzen, H. and F. Helwert. Chemical constituents of green plants. XXV. Acids of the apple (Pirus malus). Hoppe-Seyler's Z. physiol. Chem. 127, 14-38 (1923). Abstr. - C. A. 17, 2905. J. Chem. Soc. 1923, i, 637. Chem Zentr. 1923, III, 939.

207. Franzen, H. and F. Helwert. The chemical constituents of green plants. XXIV. Citric acid. Biochem. Z. 135, 384-415 (1923). Abstr. - J. Chem. Soc. 1923, i, 520. C. A. 17, 2442. Chem. Zentr. 1923, III, 678.

208. Franzen, H. and F. Helwert. The chemical constituents of green plants. XXVI. Tartaric acid. Biochem. Z. 136, 291-305 (1923). Abstr. - J. Chem. Soc. 192 i, 520. C. A. 17, 3358. Chem. Zentr. 1923, III, 939.

209. Franzen, H. and H. Kaiser. The chemical constituents of green plants. XXVIII. The acids of the tamarind (Tamarindus indica) precipitable with lead acetate. Hoppe-Seyler's Z. physiol. Chem. 129, 80-94 (1923). Abstr. C. A. 18, 1318. J. Chem. Soc. 1923, i, 1045.

210. Franzen, H. and E. Keyssner. The chemical constituents of green plants. XVII. The presence of lactic acid in the leaves of the blackberry (Rubus fructicosus). Hoppe-Seyler's Z. physiol. Chem. 116, 166-8 (1921). Abstr. J. Chem. Soc. 1922, i, 310.

211. Franzen, H. and E. Keyssner. The chemical constituents of green plants. XXIX. Several water-soluble constituents of blackberry leaves (Rubus fructicosus). Hoppe-Seyler's Z. physiol. Chem. 129, 309-19 (1923). Abstr. - C. A. 18, 1318. J. Chem. Soc. 1923, i, 1045.

212. Franzen, H. and E. Keyssner. The constituents of green plants. XXIII. Malic acid in plants. Biochem. Z. 135, 183-216 (1923). Abstr. -J. Chem. Soc. 1923, i, 427. C. A. 17, 2442, Chem. Zentr. 1923, III, 678.

213. Franzen, H. and R. Ostertag. The chemical constituents of green plants. XVIII. Acids of sorb apples (Pirus aucuparia) precipitable with lead acetate. Hoppe-Seyler's Z. physiol. Chem. 119, 150-65 (1922). Abstr.- C. A. 16, 3499. J. Chem. Soc. 1922, i, 616.

214. Franzen, H. and R. Ostertag. The chemical constituents of green plants. XXI. The non-existence of Crassulaceae malic acid. Hoppe-Seyler's Z. physiol. Chem. 122, 263-97 (1922). Abstr.- J. Chem. Soc. 1922, i, 1223.

215. Franzen, H. and R. Ostertag. The chemical constituents of green plants. XXVII. Succinic acid. Biochem. Z. 136, 327-35 (1923). Abstr.- C. A. 17, 3358. J. Chem. Soc. 1923, i, 636. Chem. Zentr. 1923, III, 939-40.

216. Franzen, H. and E. Schuhmacher. The chemical constituents of green plants. XIV. The acids in the currant (Ribes rubrum) which are precipitable by lead acetate. Hoppe-Seyler's Z. physiol. Chem. 115, 9-37 (1921). Abstr.- J. Chem. Soc. 1922, i, 310.

217. Franzen, H. and E. Stern. The chemical constituents of green plants. XV. The presence of lactic acid in the leaves of the raspberry (Rubus idaeus). Hoppe-Seyler's Z. physiol. Chem. 115, 270-83 (1921). Abstr.- J. Chem. Soc. 1922, i, 311.

218. Franzen, H. and E. Stern. The chemical constituents of green plants. XIX. Occurrence of lactic and succinic acids in the leaves of raspberry (Rubus idaeus). Hoppe-Seyler's Z. physiol. Chem. 121, 195-220 (1922). Abstr.- C. A. 17, 124. J. Chem. Soc. 1922, i, 975.

219. Fremy, E. Investigation of the chemistry of balsam. Ann. chim. et phys. (Paris) /2/ 70, 180-205 (1839). Abstr.- Ann. Chem. Justus Liebig 30, 324-40 (1839).

220. Freudenberg, K. and J. Geiger. Configuration of the tertiary carbon atom IV. Ann. Chem. Justus Liebig 575, 145-53 (1952). Abstr.-C. A. 47, 3804.

221. Frey-Wyssling, A. Die Stoffausscheidung der höheren Pflanzen. Springer, 1935. Cited by (78).

222. Garino-Canina, E. Variations of the principal acids of grape juice during the process of maturing. Ann. reale accad. agr. Torino 57, 233-40 (1914). Abstr. - Ann. chim. applicata 5, 65-6. C. A. 10, 1572.

223. Garino-Canina, E. The chemical composition of vine shoots. Ann. reale accad. agr. Torino 84, 127-42 (1940-41). Abstr.- Chem. Zentr. 1942, ii, 2650. C. A. 38, 3688.

224. Geiger, P. C. Study of the so-called watery fluid of the vine. Schweigger Journ. f. Chem. u. Phys. 15, 481-4 (1815).

225. Geiseler and R. Brandes. On the use and composition of birch sap. Arch. Pharm. 10, 167 (1837). J. prakt. Chem. 11, 437-45 (1837).

226. Ghosh, N.N., S. Ghosh and R. N. Chopra. Chemistry and pharmacology of young shoots of Bambusa arundinacea. Arch. Pharm. 276, 351-3 (1938). Abstr.- Brit. Abstr. 1938, AIII, 771.

227. Gicklhorn, J. Occurrence of calcium tartrate. Biochem. Z. 254, 459-66 (1932). Abstr.- Brit. Abstr. 1933, A, 105.

228. Giessler, R. Localization of oxalic acid in plants. Jena. Z. Naturw. 27, 344-378 (1892). Abstr.-J. Chem. Soc. 1895, ii, 129. Ann. Agron. 20, 446-7 (1894). Botan. Centr. 56, 35-36 (1893).

229. Gilbert, S. G., C. B. Shear and C. M. Gropp. The effects of the form of nitrogen and the amount of vase supply on the organic acids of tung leaves. Plant Physiol. 26, 750-6 (1951). Abstr. - Brit. Abstr. 1952, AIII, 1441. Biol. Abstr. 26, 7130.

230. Gilchrist, J. M. The fruit of Aralia hispida. Chem. News 99, 211-2 (1909). Abstr. - C. A. 3, 1796.

231. Girard, A. and Lindet. The determination of malic acid in grape juice. Bull. soc. chim. (Paris) /3/ 19, 585. (1898). Abstr. - Analyst 23, 263 (1898).

232. Goldovskii, A. and A. Bozhenko. The water-soluble organic acids of sunflower seeds. Masloboino-Zhirovoe Delo 1933, No. 1, 13-20. Abstr. - C. A. 27, 5997. Brit. Abstr. 1934, A 336.

233. Goldschmiedt, G. Occurrence of succinic acid in an incrustation on the bark of Morus alba. Monatsh. Chem. 3, 136-8 (1882). Abstr.- J. Chem. Soc. 1882, 602.

234. Golovin, P. V., I. R. Rominskii and A. S. Sushkova. Organic acids in Jerusalem artichokes and in sugar beets. Ukrain. Khim. Zhur. 21, 86-8 (1955). Abstr. - C. A. 49, 8817.

235. Gorter, K. Coffee, I. Ann. Chem. Justus Liebig 358, 327-48 (1908). Abs.- C. A. 2, 1449. J. Chem. Soc. 1908, i, 186.

236. Gorter, K. Distribution of chlorogenic acid in nature. Arch. Pharm. 24 184-96 (1909). Abstr.- C. A. 3, 2583. J. Chem. Soc. 1909, i, 588.

237. Gorter, K. Identity of helianthic acid and chlorogenic acid. Arch. Pharm. 247, 436-8 (1909). Abstr. - J. Chem. Soc. 1909, i, 935.

238. Gorter, K. Contribution to the study of coffee. IV. Ann. Chem. Justus Liebig 379, 110-30 (1911). Abstr. - C. A. 5, 1412. J. Chem. Soc. 1911, i, 2[illegible]

239. Gorter, K. Chlorogenic and saccharic acids. Rec. trav. chim. 31, 281-6, (1912). Abstr. - C. A. 7, 1622. J. Chem. Soc. 1913, i, 148.

240. Gorter, K. Distribution of chlorogenic acid in nature. Ann. jard. bot. Buitenzorg. Series II 8, 69-84 (1910). Abstr. - Zentr. Biochem. u. Biophys. 13, 132 (1912). C. A. 7, 361.

241. Gorup-Besanez, E. v. Butyric acid in the fruit of the soaytree (Sapinus saponaria) and a study of the volatile acid of the tamarind. Gelehrte Anzeigen, herausgegeben von Mitgliedern der Kgl.-Bayr. Akad. d. Wissensch. 27, 822-23 (1848). Ann. Chem. Justus Liebig 69, 369-372 (1849). J. prakt. Chem. 46, 151-2 (1849). Abstr. - Chemical Gazette 7, 176 (1849).

242. Gorup-Besanez, E. v. Pyrocatechin, an element of living plants. Ber. deut. chem. Ges. 4, 905-6 (1871). Abstr. -J. Chem. Soc. 1872, 171.

243. Gorup-Besanez, E. v. Chemical composition of leaves of Ampelopsis hederaceae. Ann. Chem. Justus Liebig 161, 225-232 (1872). Abstr. - Chem. Zentr. 1872, 568.

244. Goudswaard, A. Oxalate - containing plants and oxaluria. Pharm. Weekblad. 71, 114-19 (1934). Abstr. - C. A. 28, 2021. Brit. Abstr. - 1934, A 336.

245. Govindarajan, V. S. and M. Sreenivasaya. Papyrographic micromethod for the study of organic acids in plants. Current Sci. (India) 20, 43-4 (1951). Abstr. - C. A. 45, 7200. Brit. Abstr. 1951, C, 348.

246. Greger, J. Calcium oxalate crystals in the seed coat of Fumaria officinalis, L. Planta 12, 49-52, (1930). Abstr. - Brit. Abstr. 1931, A, 133.

247. Griebel, C. Chemical composition of cranberries, whortleberries, etc. Z. Untersuch. Nahr. u. Genussm. 19, 241-52 (1910). Abstr. - J. Chem. Soc. 1910, ii, 440.

248. Griebel, C. Determination of chlorogenic acid in raw and roasted coffee. Chem. -Ztg. 57, 353-4 (1933). Abstr. - Brit. Abstr. 1933, B, 650.

249. Griffiths, A. B. The existence of salicylic acid in certain genera of the Liliaceae. Chem. News 60, 59 (1889). Abstr. - Chem. Zentr. 1889, II, 466

250. Griffiths, A. B. and E. C. Conrad. Recent estimations of the amount of salicylic acid in the cultivated pansy. Chem. News 50, 102 (1884). Abstr. J. Chem. Soc. 1885, i, 75. J. Am. Chem. Soc. 6, 233 (1884).

251. Grimaldi, S. Occurrence of salicylic acid in plants. Staz. sperim. agrar. Ital. 38, 618-21 (1905). Abstr. -Z. Untersuch. Nahr. u. Genussm. 13, 92 (1907).

252. Grüning, W. The chemistry of the Nymphaeaceae. Arch. Pharm. 220, 589-605 (1882). Abstr. - J. Chem. Soc. 1883, A, 369.

253. Grundner, K. R. v. Pharmacological examination of the fruit of Eunonymus europaeus. Buchner's Repert. f. d. Pharm. /2 7 47, 315-344 (1847). Abstr. - Pharm. Centr. 1847, 871. Jahresb. Fortschr. Chem. 1, 829 (1847/48).

254. Guseva, A. R. Chemical composition of leaves of Eucommia ulmoides. Doklady Akad. Nauk S.S.S.R. 82, 757-60 (1952). Abstr.-C. A. 47, 2736.

255. Guseva, A. R. and M. G. Borikhina. The determination of chlorogenic acid and the dynamics of the accumulation of chlorogenic acid and of gutta in the leaves of Eucommia. Biokhimiya 20, 106-8 (1955) Abstr.- C.A. 49, 9105.

256. Haagen-Smit, A. J., F. N. Hirosawa, and T. H. Wang. Chemical studies on grapes and wines. I. Volatile constituents of Zinfandel grapes (Vitis vinifera, var. Zinfandel). Food Research 14, 472-80 (1949). Abstr. - C. A. 44, 2667.

257. Haar, A. W. van der. Occurrence of chlorogenic acid in Araliaceae and a study of Gorter's reaction. Pharm. Weekblad 57, 194-5 (1920). Abstr. - J. Chem. Soc. 1920, i, 358. C. A. 14, 1360.

258. Haar, A. W. van der. The identity of prunol with ursone (ursolic acid). Rec. trav. chin. 43, 542-5 (1924). Abstr. - C. A. 19, 73.

259. Haar, A. W. van der. Oleanol. Rec. trav.chim. 43, 546-7 (1924). Abstr. - C. A. 19, 73.

260. Haar, A. W. van der. The identity of malol with urson (ursolic acid). Rec. trav. chim. 43, 548-9 (1924). Abstr. - C. A. 19, 74.

261. Habermann. Occurrence of lactic acid in the lesser centaury. Chem. Ztg. 30, 40-1 (1906). Abstr. - Chem. Zentr. 1906, (1), 819.

262. Haitinger, L. Presence of citric and malic acids in Chelidonium majus. Monatsh. Chem. 2, 485-90 (1881). Abstr. - J. Chem. Soc. 1882, 82.

263. Halenke, A. and W. Möslinger. Analysis of must and wine. Z. anal. Chem. 34, 263-93 (1895). Abstr.- J. Chem. Soc. 1895, Aii, 463.

264. Harasawa, H. and S. Saito. Storage of rice. I. A factor of rice degeneration during storage. J. Utilization Agr. Products 1, 20-2 (1953). Abstr. - C. A. 48, 8974

265. Harris, C. H. and W. D. Thrams. The fruit of Vaccinum corymbosum (huckelberry). Chem. News 114, 73 (1916). Abstr. - J. Chem. Soc. 1916, i, 784.

265a, b, c. See page 135

266. Hattori, S., S. Yoshida and M. Hasegawa. Occurrence of shikimic acid in the leaves of gymnosperms. Physiol. Plantarum 7, 283-9 (1954). Abstr. - C. A. 49, 13378.

266a. See page 135

267. Hébert, M. A. Saps. Bull. soc. chim. France /3/ 13, 927-32 (1895). Abstr. - J. Chem. Soc. 1896, ii, 494.

268. Heckel, E., J. Moursou and F. Schlagdenhauffen. Composition of Globularia. Compt. rend. 95, 90-93 (1882). Abstr. - J. Chem. Soc. 1882, A, 1224. Jahresb. Fortschr. Chemie 1882, 1164.

269. Heckel, E. and F. Schlagdenhauffen. Chemistry of Globularia. Ann. chim. et phys. /5/ 28, 67-81 (1883). Abstr. - J. Chem. Soc. 1883, 1025.

270. Heckel, E. and C. F. Schlagdenhauffen. Chemical study of Globularia. Pharm. J. /3/ 19, 246 (1888/89). Cited by (529).

271. Hefelmann, R. An evaluation of commercial fruit juice and fruit sirup and the occurrence of salicylic acid. Z. öffentl. Chem. 3, 171-76 (1897). Abstr. - Chem. Zentr. 1897, ii, 228. Jahresbericht über die Fortschritte der Chemie 1897, 1492.

272. Heilbron, I. Editor - Dictionary of Organic Compounds. Oxford University Press. New York. 1953, 4 vols.

273. Hellström, A. von. White Perubalsam. Arch. Pharm. 243, 218-37 (1905). Abstr.- Chem. Zentr. 1905, ii, 136.

274. Henry. Journal de Pharmacie du Midi IV, 306-14 (1837). Cited by (89).

275. Herberger. Buchn. Rept. d. Pharm. 16, 1 (1839). Cited by (208).

276. Herberger and Damur. The flowers of Matricaria chamomilla and Matricaria parthenium. Buchn. Repert. 44, 361. Abstr. - Ann. Chem. Justus Liebig 8, 231 (1833).

277. Herndlhofer, E. Amount and distribution of oxalic and malic acids in the coffee plant. Biochem. Z. 259, 168-74 (1933). Abstr. - Brit. Abstr. 1933, A, 544.

278. Herrana, J. F. Study of the fruits of some Papilionaceae. Quimica (Mex.) 4, 96-7 (1946). Abstr. - C. A. 41, 7456.

279. Herrmann, K. The tannin of Melissa leaves. Arch. Pharm. 287, 142-7 (1954). Abstr. - C. A. 49, 3477.

280. Hesse, O. Root of Rheum rhaponticum and Austrian rhubarbs. J. prakt. Chem. 72, 321-52 (1908). Abstr. -J. Chem. Soc. 1908, ii, 418.

280a. See page 135

281. Heulin, F. E. and R. A. Gallop. Studies in the natural coating of apples. I. Preparation and properties of fractions. Australian J. Sci. Research B 4, 526-32 (1951). Abstr. C. A. 46, 3177.

282. Heywood, B. J. and G. A. R. Kon. Sapogenins. IX. Occurrence and constitution of bassic acid. J. Chem. Soc. 1940, 713-20. Abstr. - C. A. 34, 6636.

283. Heywood, B. J., G. A. R. Kon and L. L. Ware. Sapogenins. V. Bassic Acid. J. Chem. Soc. 1939, 1124-9. Abstr.- C. A. 33, 7809.

284. Hilger, A. Study of the ripening process of grapes. Annalen der Oenologie 4, 117-22 (1874).

285. Hilger, A. On the ripening of grapes. Landwirtsch. Vers.-Sta. 17, 245-51 (1874). Abstr. - J. Chem. Soc. 1875, 281.

286. Hilger, A. and L. Gross. Composition of Vines. Landwirtsch. Vers.-Sta. 33, 170-196 (1887). Abstr. - J. Chem. Soc. 1886, 1062.

287. Hillig, F. and L. L. Ramsey. Determination of lactic and volatile acids in fruit and fruit products. J. Assoc. Offic. Agr. Chemists 28, 525-30 (1945). Abstr. - C. A. 40, 649.

288. Hiramoto, M. and K. Watanabe. Constituents of Catalpa ovata, G. Don. J. Pharm. Soc. Japan 59, 261-4 (1939). Abstr.-Brit. Abstr. 1940, AIII, 548. C. A. 34, 1006.

289. Hisar, R. S. Parietaria officinalis. Türk Ijien Tecrübi Biol. Dergisi 11, 172-87 (1951). Abstr. - C. A. 47, 1893.

290. Hlasiwetz, H. Bark of Cinchona nova. Ann. Chem. Justus Liebig 79, 129-55 (1851). J. pr. Chem. 55. 411-32 (1852). Abstr. - Chemical Gazette 9, 441 (1851).

291. Hlasiwetz, H. Note on achillic acid. Sitzungsber. der Akad. der Wissensch. zu Wien, math.- naturw. Kl. 24, 268. J. prakt. Chem. 72, 429-31 (1857). Abstr. - Chem. Zentr. 28, 735 (1857). Jahresb. Fortsch. Chemie 1857, 331.

292. Hoepfner, W. Chlorogenic acid content of raw and roasted coffee. Z. Untersuch. Lebensm. 66, 238-51 (1933). Abstr. - Brit. Abstr. 1933, B, 1081.

293. Hofmann. Investigation of salts of quinic acid. Crell's Annalen 1790 (2) 314-17.

294. Hofmann, A. W. Caffeic acid in hemlock. Ber. deut. chem. Ges. 17, 1922-3 (1884). Abstr. - J. Chem. Soc. 1884, A, 1353. Jahresbericht der Fortschritte der Chemie 1884, 1449.

295. Holmes, E. M. Chemical examination of Gelsemium sempervirens. Pharm. J. Trans. /3 7, 6, 481, 521, 561, 601. Abstr. - J. Chem. Soc. 1876, 941. Jahresbericht über die Fortschritte der Chemie 1876, 893.

296. Holmgren, A. H. New poisonous weed invades western ranges. Farm and Home Sci. (Utah Agr. Expt. Sta.) 4 (4) 3,11 (1943). Expt. Sta. Record 90, 683 (1944).

297. Holton, R. W. and C. R. Noll, Jr. A survey of the nonvolatile organic acids in seedlings of some grasses and legumes. Plant Physiol. 30, 384-6 (1955).

298. Hoover, A. A. and M. C. Karunairatnam. Oxalate content of some leafy green vegetables and its relation to oxaluria and calcium utilization. Biochem. J. (London) 39, 237-8 (1945). Abstr. - C. A. 40, 1207.

299. Howard, D. Contribution to the history of cinnamic acid. J. Chem. Soc. 13, 135-9 (1861).

300. Hoyer, E. Fermentative fat-splitting. Hoppe Seyler's Z. physiol. Chem. 50, 414-35 (1907). Abstr. - C. A. 1, 1019.

301. Hulme, A. C. The isolation of l-quinic acid from the apple fruit. J. Exptl. Botany 2, 298-315 (1951).

302. Hulme, A. C. The isolation of chlorogenic acid from the apple fruit. Biochem. J. (London) 53, 337-40 (1953). Abstr. - C. A. 47, 4963.

303. Hulme, A. C. Organic acids in the apple fruit. Congr. intern. botan. Paris, Rapps et communs. 8, Sect 11/12, 394-8 (1954). Abstr. - C. A. 48, 10951.

304. Hulme, A. C. Isolation of L-citramalic acid from the peel of the apple fruit. Biochim. et Biophys. Acta. 14, 36-43 (1954). Abstr.-C.A. 48, 8885.

305. Hulme, A. C. and A. Richardson. The non-volatile organic acids of grass. J. Sci. Food Agr. 5, 221-5 (1954). Abstr. - C. A. 48, 8984.

306. Hutstein, J. Preparation of chelidonic acid. Arch. Pharm. 115, 23-4 (1851). Abstr. - Jahresbericht über die Fortschritte der Chemie 1851, 431. Pharm. Centr. 1851, 400.

307. Huzikawa, H. and M. Ina. Constituents of Geranium onoei, Franch. et Sav. J. Pharm. Soc. Japan 60, 125-7 (1940). Abstr. - C. A. 34, 4063. Brit. Abstr. 1940, AIII, 548.

308. Iljin, W. S. Metabolism of plants affected with lime-induced chlorosis (calciose). II. Organic acids and carbohydrates. Plant and Soil 3, 339-51 (1951). Abstr. - C. A. 47, 1792.

309. Ingold, C.T. Hydrogen-ion phenomena in plants. IV. Buffer of potato (tuber and leaf). Protoplasma 9, 441-6 (1930). Abstr. - C. A. 25, 4024.

310. Itallie, L. van. Investigation of styrax. Neder. Tijdschr. Pharm. 13, 225-35 (1901). Abstr. - Chem. Zentr. 1901, ii, 856.

311. Itallie, L. van. Investigation of American styrax. Neder. Tijdschr. Pharm. 13, 257-66 (1901). Abstr. - Chem. Zentr. 1901, ii, 857.

312. Itallie, L. van. Phytochemistry of the Crowberry (Empetrum nigrum). Pharm. Weekblad 55, 709-17, (1918). Abstr. - J. Chem. Soc. 1918, i, 419. C. A. 12, 1891.

313. Itallie, L. van. Pithecolobium samen Bentham. Pharm. Weekblad 69, 941-63 (1932). Abstr. - Brit. Abstr. 1932, A, 975. C. A. 26, 5379.

314. Itallie, L. van and A. J. Steenhauer. Myrrhis odorata Scop., and the microchemical detection of anisic acid. Pharm. Weekblad 63, 4-7 (1926). Abstr. - C. A. 20, 795. Chem. Zentr. 1926, i, 2408.

315. Iyengar, A. V. V. Spike disease of sandal (Santalum album, Linn.). XV. The role of plant acids in health and disease. J. Indian Inst. Sci. 16A, 139-52 (1933). Abstr. - C. A. 28, 3445. Brit. Abstr. 1934, A, 573.

316. Iyengar, A. V. V. Tartaric acid from the tamarind fruit. Current Sci (India) 6, 610-11 (1938). Abstr. - Brit. Abstr. 1938, AIII, 77. C. A. 32, 7681.

317. Jablin-Gonnet, C. J. A. Salicylic acid a normal constituent of wild cherries. Ann. chim. anal. 8, 371-2 (1903). Abstr. - J. Chem. Sc. 1904, ii, 71. Chem. Zentr. 1903, ii, 1132.

318. Jackson, M. W. P. and D. Thoday. Differentiation (in plants). VI Distribution of calcium malate and other solutes in stems and leaves of succulent Compositae. Ann. Botany (London) N. S. 3, 1-26 (1939). Abstr. - Brit. Abstr. 1939, AIII, 799.

319. Jacobs, M. L. and W. R. Lloyd. Phytochemistry of Kamia angustifolia, L. J. Am. Pharm. Assoc. 28, 408-12 (1939). Abstr. - Brit. Abstr. 1939, AIII, 950.

320. Jacobson, L. and L. Ordin. Organic acid metabolism and ion absorption in roots. Plant Physiol. 29, 70-5 (1954). Abstr. - C. A. 48 6518.

321. Jermstad, A. and K. B. Jensen. Paper chromatographic separation and identification of organic plant acids with special reference to the acids occurring in Aconitum septentrionale. Pharm. Acta Helv. 25, 209-29 (1950). Abstr. - C. A. 45, 1726.

322. Jermstad, A. and K. B. Jensen. Identification of some constituents of Bunias orientalis, family Cruciferae, by chromatographic study. Bull. soc. chim. biol. 33, 258-64 (1951). Abstr. - C. A. 5, 10505.

323. Jerzmanowska, Z. and L. Pijewska. Investigation of Scrophularia nodosa. The chemical analysis of roots and leaves. Acta Polon. Pharm. 11, 1-8 (1954). Abstr. - C. A. 48, 11000.

324. Jobst, J. and O. Hesse. A new constituent of cotobark. Ann. Chem. Justus Liebig 199, 17-96 (1879). Ber. deut. chem. Ges. 1, 1031-4 (1878). Abstr. - Chem. Zentr. 80, 534.

325. Jörgensen, G. The determination of organic acids in plants. Z. Untersuch. Nahr. u. Genussm. 13, 241-57 (1907). Abstr. - J. A. 1, 1448. J. Chem. Soc. 1907, ii, 312.

326. Jörgensen, G. Estimation of some of the organic acids occurring in fruits. Z. Untersuch Nahr. u, Genussm. 17, 396-412 (1909). Abstr.- J. Chem. Soc. 1909, ii, 445. Chem. Zentr. 1909, i, 1607.

327. Johnson, G. and L. A. Schaal. Relation of chorogenic acid to scab resistance in potatoes. Science 115, 627-9 (1952). Abstr. - C. A. 46, 8205.

328. Jowett, H. A. D. XIII. On atisine, the alkaloid of Aconitum heterophyllum. J. Chem. Soc. 69, 1518-24 (1896). Abstr. - J. Chem. Soc. Proc. 1896, 158.

329. Juul, F. Studies on blackening of potatoes after cooking. Thesis, University of Copenhagen, 1949. Abstr. - Biol. Abstr. 24, 11938 (1950). Am. Potato J. 27, 32 (1950).

330. Kachler, J. Presence of mannitol in the cambium sap of pines. Monatsh. Chem. 7, 410-15 (1886). Abstr. - J. Chem. Soc. 1886, 1062.

331. Kaiser, H. Acids of the whortleberry and tamarind. Süddeut. Apoth.-Ztg. 65, 48-9 (1925). Abstr. - C. A. 19, 1149.

332. Kalyankar, G. D., P. R. Krishnaswamy and M. Sreenivasaya. Papyrographic characterization and estimation of organic acids in plants. Current Sci. (India) 21, 220-2 (1952). Abstr. - C. A. 47, 3933.

333. Kampen, G. B. van. Lactic acid in phanerogams. Biochem. Z. 187, 180-2 (1927). Abstr. - C. A. 21, 3384. Brit. Abstr. 1927, A, 995. Chem. Zentr. 1927, ii, 1851.

334. Kanger, A. Composition and pharmacological action of cranberry leaves. Arch. exp. Path. Pharmakol. 50, 46-75 (1903). Abstr. - J. Chem. Soc. 1904, ii, 74. Chem. Zentr. 1903, ii, 893.

335. Kariyine, T. and Y. Hashimoto. Chemical components of plant cuticle with special reference to the triterpenoid constituents. Experientia 9, 136 (1953). Abstr. - C. A. 47, 7037.

336. Karrer, P. and E. Matter. Organic acids from calabash curare. Helv. Chim. Acta 29, 1871-2 (1946). Abstr. - Brit. Abstr. 1948, AIII, 91.

337. Karrer, P. and E. Matter. Acidic components of Digitalis purpurea, L. Helv. Chim. Acta 31, 799-802 (1948). Abstr. - C. A. 42, 6060. Brit. Abstr. 1949, AIII, 206.

338. Kaupitz, W. Tartaric acid content of year-old Succus Rubi Idaei and the presence of sediment in the raw sap. Pharm. Zentralhalle 41, 347-8 (1900). Abstr. - Chem. Zentr. 1900, ii, 279. Jahresbericht über die Fortschritte der Chemie 1900, 698.

339. Kawaguti, R. and K. W. Kim. Constituents of the seeds of Zizyphus vulgaris Lamark var. Spinosus Bunge. J. Pharm. Soc. Japan 60, 343-52 (1940), in German, 171-4. Abstr. - C. A. 35, 1396. Brit. Abstr. 1941, AII, 300.

340. Kawamura, J. Chemical constituents of the fruit of Ginkgo biloba. Japan. J. Chem. 3, 89-108 (1928). Abstr. - C. A. 23, 382. Brit. Abstr. 1928, A, 1291

341. Kayser, R. The acids occurring in raspberry juice. Z. öffentl. Chem. 12, 155-6 (1906). Abstr. - J. Chem. Soc. 1906, ii, 387. Chem. Zentr. 1906, i, 1851.

342. Keegan, P. Q. Notes on plant chemistry. Chem. News 106, 181-2 (1912). Abstr. - J. Chem. Soc. 1912, ii, 1085.

343. Keim, W. Ripening of cherries. Fermentation of cherry and currant juice and colouring matters of red and black currants. Z. anal. Chem. 30, 401-27 (1891). Abstr. - J. Chem. Soc. 1891, i, 1539.

344. Keller, O. Orthosiphon stamineus, Benth. Arch. Pharm. 272, 242-56 (1934). Abstr. - C. A. 28, 3835. Brit. Abstr. 1934, A, 709.

344a. See page 135.

345. Kiesel, A. Quinic acid as a metabolic product in the young shoots of Picea excelsa. Planta 6, 519-25 (1928). Abstr. - Brit. Abstr. 1930, A, 1626. Chem. Zentr. 1930, i, 3197.

346. Kiesel, A. The role and significance of quinic acid in higher plants. Planta 12, 131-43 (1930). Abstr. - C. A. 25, 3689. Brit. Abstr. 1931, A, 130.

347. Kir'yalov, N. P. Acids of the milky juice of Euphorbia biglandulosa Desf. III. J. Gen. Chem. U. S. S. R. 10, 65-70 (1940). Abstr. - Brit. Abstr. 1940, AIII, 618. C. A. 34, 4727.

348. Klein, G. and O. Werner. Micro- and histo- chemical demonstration of free and bound oxalic, succinic, malic, tartaric, and citric acids. Hoppe-Seyler's Z. physiol. Chem. 143, 141-53 (1925). Abstr.- J. Chem. Soc. 1925, i, 871.

349. Klinger, A. and A. Bujard. Analysis of the inflorescence of Bassia oleracea and other Bassia species. Repert. d. analyt. Chem. 7, 411-14 (1887). Abstr. - Jahresb. Fortschr. Chemie 1887, 2303.

349a, b. See page 135

350. Köhnke, M. On the organic acids of Lactuca virosa and L. sativa. Arch. Pharm. 89, 153-62 (1844). Am. J. Pharm. 17, 34-8 (1846). Abstr. - Chemical Gazzette 3, 58-61 (1845).

351. Koenig, P. and W. Dörr. Chemistry of tobacco. Biochem. Z. 263, 295-301 (1933). Abstr. - C. A. 27, 5145. Brit. Abstr. 1933, A, 988.

352. Körner, G. The caffeic acid of Cinchona cuprea. Annali di Chimica 1882, 321. Abstr. - Ber. deut. chem. Ges. 15, ref, 2624 (1882).

353. Kohman, E. F. Organic acids and acid-base relationship. Oxalic acids in foods. J. Am. Dietet. Assoc. 10, 100-106 (1934). Abstr. - C. A. 28, 6859.

354. Kohman, E. F. Oxalic acid in foods and its behavior and fate in the diet. J. Nutrition 18, 233-46 (1939).

355. Kohman, E. F. and N. H. Sandborn. Isolation of quinic acid from fruits. Ind. Eng. Chem. 23, 126 (1931). Abstr. - Brit. Abstr. 1931, B, 415.

356. Koller, T. The composition of dried walnut bark. Neues Jahrb. Pharm. u. verwandte Fächer 36, 303-14 (1871). Abstr. - Jahresb. Fortschr. Chemie 1871, 813.

357. Komatsu, S. and R. Nodzu. Chemistry of Japanese plants. VII. Phytochemical study of yamamono fruit. Mem. Coll. Sci. Kyoto Imp. Univ. 8A, 223-9 (1925). Abstr. - J. Chem. Soc. 1925, i, 1025. C. A. 19, 2840.

358. Kondarev, M. Variation of the principal constituents of the must with the period of growth and the maturity of the grapes. Weinland 11, 164-8, 215-18, 238-9 (1949). Abstr. - C. A. 35, 5634. Chem. Zentr. 1940, I, 146.

359. Kopp, E. Study of cinnamic acid and cinnamon. Compt. rend. 21, 1376-80 (1845). Abstr. - Ann. Chem. Justus Liebig 60, 269-70 (1846).

360. Kosutany. J. de Pharm. 1880, 70. Cited by (782).

360a. See page 135

361. Kraus, G. Calcium oxalate in the bark of trees. Botan. Centr. 49, 181. Abstr. - J. Chem. Soc. 1892, 1370. Ann. Agron. 18, 271-2 (1892).

362. Kraus, G. Behavior of calcium oxalate during the growth of vegetable organs. Flora 83, 54-73 (1897). Abstr. - J. Chem. Soc. 1899, ii, 685. Bot. Centr. 69, 384 (1897). Biedermann's Zentr. 28, 458-9 (1899).

363. Kraus, K. Formation of plant acids. Flora 1875, 253-6.

364. Kraut, K. Balsam of Peru. Ber. deut. chem. Ges. 2, 180-2 (1869). Abstr.- Chem. Zentr. 1869, 904.

365. Krebs, H. A. and L. V. Eggleston. Microdetermination of isocitric and cis- aconitic acids in biological material. Biochem. J. (London) 38, 426-37 (1944). Abstr. - C. A. 39, 4108.

366. Kresling, K. Pollen of Pinus sylvestris. Arch. Pharm. 229, 389-425 (1891). Abstr. - J. Chem. Soc. 1892, 232.

367. Kretovich, V. L. and Z. V. Uspenskaya. A method for isolation of chlorogenic acid from sunflower seeds. Biokhim. Zerna Akad. Nauk S. S.S. R., Sbornik 2, 202-7 (1954). Abstr. - C. A. 49, 8562.

368. Kuhn, N. A. Oil of cinnamon leaves. Am. J. Pharm. 49, 12-3 (1877).

369. Kunz, H. New constituents of Atropa belladona. Arch. Pharm. 223, 721-35 (1885). Abstr.- J. Chem. Soc. 1886, A255.

370. Kuriyan, K. I. and K. C. Pandya. A note on the main constituents of the dried rind of the fruit of Garcinia gambogia. J. Indian Chem. Soc. 8, 469-70 (1931). Abstr. - Brit. Abstr. 1931, A, 1341.

371. Kursanov, A. L. Biochemistry of the ripening of fruits of the Japanese medlar (Eriobotrya japonica). Planta 15, 752-66 (1932). Abstr. - C. A. 26, 5120. Brit. Abstr. 1932, A, 435.

372. Kursanov, A. L. and K. M. Dzhemukhadze. Gallic acid in the composition of tea tannin. Biokhimiya 13, 61-5 (1948). Abstr. - Brit. Abstr. 1949, AIII, 798. C. A. 42, 7841.

373. Kwasniewski, V. Occurrence and detection of chelidonic acid in plants. Pharm. Zentralhalle 92, 5-7 (1953). Abstr. - C. A. 47, 9564.

374. Laakso, P. V. Cranberry wastes. I. The composition of the crude ursolic acid extracted from the cranberry pulp. Suomen Kemistilehti 25 B, No. 11, 59-64 (1952). Abstr. - C. A. 48, 2009.

375. LaGrange, B. On liquid styrax. Crell's Ann. 1799, (1) 323-31. Ann. Chim. Paris 26, 203-20 (1798).

376. Lal, J. B. Fruits of Physalis peruviana or Cape gooseberry. I. Proc. Natl. Acad. Sci., India 6, 309-13 (1936). Abstr. - Brit. Abstr. 1937, AIII, 332. C. A. 31, 6362.

377. Langlois. Chemical study of the sap of some plants. Compt. rend. 17, 505-12 (1843).

378. Lassaigne, J.-L. The nature of the acid in the stems of the rhubarb (Rheum rhaponticum). Ann. chim et phys. /1/ 8, 402-6 (1818). Journal f. Chem. u. Phys. Schweigger 24, 320-4 (1818).

379. Lassaigne, J.-L. and H. Feneulle. Chemical examination of senna. Ann. chim. et phys. /2/ 16, 16-23 (1821).

380. Laties, G. G. Oxidative formation of succinate in higher plants. Arch. Biochem. 22, 8-15 (1949). Abstr. - C. A. 43, 8451. Brit. Abstr. - 1950, AIII, 354.

381. Laurent, A. On the acids pimaric, pyromaric and azomaric. Ann. chim. et phys. /2/ 72, 383-403 (1839). Abstr. - Ann. Chem. Justus Liebig 34, 272 (1840).

382. Lebedev, A. and E. Lindquist. The acids of the whortleberry. Z. Untersuch. Lebensm. 65, 476-7 (1933). Abstr. - C. A. 27, 4598. Brit. Abstr. 1933, A, 875.

383. Lecanu and Serbat. Succinic acid in turpentine. Journ. de Pharm. 8, 541 (1822). Ann. chim. et phys. /1/ 21, 328-30 (1822).

384. Lehmann, E. and W. Grütz. Determination of oxalic acid in plants. Z. Pflanzenernähr. Düng. u. Bodenk. 61, 77-86 (1953). Abstr.- C. A. 47, 10041. Brit. Abstr. 1953, C, 483.

385. Lehmann, K. B. Benzoic acid. Chem. Ztg. 32, 949-52 (1908). Abstr.-C. A. 2, 3373.

386. Lerch, J. U. Investigation of chelidonic acid. Ann. Chem. Justus Liebig 57, 273-318 (1846). Abstr. - Chemical Gazette 4, 309-13, 336-42 (1846).

387. Leutner, W. v. On the fruit of Vanilla planifolia, Andr., and its composition. Pharm. Zeitschr. f. Russland 10, 641-53, 675-91, 706-21 (1871). Abstr. - Chem. Zentr. 1872, 54. Jahresbericht über die Fortschritte der Chemie 1871, 815.

388. Lewis, Y. S., C. T. Dwarakanath and D. S. Johar. Acids and sugars in the Kamrakh fruit, Averrhoa carambola Linn. Current Sci. India 23, 54-5 (1954). Abstr.- J. Sci. Food Agr. 5, ii, 41.

389. Lidoff, A. Tannic acid in Caucasian wild sumach. J. Russ. Chem. Soc. 20, 607-8 (1888). Abstr. - J. Chem. Soc. 1889, 541. Ber. deut. Chem. Ges. 1888, 889. Jahresbericht über die Fortschritte der Chemie 1888, 2381.

390. Liebig, J. Preparation and composition of malic acid. Ann. Chem. Justus Liebig 5, 141-150 (1833). Ann. chim. (Paris) [2] 52, 434-44 (1833).

391. Lietzenmayer, O. A contribution to the knowledge of chelidonic and malic acids. Inaugural Dissertation. Erlangen (1878). Abstr. - Chem. Zentr. 1879, 198.

392. Linderos, F. Investigation of Adonis vernalis. Ann. Chem. Justus Liebig 182, 365-6 (1876). Abstr. - J. Chem. Soc. 1877, i, 96.

393. Link, K. P., H. R. Angell and J. C. Walker. Isolation of protocatechuic acid from pigmented onion scales; significance in relation to resistance to disease. J. Biol. Chem. 81, 369-75 (1929). Abstr. - Brit. Abstr. 1929, A, 613.

394. Link, K. P., A. D. Dickson, and J. C. Walker. Further observations on the occurrence of protocatechuic acid in pigmented onion scales and its relation to disease resistance in the onion. J. Biol. Chem. 84, 719-25 (1929). Abstr. - C. A. 24, 881.

395. Lippmann, E. O. v. Occurrence of tricarballylic acid in beet juice. Ber. deut. chem. Ges. 11, 707-8 (1878). Abstr. - J. Chem. Soc. 1878, 662.

396. Lippmann, E. O. v. Occurrence of tricarballylic and aconitic acids in beet juice. Ber. deut. chem. Ges. 12, 1649-51 (1879). Abstr. - J. Chem. Soc. 1880, 36.

397. Lippmann, E. O. v. Occurrence of malonic acid in the incrustation in an evaporator. Ber. deut. chem. Ges. 14, 1183-5 (1881). Abstr. - J. Chem. Soc. 1881, 800.

398. Lippmann, E. O. v. The presence of α-hydroxyglutaric acid in molasses. Ber. deut. chem. Ges. 15, 1156-8 (1882). Abstr. - J. Chem. Soc. 1882, 1190.

399. Lippmann, E. O. v. Occurrence of a new acid in beet juice. Ber. deut. chem. Ges. 16, 1078-81 (1883). Abstr. - J. Chem. Soc. 1883, 913.

400. Lippmann, E. O. v. Organic acids in beet juice. Ber. deut. chem. Ges. 24, 3299-3306 (1891). Abstr. - J. Chem. Soc. 1892, i, 231.

401. Lippmann, E. O. v. An acid from beet leaves. Ber. deut. chem. Ges. 25, 3220 (1892). Abstr. - J. Chem. Soc. 1893, ii, 85.

402. Lippmann, E. O. v. Organic acids from the sap of the sugar maple. Ber. deut. chem. Ges. 47, 3094-5 (1914). Abstr. - C. A. 9, 625.

403. Lippmann, E. O. v. Botanical chemical notes. Ber. deut. chem. Ges. 53, [B], 2069-77 (1920). Abstr. - J. Chem. Soc. 1921, i, 86.

404. Lippman, E. O. v. Phytochemical observations. Ber. deut. chem. Ges. 54, 3112-14 (1921). Abstr. - C. A. 16, 949.

405. Lippmann, E. O. v. The acids of the mountain ash. Ber. deut. chem. Ges. 55, 3038-41 (1922). Abstr. - C. A. 17, 1823.

406. Lippmann, E. O. v. Plant biochemistry. I. The occurrence of citric and gluconic acids. II. The occurrence of tricarballylic acid. Ber. deut. chem. Ges. 61, 222-3 (1928). Abstr. - C. A. 22, 1380. Brit. Abstr. 1928, B, 461.

407. Loew, O. Source of hippuric acid in the urine of herbivorous animals. J. pr. Chem. 127, 309-12 (1879). Abstr. - J. Chem. Soc. 1879, 952.

408. Loew, O. Source of hippuric acid in the urine of herbivora. J. pr. Chem. 128, 476-9, (1879). Abstr. - J. Chem. Soc. 1880, 173. Chem. Zentr. 80, 39.

409. Loew, O. and K. Aso. Benzoic acid in Pinguicula vulgaris. Bull. Coll. Agr. Tokyo 7, 411-2 (1906). Abstr. - C. A. 1, 2620 (1907).

410. Lott, R. H. The fruit of Viburnum nudum. Chem. News 99, 169-71 (1909). Abstr. - C. A. 3, 1530.

411. Luca, S. de, and G. Ubaldini. Chemical study of Australian myrtle. Buchner's neues Repert. d. Pharm. 15, 66 (1866). J. de Pharm. et de chim. [4] 3, 45 (1866). Compt. rend. 61, 743 (1865). Abstr. - Chem. Zentr. 1865, 1163. Jahresbericht über die Fortschritte der Chemie 18, 634 (1865).

412. Ludwig, H. An investigation of a type of manna of the orient. Arch. Pharm. 193, 32-54 (1870). Abstr. - Chem. Zentr. 70, 531.

413. Lugg, J. W. H. and B. T. Overell. One- and two- dimensional partition chromatographic separations of organic acids on an inert sheet support. Australian J. Sci. Research A, 1, 98-111 (1948). Abstr. - Brit. Abstr. 1949, AIII, 797.

414. Lythgoe, H. C. and C. E. Marsh. Detection of benzoic acid in coffee extract J. Ind. Eng. Chem. 3, 842 (1911). Abstr. - C. A. 6, 901.

415. McCalip, M. A. and A. H. Seibert. Aconitic acid from sugar cane products. Ind. Eng. Chem. 33, 637-40 (1941). Abstr. - C. A. 35, 4623.

415a. See page 135

416. McCormick, D. R., M.K. Veldhuis, and J. L. St. John. Variations in acidity of Concord grape juice. Fruit Products J. 24, 101-2, 125 (1944). Abstr. C. A. 39, 2155.

417. McGeorge, W. Occurrence of lactic acid in sisal. J. Am. Chem. Soc. 34, 1625-7 (1912). Abstr. - J. Chem. Soc. 1912, ii, 1204.

418. Mach, E. and K. Portelle. Fermentation and composition of cranberry juice. Landwirtsch. Vers. -Sta. 38, 69-78 (1890). Abstr. -J. Chem. Soc. 1890, 1455.

419. Mader, C. and J. E. Webster. Quantitative measurements of the organic acid of sorghum sirup. Food Technol. 8, 171-3 (1954). Abstr. - C. A. 48, 14034.

420. Magistocchi, G. The acid of unripe grapes. Rev. fac. agro. vet. la Plata 1, 62-88 (1918). Abstr. - C. A. 15, 2330.

421. Maksimovich, A. E., A. S. Okanenko, and A. I. Bakhir. Organic acids in cation- anion balance in tissues of sugar beet. Doklady Akad. Nauk S. S.S.R. 76, 235-8 (1951). Abstr. - C. A. 45, 4309. Brit. Abstr. 1951, AIII, 843.

422. Maly, R. L. Study of abietic acid. Ann. Chem. Justus Liebig 129, 94-104, (1864). Abstr. - Chem. Zentr. 1864, 509.

423. Man, T. J. de and J. S. de Heus. Organic acids, fructose, and fructosan in Lolium perenne. Mededeel. inst. moderne veevoed. "De Schothorst", Hoogland Amersfoort, Sept. 1946, 10 pp. Abstr. - C. A. 41, 7458.

424. Mandelin. Occurrence of salicylic acid in flowers of Spiraea ulmaria. Sitzungber. d. Naturforscher-Gesellschaft Dorpat 6, 400-4 (1882).

425. Mandelin. Occurrence of salicylic acid in flowers of Spiraea ulmaria. Sitzungber. d. Naturforscher-Gesellschaft Dorpat 6, 409-12 (1882).

426. Mandelin, K. Occurrence of salicylic acid in the Violaceae. Pharm. J. Trans. 12, 627-8. Abstr. - J. Chem. Soc. 1882, 548. Chem. Zentr. 1882, 529. Arch. Pharm. 220, 378-9 (1882).

427. Mapson, L. W. and D. R. Goddard. Reduction of glutathione by plant tissues. Biochem. J. 49, 592-601 (1951). Abstr. - C. A. 46, 1103.

428. Marais, J. L. C. Monofluoracetic acid, the toxic principle of "Gifblaar" Dichapetalum cymosum (Hook) Engl. Onderstepoort J. Vet. Sci. Animal Ind. 20, 67-73 (1944). Abstr. - C. A. 39, 4116.

429. Marinov, B. Various acids in potatoes. Godishnik Selskstopanskata Acad. Georgi Dimitrov (Bulgaria) 28, 229-34 (1950). Abstr. - C. A. 46, 10308.

430. Marion, L. Occurrence of l-nicotine in Asclepias syriaca, L. Can. J. Research B. 17, 21-2 (1939). Abstr. - Brit. Abstr. 1939, AIII, 639.

431. Markley, K. S., S. B. Hendricks and C. E. Sando. Constituentsof the wax-like coating of the pear, Pyrus communis L. J. Biol. Chem. 111, 133-46, (1935). Abstr. - Brit. Abstr. 1935, A, 1434.

432. Markley, K. S. and C. E. Sando. Progressive changes in the cuticle of apples during growth and storage. J. Agr. Research 46, 403-12 (1933). Abstr. - Brit. Abstr. 1933, A, 758.

433. Markley, K. S. and C. E. Sando. Petroleum ether and ether-soluble constituents of cranberry pomace. J. Biol. Chem. 105, 643-53 (1934). Abstr. - C. A. 28, 5147.

433a. See page 135

434. Markley, K. S., C. E. Sando and S. B. Hendricks. Petroleum ether-soluble and ether-soluble constituents of grape pomace. J. Biol. Chem. 123, 641-54 (1938). Abstr. - C. A. 32, 8613.

435. Marston, E. C. The red thorn. Chem. News 110, 310 (1914). Abstr. - J. Chem. Soc. 1915, i, 111.

436. Mason, G. F. The occurrence of benzoic acid naturally in cranberries. J. Am. Chem. Soc. 27, 613-4 (1905). Abstr. - Chem. Zentr. 1905, ii, 57.

437. Mastbaum, H. The occurrence of salicylic acid in wine, grapes, and other fruit. Chem. Ztg. 27, 829-832 (1903). Abstr. - Z. Untersuch. Nahr. u. Genussm. 8, 257 (1904).

438. Mehlitz, A. and H. Ballschmieter. Contents of lactic and volatile acids in unfermented apple juices. Ind. Obst.-u. Gemüseverwert. 39, 222-31 (1954). Abstr. - C. A. 48, 10252.

439. Mehlitz, A. and B. Matzik. The question of occurrence of lactic acid in unfermented fruit juices. Ind. Obst.-u. Gemüseverwert 40, 59-62 (1955). Abstr. - C. A. 49, 5716.

440. Meier, L. Chemical investigation of the red beet. Repert. f. d. Pharmacie /2 7, 45, 1-14, 157-175 (1847). Abstr. - Jahresb. Fortschr. Chem. 1, 827 (1847/48). Ausz. Pharm. Centr. 1847, 435.

441. Menchikowsky, F. and S. Popper. Organic acids in Palestinian grapefruits. Hadar 5, 181-3 (1932). Abstr. - C. A. 28, 5897.

442. Mendive, J. R. Occurrence of α-amyrin and ursolic acid in leaves of Ilex paraguariensis. J. Org. Chem. 5, 235-7 (1940). Abstr. - Brit. Abstr. 1940, AIII, 695.

443. Merck, E. A new acid of Sabadilla seed. Ann. Chem. Justus Liebig 29, 188-90 (1839).

444. Merk. Chemical analysis of common fumitory. Trommsdorff's Journ. d. Pharm. 20, St. 2, 16-29 (1811). Cited by (208).

445. Metzger, P. Chemical characteristics of the woody matter of the oak. Dissertation, Munich, Heilbron, 1896. Abstr. - J. Chem. Soc. 1898, ii, 88. Biedermann's Zentr. 26, 678-9 (1897). Botan. Centr. 68, 48 (1896).

446. Meyen, F. J. F. Neues System der Pflanzenphysiologie 1, 212. Haude und Spenersche Buchhandlung. Berlin 1837.

447. Michaëlis, F. Acid of sugar beet juice and a new method of determining citric acid in sugar beet juice. J. prakt. Chem. 76, 467-70 (1859). Abstr. - Jahresb. Fortschr. Chem. 12, 575 (1859). Ausz. Rép. chim. pure 1, 561.

448. Millard, E. J. Examination of the "cream of tartar fruit" from Pretoria. Pharm. J. and Transact. (London) /3 7 20, 829-30 (1889/90). Abstr. - Jahresb. Fortschr. Chemie. 1890, 2207.

449. Miller, C. D., N. Ross and L. Louis. Hawaiian-grown vegetables proximate composition; calcium; phosphorus; total iron; available iron; and oxalate content. Hawaii Agr. Expt. Sta., Tech. Bull. 5, 45 pp. (1947). Abstr. - C. A. 41, 6350.

450. Mills, P. A. Report on galacturonic acid in strawberry juice. J. Assoc. Offic. Agr. Chemists 34, 513-20 (1951). Abstr. - C. A. 45, 10427.

451. Mills, P. A. Report on galacturonic acid in strawberry juice. J. Assoc. Offic. Agr. Chemists 35, 520-4 (1952). Abstr. - C. A. 47, 2899.

452. Mills, P. A. Report on decomposition in fruit products. Galacturonic acid in strawberry juice. J. Assoc. Offic. Agr. Chemists 36, 571-7 (1953). Abstr. - C. A. 48, 8981.

453. Milne, G. R. Acid secretion of the chick pea (Cicer arietinum). J. Roy. Tech. Coll. (Glasgow). 3, 330-1 (1934). Abstr. - C. A. 28, 4449. Brit. Abstr. 1934, A, 572.

454. Mitouart. Analysis of the root bark of the wild pomegranate. J. de. Pharm. et de Chimie, Paris /2 7, 10, 352-3 (1824). (Cited by 782).

455. Molisch, H. Microchemical identification and distribution of dissolved oxalates in the plant world. Flora 111, 60-70 (1918). Abstr. - C. A. 13, 1331. J. Chem. Soc. 1919, i, 191. Physiol. Abstr. 3, 540 (1919).

456. Morgan, E. J. Pyruvic acid in the juice of onion (Allium cepa). Nature 157, 512 (1946). Abstr. - Brit. Abstr. 1947, AIII, 287.

457. Morin. Analytical studies on the bark of Simarouba (Quassia simaruba, Linné) J. de Pharm. et de Chimie, Paris /2 7, 8, 57-61 (1822). Cited by (782).

458. Mosimann, G. Organic acids in the cacao bean. Mitt. Gebiete Lebensm. u. Hyg. 35, 241-72 (1944). Abstr. - C. A. 41 231. Brit. Abstr. 1946, C, 113.

459. Mosimann, G. What determines the acidity of the cacao bean? Intern. Chocolate Rev. (Zürich) 1, 10-12, 32-4, 52-5 (1946). Abstr. - Biol.Abstr. 22, 1421(1948). C. A. 44, 9585.

460. Mosimann, G. What determines the acidity of the cacao bean? Intern. Chocolate Rev. (Zürich) 2, 78-83, 105-7 (1947). Abstr. - C. A. 44, 9585. Biol. Abstr. - 22, 1421 (1948).

461. Müller, A. Oxalic acid in beet leaves. Oesterreichisches landw. Wochenblatt 5, 494 (1879). Abstr. - J. Chem. Soc. 1880, 733. Biedermann's Zentr. 9, 236 (1880).

462. Müller, W. The dependence of calcium oxalate formation in plants on the nutritive condition. Botan. Centr. Beih., Abt. I, 39, 321-51 (1923). Abstr. - C. A. 18, 2020. Botan. Abstr. 12, 981.

463. Muenck, G. Study of the constituents and physiology of lupine seeds. Landwirtsch. Vers. -Sta. 85, 393-416 (1914). Abstr. - C. A. 9, 1799.

464. Muir, M. M. P. Note on New Zealand kauri gum. J. Chem. Soc. 27, 733-4 (1874). Ber. deut.chem. Ges. 7, 827 (1874). Chem. News 29, 260 (1874). Abstr. - Chem. Zentr. 1874, 588, 630.

465. Muttelet, F. Study of the acidity of fruit juices. Ann. falsifications 2, 383-6 (1909). Abstr. - C. A. 3, 2716.

466. Nadson, G. and E. Rochline-Gleichgerwicht. Formation of calcium oxalate crystals in vegetable cells under the influence of U. V. radiation. Compt. rend. soc. biol. 98, 363-65 (1928). Abstr. - Brit. Abstr. 1929, A, 108. Chem. Zentr. 1928, i, 2949.

467. Nakabayashi, T. Partition chromatography of tannins and pigments. XIX. Browning of apple fruit. Isolation and estimation of chlorogenic acid and L-epicatechin. J. Agr. Chem. Soc. Japan 27, 813-18 (1953). Abstr. C. A. 48, 5943.

468. Nakahara, H. Mucilage of Brasenia schreberi, Gmel. I. Sugars and gallic acid. J. Agr. Chem. Soc. Japan 16, 876-80 (1940). Abstr. - Brit. Abstr. 1941, AIII, 62. C. A. 35, 4416. Bull. Agr. Chem. Soc. Japan 16, 140-1 (1940).

469. Nakaoki, T. and N. Morita. Organic acids in the leaves of Catalpa ovata and Catalpa bignoniodes. J. Pharm. Soc. Japan 75, 171-2 (1955). Abstr.- C. A. 49, 8562.

470. Nativelle. On digitalis and digitaline. Memoire Soc. de Pharm. Paris 1844, 5. Journ. de Chemie Médicale, de Pharm, et Toxicol. /3/, 1, 61-73 (1845). Cited by (39).

471. Naylor, W. A. H. and E. M. Chaplin. Chemical composition of the root of Evonymus. Pharmak. Journal et Transact. /3/, 20, 472-4 (1890). Pharm. Journ. 1886, 1006, S. 273. Abstr.-Ber. deut. chem. Ges. 22, R769, (1889). Jahresbericht überdie Fortschritte der Chemie 1889, 2115.

472. Nelson, E. K. Non-volatile acids of the dried apricot. J. Am. Chem. Soc. 46, 2506-7 (1924). Abstr. - C. A. 19, 94. J. Chem. Soc. 1924, i, 1391.

473. Nelson, E. K. Non-volatile acids of the blackberry. J. Am. Chem. Soc. 47, 568-72 (1925). Abstr. - C. A. 19, 1150. J. Chem. Soc. 1925, i, 618.

474. Nelson, E. K. The non-volatile acids of the strawberry, the pineapple, the raspberry, and the Concord grape. J. Am. Chem. Soc. 47, 1177-9 (1925). Abstr. - C. A. 19, 1586. J. Chem. Soc. 1925, i, 762.

475. Nelson, E. K. Non-volatile acids of the pear, quince, apple, loganberry, blueberry, cranberry, lemon and pomegranate. J. Am. Chem. Soc. 49, 1300-2 (1927). Abstr. - C. A. 21, 2148. Brit. Abstr. 1927, A, 798.

476. Nelson, E. K. Acids of maple sirup. J. Am. Chem. Soc. 50, 2006-8 (1928). Abstr. - C. A. 22, 3313.

477. Nelson, E. K. Acids of maple sugar 'sand'. J. Am. Chem. Soc. 50, 2028-31 (1928). Abstr. - C. A. 22, 3313.

478. Nelson, E. K. Isocitric acid. J. Am. Chem. Soc. 52, 2928-32 (1930). Abstr. - C. A. 24, 3992.

479. Nelson, E. K. and A. L. Curl. The non-volatile acids and flavor of the soursop. Rept. Puerto Rico Expt. Sta., U.S.D.A. (Mayaguez) 1940, 88-91. Abstr. - C. A. 36, 4620.

480. Nelson, E. K. and A. L. Curl. The non-volatile acids of the carambola. Rept. Puerto Rico Expt. Sta., U.S.D.A. (Mayaguez) 1940, 91-3. Abstr. - C. A. 36, 4620.

481. Nelson, E. K. and H. Hasselbring. Organic acids of wheat plants. J. Am. Chem. Soc. 53, 1040-3 (1931). Abstr. - Brit. Abstr. 1931, A, 661.

482. Nelson, E. K. and H. H. Mottern. Organic acids of spinach, broccoli, and lettuce. J. Am. Chem. Soc. 53, 1909-12 (1931). Abstr. - C. A. 25, 3095.. Brit. Abstr. 1931, A, 884.

483. Nelson, E. K. and H. H. Mottern. Organic acids in barley, maize, oats, and rye plants. J. Am. Chem. Soc. 53, 3046-8 (1931). Abstr. - Brit. Abstr. 1931, A, 1199.

484. Nelson, E. K. and D. H. Wheeler. Constituents of the cannonball fruit (Couroupita guianensis, Aubl.). J. Am. Chem. Soc. 59, 2499-2500 (1937). Abstr. - Brit. Abstr. 1938, AIII, 250.

485. Nestler, A. A simple method for detecting benzoic acid in cranberries. Ber. deut. bot. Ges. 27, 63-70 (1909). Abstr. -J. Chem. Soc. 1909, ii, 426. Z. Untersuch. Nahr. u. Genussm. 18, 690 (1909).

486. Netolitzsky, F. Something theoretical and practical about calcium oxalate. Chem. Ztg. 49, 397 (1925). Abstr.- C. A. 19, 2360. Chem. Zentr. 1925, ii, 408.

487. Neubauer, C. Contributions to the qualitative analysis of vine leaves. Z. anal. Chem. 12, 39-48 (1873). Abstr. - J. Chem. Soc. 1873, 933.

488. Neubauer, C. Analysis of grapes. Annalen der Oenologie 4, 102-16 (1874).

489. Neubauer, C. Investigation of the sap which flows from freshly-cut vines in the spring. Annalen der Oenologie 4, 499 (1874).

490. Nithammer, A. Biochemistry and histochemistry of plant fruits and grains. I. Biochem. Z. 220, 348-57 (1930). Abstr. - C. A. 24, 4076. Brit. Abstr. 1930, A, 964.

491. Noller, C. R. The chemistry of the triterpenes. Ann. Rev. Biochem. 14, 383-406 (1945). Abstr.- C. A. 40, 2816.

492. Nordal, A. Organic Crassulaceae acids. I. Detection of isocitric acid in Sedum acre L. and Exheveria secunda Booth, var. glauca hort. Medd. Norsk Farm. Selskap. 5, 129-48 (1942). Abstr. - C. A. 40, 6422. Chem. Zentr. 1944, II, 224.

493. Nordal, A. Pharmacognostical study of Sedum acre, including a comparison with some other Crassulaceae. Johan Grundt Tanum Forlag, Oslo, 1946, 166 pp. Abstr. - C. A. 44, 3216.

494. Nossal, P. M. Estimation of L-malate and fumarate by malic decarboxylase of Lactobacillus arabinosus. Biochem. J. 50, 349-55 (1952). Abstr. - Biol. Abstr. 26, 1587.

495. Nuccorini, R. Early and late ripening fruits and their acid contents. Ann. chim. applicata 20, 302-9 (1930). Abstr. - C. A. 24, 5890. Brit. Abstr. 1930, A, 1482.

496. Nuccorini, R. Early and late ripening fruit and their acid contents. Ann. chim. applicata 22, 10-16 (1932). Abstr. - C. A. 26, 3046. Brit. Abstr. 1932, A, 435.

497. Nuccorini, R. and A. Zaccagnini. Chemical examination of fruits III. The accelerated or retarded ripening in relation to the acid content of the fruits. Boll. ist. agr. Pisa 4, 353-81 (1928). Abstr. - C. A. 24, 171.

498. Oehren, F. The occurrence of quinic acid in Gallium mollugo. Pharm. Zeitschr., Russland 5, 305-17 (1866). Abstr. - Z. Chem. 1867, 28. Jahresbericht über die Fortschritte der Chemie 1866, 407.

499. Oelze, F. Chemical composition of the Ericaceae, particularly the cranberry. Sitzungsber. d. phys. - med. Soc. in Erlangen 22, 17-42 (1890). Abstr. - Chem. Zentr. 1891, 681.

500. Olsen, C. Absorption of calcium and formation of oxalic acid in higher green plants. Compt. rend. trav. lab. Carlsberg. Sér. chim. 23, 101-121 (1939). Abstr. - C. A. 34, 2033.

501. Oosthuizen, J. duP. and O. M. Shedd. The enzymes of the tobacco plant. J. Am. Chem. Soc. 35, 1289-1309 (1913). Abstr. - C. A. 7, 3608.

502. Oparin, A. The green respiratory pigment and its importance in the oxidation of protein in germinating seeds of Helianthus annuus. Biochem. Z. 124, 90-6 (1921). Abstr. - C. A. 16, 1448.

502a. See page 135.

503. Ordonneau, C. Cause of acidity in green grapes. Tartromalic acid. Bull. soc. chim. France /3/ 6, 261-4 (1891). Abstr. - J. Chem. Soc. Abstr. 1892, 589.

504. Orloff, N. Aconitic acid from Adonis vernalis. Pharm. Zeitschr. Russ. 33, 771. Abstr. - J. Chem. Soc. 1896, i, 136. Chem. Zentr. 1895, i, 202.

505. Oswald, F. Constituents of the fruit and seed of Illicium anisatum. Arch. Pharm. 229, 84-115 (1891). Abstr. - J. Chem. Soc. Abstr. 1891, 957.

506. Otto, R. Amount of acid in rhubarb stems and in rhubarb wine. Landwirtsch. Jahr. 24, 273 (1895). Abstr. - J. Chem. Soc. 1896, ii, 539. Biedermann's Zentr. 25, 128-9 (1896).

507. Oudemans, A. C. Jr. Podocarpic acid. Ann. Chem. Justus Liebig 170, 213-8 (1874). Abstr. - Chem. Zentr. 74, 85.

508. Owens, H. S., A. E. Goodban, and J. B. Stark. Fractionation of organic acids in sugar beets by ion exchange resins. Anal. Chem. 25, 1507-11 (1953). Abstr. - C. A. 48, 1718.

509. Oxley, J. Some constituents of Ericaceous plants. Pharm. J. Trans. /3/, ii, 1050-51. Am. J. Pharm. 44, 250-3 (1872). Abstr. - J. Chem. Soc. 1872, 909.

509a. See page 135

510. Palladin, V. I. and V. V. Levchenko. Glucuronic acid in plants. Bull. acad. sci. Petrograd. 1916, 1267-76. Abstr. - C. A. 11, 351. J. Chem. Soc. 1925, i, 1369. Chem. Zentr. 1925, i, 2630.

511. Palmer, J. K. Chemical investigation of the tobacco plant. X. Determination of organic acids by ion exchange chromatography. Connecticut Agr. Expt. Sta. Bull. 589 (1955).

512. Parks, L. M. and N. M. King. Isolation and identification of ursolic acid from Verbena stricta. El Crisol (Puerto Rico) 4, 74-80 (1950). Abstr. - C. A. 45, 3037.

513. Parsons, H. B. Aconitic acid in the scale from sorghum-sugar pans. Am. Chem. J. 4, 39-42 (1882). Abstr. - J. Chem. Soc. Abstr. 1882, 766. Chem. Zentr. 1882, 713.

514. Patschovsky, N. The identification, localization, and distribution of oxalic acid (soluble oxalates) in plants. Ber. deut. bot. Ges. 36, 542-8 (1918). Abstr. - C. A. 13, 2696. J. Chem. Soc. 1919, i, 303.

515. Patschovsky, N. Oxalic acid in plants. Bot. Centr. Beih. Abt. I 37, No. 259-380 (1920). Abstr. - C. A. 16, 3104. Expt. Sta. Record 45, 528.

516. Pavesi, V. Comparative studies on three species of Papaver. Ist. botan. univ. Lab. crittogam. Pavia, Atti 9, 45 pp. (1906). Abstr. - J. Chem. Soc. 1906, ii, 483. Chem. Zentr. 1906, i, 690.

517. Payen. The oil of dahlia. J. pharm. chim. 10, 239 (1824). Abstr. - Ann. chim. (Paris) /1/ 26, 335 (1824).

518. Payen, A. On the structure and composition of sugar cane. Compt. rend. 28, 613-23 (1849).

519. Peckolt, J. Carica papaya and papayatin. Pharm. J. Trans. /3/ 10, 343-6 (1879) and 383-6 (1880). Abstr. - J. Chem. Soc. Abstr. 1880, 128.

520. Peckolt, T. v. On Persea gratissima Gaertner (Laurinaceae). Arch. Pharm. 196, 114-18 (1871). Abstr. - J. Chem. Soc. 1871, 727.

521. Peckolt, T. Edible plantsof Brazil. Monograph I. Laemmert. Rio de Janeiro (1874).

522. Peckolt. T. Edible plants of Brazil V. Monograph on coffee. Laemmert. Rio de Janeiro (1884).

523. Peckolt, T. Medicinal and useful plants of Brazil. Ber. deut. pharm. Ges. 14, 28-48 (1904).

524. Peckolt, T. Medicinal and edible plants of Brazil. Ber. deut. pharm. Ges. 19, 292-315 (1909). Abstr. - Chem. Zentr. 1909, ii, 137.

525. Pellet, H. Occurrence of salicylic acid in tomatoes. Ann. chim. anal. 12, 10-12 (1907). Abstr. - J. Chem. Soc. 1907, ii, 139. Chem. Zentr. 1907, i, 654.

526. Pelletier, J. Chemical examination of pepper (Piper nigrum). Ann. chim. (Paris) /I/ 16, 337-51 (1821).

527. Pelletier and Caventou. Chemical study of the Cinchona. Ann. Chim. (Paris) /I/ 15, 289-318 (1820). J. Chem. Phys. Schweigger 33, 62-76 (1821).

528. Pelletier and Caventou. Further chemical studies of the Cinchona. Ann. chim. (Paris) /I/ 15, 337-65 (1820).

529. Pelly, R. G. Composition of the fruit and seeds of Adansonia digitata. J. Soc. Chem. Ind. London 32, 778-9 (1913). Abstr. - J. Chem. Soc. 1913, i, 1140.

530. Pepkowitz, L. P., S. G. Gilbert and J. W. Shive. The importance of oxygen in the nutrient substrate for plants. Soil Science 58, 295-303 (1944). Abstr. - C. A. 39, 575.

531. Paroslegin, N. V. Nature of the action of Chinese schisandra. Farmakol. i. Toksikol., 7, No. 3, 11-13 (1944). Abstr. - C. A. 39, 3123.

532. Petit, A. The disappearance of acid in grapes and their probable transformation into sugar. Compt. rend. 69, 760-2 (1869).

533. Petit, A. The sugar contained in grapeleaves. Compt. rend. 77, 944-5 (1873). Abstr.-Ber. deut. chem. Ges. 6, 1313 (1873). Chem. Zentr. 1873, 775.

534. Peynaud, E. Metabolism of the organic acids during ripening of the grape. Inds. agr. et aliment. (Paris) 64, 167-88 (1947). Abstr. - C. A. 42, 1994. Brit. Abstr. 1948, AIII, 273.

535. Pfaff, C. E. System der Materia medica nach chemischen Prinzipien 3, Leipzig, 1814. Cited by (727).

536. Pfaff, C. H. The preparation of caffeine, its characteristic properties and composition, the two acids of coffee, and the so-called green coffee. J. f. Chem. u Phys. Schweigger 62, 31-45 (1831). Abstr. - Annalen der Phys. u. Chem. Poggendorff. 99, 377 (1832).

537. Phillips, J. D. The use of selected yeasts in cider making. IIB. The effects of fermentation treatment on the organic acid composition of ciders. Ann. Rept. Agr. and Hort. Research Sta., Long Ashton, Bristol 1952, 137-44 (1953). Abstr. - C. A. 48, 10292.

538. Phillips, J. D. and A. Pollard. Degradation of sugars on ion-exchange columns of Amberlite IRA-400 (OH^-). Nature 171, 41-2 (1953). Abstr. - C. A. 47, 4637.

539. Phipson, T. L. Cafetannic acid, citric acid and quercitrin in Virginia creeper (Cissus quinquefolia). Chem. News 52, 65-6 (1885). Abstr. - J. Chem. Soc. 1885, 1255.

540. Pierce, E. C. and C. O. Appleman. Role of ether soluble organic acids in the cation - anion balance in plants. Plant Physiol. 18, 224-38 (1943). Abstr. - C. A. 37, 4101.

541. Piutti, A. and E. Comanducci. Acids of Bignonia catalpa. Bull. soc. chim. France /3/ 27, 615-20 (1902), and Boll. chim. farm. 41, 329-35 (1902). Abstr. - J. Chem. Soc. 1902, ii, 523. Chem. Zentr. 1902, ii, 50.

542. Pobeguin, T. Calcium oxalate in Mirabilis: particular arrangement of the raphides in the flower and fruit. Ann. sci. nat. Botan. et biol. végétale /11/, 11, 1-19 (1950) (Pub. 1951). Abstr. - C. A. 49, 5595.

543. Politis, J. Cytological researches on the mode of formation of chlorogenic acid. Rev. cytol. cytophysiol. végétales 10, 229-31 (1948). Abstr. - C. A. 45, 9622.

544. Politis, J. The role of chlorogenic acid in the formation of suberized membranes. Rev. cytol. cytophysiol. végétales 10, 232-3 (1948). Abstr. - C. A. 45, 9623.

545. Politis, J. The role of chlorogenic acid in the cicatrization of wounds and in the defense of the plant against parasites. Rev. cytol. cytophysiol. végétales. 10, 234-5 (1948). Abstr. - C. A. 45, 9623.

546. Politis, J. Distribution of chlorogenic acid in Solanaceae and in the organs of these plants. Compt. rend. 226, 692-3 (1948). Abstr. C. A. 42, 4648.

547. Politis, J. The occurrence of chlorogenic acid in plants and its distribution in parts thereof. Compt. rend. 228, 265-6 (1949). Abstr. - C. A. 43, 4342. Brit. Abstr. 1950, AIII, 987.

548. Portelle, C. Ripening of grapes. Biedermann's Zentr. 8, 758-764 (1879). Abstr. - J. Chem. Soc. 1880, 336.

549. Porter, W. L., M. L. Buch and C. O. Willits. Maple Sirup. III. Preliminary study of the non-volatile acid fraction. Food Research 16, 338-41 (1951). Abstr. - Biol. Abstr. 26, 552.

550. Portes, L. and A. Desmoulières. Presence of salicylic acid in strawberries. Errors of analysis which may result therefrom. J. pharm. chim. /6/ 14, 342-51 (1901). Abstr. - J. Chem. Soc. 1902, ii, 40.

551. Portes, L. and A. Desmoulières. Normal occurrence of salicylic acid in strawberries; resulting analytical errors. Ann. chim. anal. 6, 401-7 (1901). Abstr. - Z. Untersuch. Nahr. u. Genussm. 5, 468 (1902). Chem. Zentr. 1901, ii, 1360.

552. Pottiez, C. Chemical study of Jambul. -76, -96 / Ann. pharm. Louvain 5, 373/ 490/(1899). Cited in abstr. J. Chem. Soc. 1912, ii, 480.

553. Power, F. B. and H. Browning, Jr. The constituents of Taraxacum root. J. Chem. Soc. 101, 2411-29 (1912). Abstr. - C. A. 7, 1352.

554. Power, F. B. and H. Browning, Jr. The constituents of the flowers of Anthemis nobilis. J. Chem. Soc. 105, 1829-45 (1914). Abstr. - C. A. 8, 3485.

555. Power, F. B. and H. Browning, Jr. The constituents of the flowers of Matricaria chamomilla. J. Chem. Soc. 105, 2280-91 (1914). Abstr.-C. A. 9. 64.

556. Power, F. B. and T. Callan. Constituents of the seeds of Casimiroa edulis. J. Chem. Soc. 99, 1993-2010 (1911). Abstr. - C. A. 6, 667.

557. Power, F. B. and C. W. Moore. Constituents of the bark of Prunus serotina. J. Chem. Soc. 95, 243-61 (1909). Abstr. - C. A. 3, 1529.

558. Power, F. B. and C. W. Moore. The constituents of the leaves of Prunus serotina. J. Chem. Soc. 97, 1099-1112 (1910). Abstr.-C. A. 4, 2182.

559. Power, F. B. and H. Rogerson. The constituents of Leptandra. J. Chem. Soc. 97, 1944-56 (1910). Abstr. - C. A. 5, 479.

560. Power, F. B. and A. H. Salway. The constituents of red clover flowers. J. Chem. Soc. 97, 231-54 (1910). Abstr. - C. A. 4, 1610.

561. Power, F. B. and A. H. Salway. Constituents of Iris versicolor rhizome. Am. J. Pharm. 83, 1-14 (1911). Abstr. - J. Chem. Soc. 1911, ii, 143. C. A. 5, 963.

562. Power, F. B. and A. H. Salway. The constituents of the leaves and stems of Daviesia latifolia. J. Chem. Soc. 105, 767-8 (1914). Abstr. - C. A. 8 2451.

563. Power, F. B. and F. Tutin. Constituents of the essential oil from the fruit of Pittosporum undulatum. J. Chem. Soc. 89, 1083-92 (1906). Abstr. - J. Chem.Soc. Proc. 1906, 170.

564. Poyneer, L. E. and H. L. Duffin. Fruit of Medeola virginica and Ampelopsis quinquefolia. Chem. News 99, 99-100 (1909). Abstr. - J. Chem. Soc. 1909, ii, 339.

565. Pratt, D. S. and J. I. Del Rosario. Philippine fruits; composition and characteristics. Philippine J. of Sci. 8A, 59-80 (1913). Abstr. - C. A. 8, 968. Chem. Zentr. 1913, ii, 1062.

566. Prinsen Geerligs, H. C. The origin of oxalic acid occurring in settlings in the effects of cane-sugar factories. Arch. Suikerind. Nederland en Ned.- Indië 1, 230-3 (1940). Abstr. - C. A. 34, 8321.

567. Probst. J. M. Analysis of Chelidonium majus. Ann. Chem. Justus Liebig 29, 113-31 (1839).

568. Probst. J. M. Investigation of the constituents of Glaucium luteum. Ann. Chem. Justus Liebig 31, 241-58 (1839).

569. Prokoshev, S. M. and A. K. Minina. Conversion of organic acids in potato tubers under the influence of cut-injury. Biokhimiya 19, 104-10 (1954). Abstr. - C. A. 48, 8337. Chem. Zentr. 1954, 10035.

570. Pucher, G. W. Organic acids of the leaves of Bryophyllum calycinum. J. Biol. Chem. 145, 511-23 (1942). Abstr. - Brit. Abstr. 1943, AIII, 150.

571. Pucher, G. W., M. D. Abrahams and H. B. Vickery. Preparation of optically active isocitric acid from Bryophyllum leaf tissue. J. Biol. Chem. 172, 579-88 (1948). Abstr. - Brit. Abstr. 1948, AIII, 986.

572. Pucher, G. W., H. E. Clark and H. B. Vickery. The organic acids of rhubarb (Rheum hybridum). II. The organic acid composition of the leaves. J. Biol. Chem. 117, 605-17 (1937). Abstr. - C. A. 31, 2255. Brit. Abstr. 1937, AIII, 161.

573. Pucher, G. W., C. S. Leavenworth, W. D. Ginter and H. B. Vickery. Studies in the metabolism of crassulacean plants: changes in the composition of Bryophyllum calycinum during growth. Plant Physiol. 22, 1-19 (1947). Abstr. - C. A. 41, 2125.

574. Pucher, G. W., C. S. Leavenworth, W. D. Ginter, and H. B. Vickery. Studies in the metabolism of crassulacean plants: the diurnal variation in organic acid and starch content of Bryophyllum calycinum. Plant Physiol. 22, 360-76 (1947). Abstr. - C. A. 42, 1630.

575. Pucher, G. W. C.S. Leavenworth, W. D. Ginter, and H. B.Vickery. Studies in the metabolism of crassulacean plants: the behavior of excised leaves of Bryophyllum calycinum during culture in water. Plant Physiol. 22, 477-93 (1947). Abstr. - C. A. 42, 1631.

576. Pucher, G. W. and H. B. Vickery. Katabolism of the non-volatile organic acids of tobacco leaves during curing. Proc. Natl. Acad. Sci. 19, 623-6 (1933). Abstr. - Brit. Abstr. 1933, A, 988.

577. Pucher, G. W. and H. B. Vickery. Determination of succinic acid in plant tissues. Ind. Eng. Chem., Anal. ed. 13, 412-15 (1941). Abstr. - Brit. Abstr. 1941, AIII, 714.

578. Pucher, G. W. and H. B. Vickery. Succinic acid as a metabolite in plant tissues. Plant Physiol. 16, 771-83 (1941). Abstr. - C. A. 37, 1157.

579. Pucher, G. W. and H. B. Vickery. Identity of the so-called crassulacean malic acid with isocitric acid. J. Biol. Chem. 145, 525-32 (1942). Abstr. - Brit. Abstr. 1943, AIII, 150.

580. Pucher, G. W., H. B. Vickery, M. D. Abrahams and C. S. Leavenworth. Studies in the metabolism of crassulacean plants: diurnal variation of organic acids and starch in excised leaves of Bryophyllum calycinum. Plant Physiol. 24, 610-20 (1949). Abstr. - C. A. 44, 3577.

581. Pucher, G. W., H. B. Vickery, W. D. Ginter, L. S. Nolan and C. S. Leavenworth. The metabolism of the organic acids of tobacco leaves. I. Effect of culture of excised leaves in solutions of organic acid salts. J. Biol. Chem. 178, 357-75 (1949). Abstr. - C. A. 43, 5455.

582. Pucher, G. W., A. J. Wakeman, and H. B. Vickery. Metabolism of the organic acids of the tobacco leaf during culture. J. Biol. Chem. 119, 523-24 (1937). Abstr. - C. A. 31, 7090. Brit. Abstr. 1937, AIII, 366.

583. Pucher, G. W., A. J. Wakeman, and H. B. Vickery. Organic acids of rhubarb (Rheum hybridum). III. Behavior of organic acids during culture of excised leaves. J. Biol. Chem. 126, 43-54 (1938). Abstr. - Brit. Abstr. 1939, AIII, 107.

584. Pucher, G. W., A. J. Wakeman and H. B. Vickery. Organic acid metabolism of the buckwheat plant. Plant Physiol. 14, 333-40 (1939). Abstr. - C. A. 33, 8683.

585. Rabaté, J. and A. A. Gourévitch. Analysis of fruit and leaves of Bauhinia reticulata, D. C. Presence of large amounts of l-tartaric acid. J. pharm. chim. 28, 386-97 (1938). Abstr. - Brit. Abstr. 1939, AIII, 109. C. A. 33, 8698. Rev. botan. appl. agr. trop. 18, 604-12 (1938). Abstr. - C. A. 33, 2176. Compt. rend. 206, 1754-6 (1938). Abstr. - C. A. 33, 3423.

586. Ralph, C. S. and D. E. White. Betulic acid from Syncarpia laurifolia, Tenn. J. Chem. Soc. 1949, 3433-4. Abstr. - C. A. 44, 4884

587. Ramstad, E. A new chelidonic acid containing plant: Asparagus offinalis, L. Medd. Norsk. Farm. Selskap. 4, 52-4 (1942). Abstr. - Chem. Zentr. 1942, II, 1357. C. A. 37, 5760.

588. Ramstad, E. Distribution of chelidonic acid in drugs. Pharm. Acta. Helv. 20, 145-54 (1945). Abstr. - C. A. 42, 6989.

589. Ramstad, E. The presence and distribution of chelidonic acid in some plant families. Pharm. Acta Helv. 28, 45-57 (1953). Abstr. - C. A. 47, 8314.

590. Ramstad, E. Chemical investigation of Vaccinium myrtillus, L. (huckleberry). J. Am. Pharm. Asso., Sci. Ed. 43, 236-40 (1954). Abstr. - C. A. 48, 7260.

591. Reed, B. B. The fruit of Pyrus arbutifolia. Chem. News 99, 302-3 (1909). Abstr. - C. A. 3, 2485.

591a. See page 136

592. Reichardt, E. Z. Pharm. 1856, 25. Pharm. Centr. 1855, 631. Abstr. - Jahresb. Fortschr. Chemie 1855, 720.

593. Reinke, J. Easily oxidizable constituents of plants. Hoppe- Seyler's Z. Physiol. Chem. 6, 263-79 (1882). Abstr. - J. Chem. Soc. 1883, 880.

594. Reinsch. Observations on the calcium salt present in Aconitum napellus. Buchner's Repert. d. Pharm. /2/ 8, 396-9 (1837).

595. Rembold, O. Constituents of tormentilla root. Ann. Chem. Justus Liebig 145, 5-10 (1868).

596. Remeaud, O. Composition of tamarind pulp. J. pharm. chim. [6] 23, 424-30 (1906). Abstr. - J. Chem. Soc. 1906, ii, 483. Chem. Zentr. 1906, i, 1843.

597. Rennie, E. H. Acids of the native currant, Leptomeria acida. J. Roy. Soc., N.S.W. 14, 119-21. Abstr. - J. Chem. Soc. 1881, 1033.

598. Rentschler, H. and H. Tanner. Composition of fruit acids of Swiss fruit juices. I. Fruit acids of Swiss cider pears. Mitt. Lebensm. Hyg. 45, 142-58 (1954). Abstr. - C. A. 48, 9578.

599. Ribeiro, O. Chlorogenic acid from coffee. Rev. soc. brasil. quim. 10, 97-100 (1941). Abstr. - C. A. 36, 2341.

600. Ribeiro, O. and A. Machado. The occurrence of gallic acid in Trapoeraba, Commelina agraria. Bol. inst. quim. agr. (Rio de Janeiro) No. 27, 18-21 (1952). Abstr. - C. A. 48, 1490.

601. Rice, A. C. and C. S. Pederson. Chromatographic analysis of organic acids in canned tomato juice, including the identification of pyrrolidone-carboxylic acid. Food Research 19, 106-14 (1954). Abstr. - C. A. 48, 11674.

602. Richardson, A. and A. C. Hulme. Shikimic acid in grass. Nature 175, 43-4 (1955). Abstr. - C. A. 49, 5721.

603. Rieben, W. K. and A. B. Hastings. Chemical and biological study of tartronic acid. Helv. Physiol. et Pharmacol. Acta 4, C52-3 (1946). Abstr. - C. A. 41, 3495.

604. Riegel, C. Chemical investigation of the berries of Vitis sylvestris. Arch. Pharm. 105, 150-5 (1848). Abstr. - Jahresbericht über die Fortschritte der Chemie 1, 829 (1847/48).

605. Rising, A. Chemical investigation of cranberry. Kgl. Landtbruks-Akad. Handl. Tidskr. 1914, 329-36. Abstr. - J. Chem. Soc. 1915, i, 633. Biedermann's Zentr. 44, 163-6 (1915).

606. Ritthausen, H. On the acids of yellow lupine seeds. J. prakt. Chem. 110, 339-47 (1870). Abstr. - Chem. Zentr. 1871, 3. Jahresbericht uber die Fortschritte der Chemie 1870, 883.

607. Roberts, E. A. H. and D. J. Wood. Study of the polyphenols in tea-leaf by paper chromatography. Biochem. J. 49, 414-22 (1951). Abstr. - C. A. 46, 660.

608. Roberts, E. A. H. and D. J. Wood. Separation of tea polyphenols on paper chromatograms. Biochem. J. 53, 332-6 (1953). Abstr. - Brit. Abstr. 1953, AIII, 858.

609. Roberts, E. J., C. A. Fort and L. F. Martin. Fate of some non-volatile organic acids of sugar cane juice in fermentation. Sugar J. 16, No. 6, 36-7 (1953). Abstr. - C. A. 48, 9011.

610. Roberts, E. J., C. A. Fort and L. F. Martin. Identification and determination of non-nitrogenous organic acids of sugar cane by partition chromatography. Abstr. Papers Am. Chem. Soc. 124, 10 D (1953).

611. Roberts, E. J. and L. F. Martin. Identification and determination of non-nitrogenous organic acids of sugar cane by partition chromatography. Anal. Chem. 26 815-8 (1954). Abstr. - C. A. 48, 11094. J. Sci. Food Agr. Abstr. 5, ii, 176.

612. Robertson, A., G. Soliman and E. C. Owen. Polyterpenoid compounds. I. Betulic acid from Cornus florida L. J. Chem. Soc. 1939, 1267-73. Abstr. - C. A. 34, 93.

613. Rochleder, F. and A. Kawalier. The Ericaceae family - Investigation of leaves of Arctostaphylos uva ursi. Sitzungsberichte der Kaiserliche Akademie zu Wien - Math. -naturw. Classe, Abt 1, 9, 286-312 (1852).

614. Rothert, W. and W. Boratyńska. The occurrence of calcium oxalate cyrstals in the tissues of evergreens. Poznań. Towarz. Przyjaciol Nauk, Wydział Mat. Przyrod. Prace Komisji Biol. 13, No. 10, 43 pp. (1953). Abstr. - C. A. 47, 8845.

615. Rowe, E. J., J. E. Orr, A. H. Uhl and L. M. Parks. Oleanolic and ursolic acids from Thymus vulgaris L. J. Am. Pharm. Assoc. 38, 122-4 (1949). Abstr. - Brit. Abstr. 1951, AIII, 108. C. A. 44, 581.

616. Rudkin, G. O. and J. M. Nelson. Chlorogenic acid and respiration of sweet potatoes. J. Am. Chem. Soc. 69, 1470-5 (1947). Abstr. - Brit. Abstr. 1948, AIII, 985.

617. Ruhland, W. and K. Wetzel. Physiology of organic acids in green plants. I. Correlation between nitrogen and change in acidity in Begonia semperflorens. Planta 1, 558-64 (1925). Abstr. - C. A. 22, 3192. Chem. Zentr. 1926, ii, 2067.

618. Ruhland, W. and K. Wetzel. The physiology of organic acids in green plants. III. Rheum hybridum. Planta 3, 765-9 (1927). Abstr. - C. A. 23, 3949. Brit. Abstr. 1929, A477. Expt. Sta. Record 59, 426.

619. Ruhland, W. and K. Wetzel. The physiology of organic acids in green plants. V. Rheum hybridum Hort. Planta 7, 503-7 (1929). Abstr. - Chem. Zentr. 1931, I, 2630.

620. Ruzicka, L. and V. Prelog. Polyterpenes and polyterpenoids. CXXII. The double bond of quinovic acid. Helv. Chim. Acta 20, 1570-5 (1937). Abstr. - C. A. 32, 2947.

621. Ryder, A. E. The oxalic acid content of vegetables used as greens. J. Home Econ. 22, 309-14 (1930). Abstr. - C. A. 24, 2511.

622. San Antonio, J. P. Role of coumarin in the growth of roots of Melilotus alba. Botan. Gaz. 114, 79-95 (1952). Abstr. - C. A. 47, 1246.

623. Sando, C. E. Ursolic acid. J. Biol. Chem. 90, 477-95 (1931). Abstr. - C. A. 25, 2151.

624. Sando, C. E. and H. H. Bartlett. The organic acids of Pyrus coronaria, Rhus glabra and Acer saccharum. J. Agr. Research 22, 221-9 (1921). Abstr. - J. Chem. Soc. 1922, i, 100. C. A. 16, 575.

624a. See page 136

625. Santini, R., Jr. Polybasic organic acids present in West Indian cherries and in three varieties of guava. J. Agr. Univ. Puerto Rico 37, 195-8 (1953). Abstr. - Biol. Abstr. 28, 927 (1954). J. Sci. Food Agr. Abstr. 5, 141 (1954).

626. Sasaoka, Y. Biochemical studies on the bamboo. VI. Carbohydrates and organic acids of bamboo shoots. Anniversary Vol. Masumi Chikashige 1930, 175-81. Abstr. - Brit. Abstr. 1931, A, 661. C. A. 25, 983.

627. Sato, M., T. Hirano, and N. Mizuno. Nutrition-chemical investigation on vegetables produced in Taiwan. II. Oxalic acid content. J. Soc. Trop. Agr., Taihoku Imp. Univ. 15, 123-30 (1943). Abstr. - C. A. 42, 2691.

628. Sawa, S. The sap of the pseudostems of Musa basjoo, Seib., in winter. Bull. Coll. Agr. of Tokyo 4, 399-401 (1900/01). Abstr. - Chem. Zentr. 1902, ii, 383. Jahresbericht über die Fortschritte der Chemie 1902, 1634.

629. Scharrer, K. and J. Jung. Influence of nutrition on formation and binding of oxalic acid in beet leaves. Z. Pflanzenernähr. Düng., Bodenk. 62, 63-81 (1953). Abstr. - C. A. 48, 2963. Brit. Abstr. 1953, BIII, 476.

630. Scharrer, K. and J. Jung. Relationship between nutrient supply and oxalic acid content of sugar beet and mangold leaves. Z. Pflanzenernähr. Düng., Bodenk. 66, 1-18 (1954). Abstr. - C. A. 48, 10278. J. Sci. Food Agr. Abstr. 6, 71.

631. Scheele, C. W. Crystallization of citric acid. Crell's Chem. Annalen 1784, (2), 3-4.

632. Scheele, C. W. Observations on lemon juice and on the method of crystallizing it. Kongl. Vetenskaps. Academie Nya Handinger 5, 105-9 (1784).

633. Scheele, C. W. Fruit and berry acid. Crell's Chem. Annalen 1785, (2), 291-303.

634. Scheele, C. W. Nachgelassene Briefe und Aufzeichnungen. pp. 39-40. P. A. Norstedt & Söner, Stockholm (1892). Cited by (208).

635. Schenker, H. H. and W. Rieman III. Determination of malic, tartaric and citric acids in fruit by ion exchange chromatography. Anal. Chem. 25, 1637-9 (1953). Abstr. - Anal. Abstr. 2, 816.

636. Schimper, A. F. W. Formation of calcium oxalate in leaves. Botan. Ztg. 46, Nos. 5-10 (1888). Abstr. - J. Chem. Soc. Abstr. 1888, 981. Ann. Agron. 14, 175-87.

637. Schindelmeiser, J. The fruit of Cornus mas. Apoth. Ztg. 22, 482 (1907). Abstr. - Chem. Zentr. 1907, ii, 259.

638. Schlotterbeck, J.O. and H. C. Watkins. Chemistry of Stylophorum diphyllum. Pharm. Review 19, 453-8 (1901). Ber. deut. chem. Ges. 35, 7-23 (1902). Abstr. - J. Chem. Soc. 1902, ii, 100. Chem. Zentr. 1902, i, 429, 727.

639. Schlotterbeck, J. E. and H. C. Watkins. The alkaloids of Adlumia cirrhosa. J. Am. Chem. Soc. 25, 596-601 (1903). Pharm. Arch. 6, 17-22 (1903). Abstr. - J. Chem. Soc. 1903, Ai, 512.

640. Schmalfuss, H. Plant acids and blossom pigments from Glaucium. Hoppe-Seyler's Z. physiol. Chem. 131, 166-7 (1923). Abstr. - C. A. 18, 2539. J. Chem. Soc. 1924, i, 252.

641. Schmid, H. and P. Karrer. The water-soluble constituents of Papaver somniferum L. Helv. Chim. Acta 28, 722-40 (1945). Abstr. - C. A. 40, 1487. Brit. Abstr. 1946, AIII, 515.

642. Schmidt, E. Jervic acid. Arch. Pharm. 224, 513-22 (1886). Abstr. - J. Chem. Soc. Abstr. 1886, 868.

643. Schmidt, E. Chelidonic acid. Arch. Pharm. 224, 531-34 (1886). Abstr. - J. Chem. Soc. Abstr. 1886, 869.

644. Schmidt, E. The occurrence of vanillin in Asa foetida. Arch Pharm. 224, 534-5 (1886).

645. Schneegans, A. Methyl salicylate and salicylic acid in the root of Polygala of Virginia. J. Pharm. [6] 2, 452-3 (1895). Abstr. - J. Chem. Soc. 1896, ii, 328. Chem. Zentr. 1896, i, 117.

646. Schneider, A. The occurrence of lactic acid in higher plants. Planta 29, 747-9 (1939). Abstr. - C. A. 33, 7344. Brit. Abst. 1940, AIII, 944.

647. Schneider, A. The formation of lactic acid in higher plants, especially during germination. Planta 32, 234-67 (1941). Abstr. - C. A. 37, 5108. Chem. Zentr. 1942, II, 909.

648. Schreiner, E. Investigation of the sloe in relation to the nature of its acids. Wittstein's Vierteljahrsschr. f. prakt. Pharm. 5, 207-21 (1856). Abstr. - Jahresbericht über die Fortschritte der Chemie 9, 691 (1856).

649. Schultz, C. H. Analysis of milky sap of Asclepias syriaca. Flora 27, 374-6 (1944).

650. Schulze, E. Constituents of the seeds of Pinus cembra. Landwirtsch. Vers.-Sta. 67, 57-104 (1907). Abstr. - J. Chem. Soc. 1907, ii, 806.

651. Schunck, E., E. Knecht and L. Marchlewski. Coloring matter in grape leaves. Ber. deut. chem. Ges. 27, 487-8 (1894). Abstr. - Jahresbericht über die Fortschritte der Chemie 1894, 1853.

652. Schwalbe, C. G., and K. E. Neumann. New bark (and sap) of wood of spruce, pine and red beech. Cellulosechemie 11, 113-28(1930). Abstr. - C. A. 25, 1990. Chem. Zentr. 1930, II, 1866.

653. Semichon, L. and M. Flanzy. The organic acids of grape juice. Compt. rend. 197, 198-201 (1933). Abstr. - C. A. 27, 4871. Brit. Abstr. 1933, A, 990.

654. Sertürner, F. W. Chemical Notes. Trommsdorff's Journ. d. Pharm. 13, 1, 229-43 (1805). Cited by (1).

655. Sertürner, F. W. Preparation of pure meconic acid and a chemical investigation of opium. Trommsdorff's Journ. d. Pharm. 14, 47-93 (1806). Cited by (1).

656. Sheets, G. The fruit of Cornus paniculatum. Chem. News 103, 172-3 (1911). Abstr. - C. A. 5, 2900.

657. Sherwood, I. R. and W. F. Short. Podocarpic acid. J. Chem. Soc. 1938, 1006-1013. Abstr. - C. A. 32, 7448.

658. Shibata, M. The formation of organic acids in green plants. I. The succession of acid content in the entire plant of Begonia evansiana Andr. Sci. Repts. Tôhoku Imp. Univ., Fourth Ser. 7, 157-79 (1932). Abstr. - C. A. 26, 4842.

659. Shibata, M. Formation of organic acids in green plants. III. Relation between acid content and nitrogen and carbon turnover in Begonia evansiana. Sci. Repts. Tôhoku Univ., Fourth Ser. 18, 507-20 (1950). Abstr. - C. A. 47, 12539.

660. Shibata. M. Formation of organic acids in green plants III. Relation between acid content and the nitrogen and carbon exchange in Begonia evansiana. Sci. Repts. Tohoku Univ., Ser. 4, 19, 51-72 (1951). Abstr. - C. A. 47, 11367.

661. Shmuk, A. Researches on the acids of tobacco. State Inst. Tobacco Invest. (U.S.S.R.) Bull. 50, 1-10 (1929). Abstr. - C. A. 23, 4771. Chem. Zentr. 1929, II, 1360.

662. Shorey, E. C. Glycollic acid in the sugar cane. J. Am. Chem. Soc. 21, 45-50 (1899). Abstr. - J. Chem. Soc. 1899, ii, 507.

663. Siersch, E. Microchemistry of Illicium verum, Hook, and I. religiousum, Sieb. Pharm. Zentralhalle 69, 581-85, 601-5 (1928). Abstr. - Brit. Abstr. 1928, A, 1290. C. A. 22, 4718.

664. Siewert, M. Oxalic acid content of potatoes. Landwirtsch. Vers.-Sta. 28, 263-70 (1883). Abstr. - J. Chem. Soc. 1883, 232.

665. Simada, H. Constituent of leaves of Leucothoe keiskei Miq. J. Pharm. Soc. Japan 59, 242-4, 619-20 (1939). Abstr. - Brit. Abstr. 1940, AIII, 548. C. A. 34, 1672.

666. Simon, E. On the fluid Storax (Styrax liquidus). Ann. Chem. Justus Liebig 31, 265-77 (1839).

667. Sinclair, W. B. and D. M. Eny. Ether soluble organic acids and buffer properties of citrus peels. Botan. Gaz. 108, 398-407 (1947). Abstr. - C. A. 41, 3880. Brit. Abstr. 1949, AIII, 1040.

668. Sinclair, W. B. and D. M. Eny. Ether soluble organic acids of mature Valencia orange leaves. Plant Physiol. 22, 257-69 (1947). Abstr. - Brit. Abstr. 1949, AIII, 871.

669. Slippy, H. A. Fruit of Clintonia Borealis. Chem. News 111, 2-3 (1915). Abstr.- J. Chem. Soc. 1915, i, 110.

670. Smirnow, A. I., P. S. Erygin, M. A. Drboglaw and T. Maschkowzen. Biochemical characteristics of aging in leaves. Planta 6, 687-766 (1928). Abstr. - C. A. 23, 2463.

671. Smith, C. B. The fruit of Symphocarpus or snowberry. Chem. News 107, 266 (1913). Abstr. - J. Chem. Soc. 1913, i, 808.

672. Smith, H. G. Aluminum as the chief inorganic element in a Proteacous tree and the occurrence of aluminum succinate in trees of this species. Chem. News 88, 135-6 (1903). Abstr.- Chem. Zentr. 1903, ii, 959.

673. Smith, H. G. Occurrence of calcium oxalate in the barks of the Eucalyptus. J. Roy Soc. New South Wales 39, 23-32 (1905). Abstr. - J. Chem. Soc. 1908, ii, 885.

674. Snell, J. F. Analysis of Maple Products. II. Trans. Roy Soc. Can. /3/ 13, 221-31 (1919).

675. Soldatenkov, S. V. and T. A. Mazurova. Conversion of organic acids during the sprouting and ripening of wheat seeds. Biokhimiya 19, 349-56 (1954). Abstr. - C. A. 48, 12249.

676. Soldatenkov. S. V., A. N. Panteleev and T. A. Mazurova. Formation of and changes in organic acids of sprouting cereal seeds. Trudy Leningrad. Obshchestva Estestviospytatelei 70, No. 3, 49-67 (1950). Abstr. - C. A. 49, 7066.

677. Soliman, G. Quinovic acid from Zygophyllum coccineum, L.. J. Chem. Soc. 1939, 1760-1. Abstr. - Brit. Abstr. 1940, AIII, 83.

678. Ssanotzki, T. F. Study of Vaccinium arctostaphylos. Pharm. Z. Russl. 32, 644-5 (1893). Abstr. - Chem. Zentr. 1893, ii, 1086. Jahresb. Fortschr. Chem. 1893, 793.

679. Stabursvik, A. Occurrence of betulinic acid in Menyanthes trifoliata L. Acta Chem. Scand. 7, 446-7 (1953). Abstr. - Brit. Abstr. 1953, AIII, 1380.

680. Stark, J. B., A. E. Goodban and H. S. Owens. Organic acids in sugar-beet diffusion juice. Proc. Am. Soc. Sugar Beet Technol. 6, 578-83 (1950). Abstr. - C. A. 45, 5955. Brit. Abstr. 1951, BIII, 634.

681. Stark, J. B., A. E. Goodban and H. S. Owens. Composition of certain beet diffusion juices from the 1950 campaign. Proc. Am. Soc. Sugar Beet Technol. 688-91 (1952).

682. Steel, T. The occurrence of calcium oxalate in the gidgee wattle (Acacia cambagei). Proc. Linnean Soc. N.S. Wales 46, 256-8 (1921). Abstr. - C. A. 15, 4019.

683. Steel, T. The occurrence of calcium oxalate in the gidgee wattle (Acacia cambagei, Baker). Chem. News 123, 315-16 (1921). Abstr. - J. Chem. Soc. 1922, i, 310.

684. Steinmann, A. B. Study of the acidity of the cellular sap of rhubarb. Z. Botan. 9, 1-59 (1917). Abstr. - C. A. 11, 2921.

685. Stenhouse, J. Pyrogallol and the astringent substance which it yields. Ann. Chem. Justus Liebig 45, 1-19 (1843). Abstr. - Chemical Gazette 1, 109-10 (1842/43).

686. Stenhouse, J. Coffee leaves of Sumatra. Ann. Chem. Justus Liebig 89, 244-50 (1854). Abstr. - Ann. Chim. Paris /3 7, 41, 191-2 (1854).

687. Stockton, E. and C. G. Eldredge. Fruits of Caulophyllum thalictroides and Cornus sericea. Chem. News 98, 190-1 (1908). Abstr. - C. A. 3, 1796. J. Chem. Soc. 1908, ii, 978.

688. Stoklasa, J. On the enzyme lactolase which causes lactic acid production in the plant cell. Ber. deut. bot. Ges. 22, 460-66 (1904). Abstr. - Chem. Zentr. 1905, i, 265.

689. Stoklasa, J. The carbohydrate deposits in plant cells. Ber. deut. botan. Ges. 44, 248-62 (1926). Abstr. - Chem. Zentr. 1926, II, 441.

690. Stolle, F. Finnish moss-berry (Vaccinium oxycoccus). Z. Ver. Deut. Rübenzuck - Ind. 1900, 609-10. Abstr. - J. Chem. Soc. 1900, ii, 614. Chem. Zentr. 1900, ii, 343.

691. Stone, W. E. Chemical composition of cultivated strawberries. Agr. Sci. 1889, 257-61. Abstr. - J. Chem. Soc. Abstr. 1890, 659. Biedermann's Zentr. 19, 117-19 (1889).

692. Stransky, E. Occurrence of chelidonic acid. Arch Pharm. 258, 56-69 (1920). Abstr. - J. Chem. Soc. 1921, i, 85. Chem. Zentr. 1920, iii, 13.

693. Strohmer, F. and O. Fallada. Composition of the seed of sugar beet. Oesterr. -ungar. Z. Zuckerind. u. Landwirtsch 35, 12-22 (1906). Abstr.- J. Chem. Soc. 1906, ii, 484. Chem. Zentr. 1906, i, 1440.

694. Stutz, R. E. The role of the organic acids in photosynthesis. Brookhaven National Laboratory Symposia No. 3, 77-96 (1950). Abstr. - C. A. 45, 7643.

695. Stutz, R. E. and R. H. Burris. Photosynthesis and metabolism of organic acids in higher plants. Plant Physiol. 26, 226-43 (1951). Abstr. - C. A. 45, 9143. Biol. Abstr. 25, 2829. Brit. Abstr. 1951, AIII, 1634.

696. Sudborough, J. J. and P. N. Vridhachalam. Tartaric acid from tamarinds. J. Ind. Inst. Science 3, 61-80 (1920). Abstr. - C. A. 15, 2274.

697. Süss, P. Occurrence of salicylic acid in berries and stone fruits. Verh. Vers. Deutsch. Natürf. Aertze 1902, ii, 102-4. Chem. Ztg. 26, 963-4 (1902). Abstr. - J. Chem. Soc. 1904, ii, 71. Chem. Zentr. 1903, ii, 841.

698. Svendsen, A. B. Paper chromatography as a qualitative procedure for the phytochemical analysis of organic acids. Pharm. Acta Helv. 25, 230-6 (1950). Abstr. - C. A. 45, 1724.

699. Svirbely, J. L. and A. Szent-Györgyi. The chemical nature of vitamin C. Biochem. J. 26, 865-70 (1932). Abstr. - C. A. 26, 5618.

700. Svirbely, J. L. and A. Szent-Györgyi. Hexuronic acid as the antiscorbutic factor. Nature 129, 690 (1932). Abstr. - C. A. 26, 3825.

701. Swaby, R. J. Extraction of citrates and tartrates from fruits. Agr. Gaz. N.S. Wales 54, 571-3, 580 (1943). Abstr. - C. A. 38, 3740.

702. Szymanski, F. Chemical investigation of sugar cane. Berichte Versuchsst. f. Zuckerrohr in West Java 2, 12-26 (1896).

703. Takahasi, T., and Y. Yokoyama. Constituents of extract of bamboo sprouts. J. Agric. Chem. Soc. Japan 15, 280-2 (1939). Abstr. - Brit. Abstr. 1939, AIII, 638. C. A. 33, 8239.

704. Takei, S., and T. Imaki. Odorants of raw sugar. II. Stigmasterol and syringic acid. Bull. Inst. Phys. Chem. Research (Tokyo) 15, 1055-59 (1936). Abstr. - C. A. 31, 6043. Brit. Abstr. 1936, B, 1173.

705. Takemoto, T., and H. Koike. Acid components of polygonum reynoutria. J. Pharm. Soc. Japan 73, 100 (1953). Abstr. - C. A. 47, 3933.

706. Tamba, K. Investigation of the leaves of Hydrangea Thunbergii Sieb (Saxifragaceae). Arch. Pharm. 223, 823-5 (1885). Abstr.-Ber. 19, part 3, ref. 105 (1886).

707. Tanabe, T. Clarification of sugar cane juice. I. Organic acids in cane juice. Rept. Govt. Sugar Expt. Sta., Tainan, Formosa 4, 33-6 (1937). Abstr. - C. A. 31, 8239. Brit. Abstr. 1937, B, 1391.

708. Tanner, H. and H. Renschler. Composition of fruit acids from Swiss fruit juices. II. Fruit acids from Swiss cider apple juices. Mitt. Lebensm. Hyg. 45, 305-11 (1954). Abstr. - C. A. 49, 1236.

709. Tanret, G. The presence of quinic acid in the leaves of some conifers. Compt. rend. 172, 234-6 (1921). Abstr. - J. Chem. Soc. 1921, i, 295.

710. Tavernier, J. and P. Jacquin. Organic acids of apple must. Compt. rend. 225, 1373-4 (1947). Abstr. - C. A. 42, 3032.

711. Taylor, C. S. The presence of aconitic acid in sugar-cane juice and a new reaction for the detection of the acid. J. Chem. Soc. 115, 886-9 (1919). Abstr. - J. Chem. Soc. 1919, i, 427.

712. Thimann, K. V., and W. D. Bonner, Jr. Organic acid metabolism. Ann. Rev. Plant Physiol. 1, 75-108 (1950). Abstr. - C. A. 45, 6703.

713. Thomas, M. Vegetable acids in higher plants. Endeavour 10, 160-5 (1951). Abstr. - C. A. 46, 587.

714. Tichanowitsch. Study of absinthe. Z. Chem. Pharm. 6, 197 (1863). Abstr. - Chem. Zentr. 1863, 908. Jahresbericht über die Fortschritte der Chemie 1863, 612.

715. Tóth, J. Estimation of non-volatile organic acids in tobacco. Chem. Ztg. 31, 374 (1907). Abstr. - J. Chem. Soc. 1907, ii, 513.

716. Tóth, J. Estimation of volatile organic acids in tobacco. Chem. Ztg. 32, 242-4 (1908). Rev. Intern. Falsif. 20, 165-6 (1907). Abstr. - C. A. 2, 2107. J. Chem. Soc. 1908, ii, 238.

717. Towers, G. H. N. The keto acids of plants: their identity, analysis, and metabolic roles. Thesis, Cornell University, Ithaca, N. Y. Abstr. - C. A. 49, 4097. Dissertation Abstr. 14, 1903 (1954). J. Sci. Food Agr. (Abstr.) 6, 166.

718. Towers, G. H. N., and F. C. Steward. Keto acids of the tulip (Tulipa gesneriana) with special reference to the keto analogue of γ-methylene glutamic acid. J. Am. Chem. Soc. 76, 1959-61 (1954). Abstr. - C. A. 49, 3814.

719. Towers, G. H. N., J. F. Thompson, and F. C. Steward. Detection of keto acids of plants; a procedure based on their conversion to amino acids. J. Am. Chem. Soc. 76, 2392-6 (1954). Abstr. - C. A. 48, 11554.

720. Traphagen, F. W., and E. Burke. Occurrence of salicylic acid in fruits. J. Am. Chem. Soc. 25, 242-4 (1903). Abstr. - J. Chem. Soc. 1903, ii, 388. Analyst 28, 149 (1903).

721. Treviranus. Lehrbüchern der Pflanzenphysiologie 1, 45 (1835). Cited by (132).

722. Trommsdorff, J. B. Preliminary confirmation of the properties of fumaric acid. Trommsd. N. J. 25, (2), 153. Abstr. - Ann. Chem. Justus Liebig 8, 196-7 (1833).

723. Truchon and Martin-Claude. The composition of certain fruit juices. J. Pharm. Chim. /6/, 13, 171-6 (1901). Ann. chim. anal. 6, 85-9 (1901). Abstr. - Z. Untersuch Nahr. u. Genussm. 4, 703 (1901). Chem. Zentr. 1901, i, 964.

724. Tschirch, A. Aleurone grains in the seed of Myristica surinamensis. Arch. Pharm. 225, 619-23 (1887). Abstr. - J. Chem. Soc. Abstr. 1887, 1061.

725. Tschirch, A. Die Harze u. die Harzbehälter mit Einschluss der Milchsäfte. Berlin 1906. Abstr. - Chem. Zentr. 1907, i, 684. Cited by (1).

726. Tschirch, A., and E. Hiepe. Investigation of senna. Arch. Pharm. 238, 427-49 (1900). Abstr. - Chem. Zentr. 1900, ii, 871.

727. Tschirch, A., and L. van Itallie. Oriental styrax. Arch. Pharm. 239, 506-32 (1901). Abstr. - Chem. Zentr. 1901, ii, 885.

728. Tschirch, A., and L. van Itallie. American styrax. Arch Pharm. 239, 532-47 (1901). Abstr. - Chem. Zentr. 1901, ii, 886.

729. Tschirch, A., and M. Koch. Resin of Dammara orientalis (Manila-copal). Arch. Pharm. 240, 202-39, (1902). Abstr. - Chem. Zentr. 1902, i, 1223.

730. Tschirch, A., and M. Koch. The resin of Pinus vulgaris. Arch. Pharm. 240, 272-87 (1902). Abstr. - Chem. Zentr. 1902 , ii, 134.

731. Tschirch, A., and B. Niederstadt. Resin of Pinus silvestris. Arch. Pharm. 239, 167-81 (1901). Abstr. - Jahresbericht über die Fortschritte der Chemie 1901, 1407.

732. Tschirch, A.,and G. Weigel. Resin of Larix decidua. Arch. Pharm. 238, 387-410 (1900). Abstr. - Chem. Zentr. 1900, ii, 533, 861.

733. Tschirch, A., and G. Weigel. The resin of Abies pectinata. Arch. Pharm. 238, 411-427 (1900). Abstr. - Chem. Zentr. 1900, ii, 862.

734. Tunmann. Occurrence of calcium oxalate in Radix colombo. Pharm. Centr. -h 47, 1069 (1906). Abstr. - Abstr. J. Chem. Soc. 1907, ii, 386. Chem. Zentr. 1907, i, 643.

735. Tunmann, O. Microchemical notices. II. Occurrence of a crystalline substance in the seeds of Strychnos nux vomica L. Pharm. Post 51, 341-2 (1918). Abstr. - J. Chem. Soc. 1918, ii, 453. Chem. Zentr. 1918, ii, 401-2.

736. Turner, J. F. The metabolism of the apple during storage. Australian J. Sci. Research. Ser. B 2, 138-53 (1949). Abstr. - C. A. 44, 1207.

737. Turner, W. A. and A. M. Hartman. Nonvolatile organic acids of alfalfa (Lucerne). J. Am. Chem. Soc. 47, 2044-7 (1925). Abstr. - J. Chem. Soc. 1925, i, 1124.

738. Turpin, P. J. F. Microscopic examination of the tissues of the cortex and pith of Cereus peruvianus and the calcium oxalate crystals in the tissues of the vesicles. Annales des sci. nat. 20, 26. Abstr. - Ann. Chem. Justus Liebig 1, 94 (1832).

739. Tutin, F. and H. W. B. Clewer. The constituents of Cluytia similis. J. Chem. Soc. 101, 2221-34 (1912). Abstr. - C. A. 7, 969.

740. Tutin, F. and H. W. B. Clewer. The constituents of Clematis vitalba. J. Chem. Soc. 105, 1845-58 (1914). Abstr. - C. A. 8, 3486.

741. Tutin, F. and W. J. S. Naunton. Constituents of aloes. Pharm. J. /4/ 37, 836 (1913). Abstr. - J. Chem. Soc. 1914, i,121. C. A. 8, 1188.

742. Ullrich, H. The physiology of organic acids in green plants. II. Daily variations and otherwise conditioned changes in the content of several organic acids in green plants. Planta 1, 565-8 (1926). Abstr. - C. A. 22, 3192. Expt. Sta. Record 58, 212.

743. Ulrich, R., and O. Thaler. The variation in the xylose, quinic acid and proline content of pears during growth. Compt. rend. 240, 1625-6 (1955). Abstr. - C. A. 49, 12617.

744. Uota, H. and K. Nisida. Constituents of fruit of Rhus semialata; Murr., especially the salt-like tasting substances. J. Agr. Chem. Soc. Japan 17, 512-20 (1941). Abstr. - Brit. Abstr. 1941, AIII, 1085. C. A. 36, 4150. Bull. Agr. Chem. Soc. Japan 17, 62-5 (1941).

745. Utz, F. Natural occurrence of salicylic acid in berries. Oesterr. Chem. Ztg. 6, 385-6 (1903). Abstr. - J. Chem. Soc. 1904, ii, 72. Chem. Zentr. 1903, ii, 841.

746. Van Dame, H. C. Formation of succinia acid in tomatoes. J. Assoc. Offic. Agr. Chemists 35, 528-30 (1952). Abstr. - Brit. Abstr. 1953, BIII, 283.

747. Van Dame, D. H. Report on decomposition in tomato products. Determination of acetic, formic, lactic, succinic, malic and citric acids. J. Assoc. Offic. Agr. Chemists 36, 580-5 (1953). Abstr. - C. A. 48, 8982.

748. Varner, J. E. and R. C. Burrell. Use of C^{14} in the study of the acid metabolism of Bryophyllum calycinum. Arch. Biochem. 25, 280-7 (1950). Abstr. - C. A. 44, 5432.

749. Vaudin, L. Migration of calcium phosphate in plants. Ann. Inst. Pasteur 1895, 636. Abstr. - J. Chem. Soc. 1897, ii, 425. Ann. Agron. 23, 232-3 (1897).

750. Vauquelin. Analysis of Tamarind. Ann. Chim. Paris /1/ 5, 92-106 (1800).

751. Vauquelin. On the various species of Cinchona. Ann. Chim. Paris /1/, 59, 111-69. (1806).

752. Vavruch, I. Chromatographic studies of beet seeds and sugar beet. II. Non-nitrogenous organic acids. Chem. Listy 48, 442-5 (1954). Abstr. - C. A. 48, 8567. J. Sci. Food Agr. Abstr. 1954, ii, 235.

753. Vazquez Sánchez, J. Globularia alypum. Anales soc. espan. fís quím. 31, 361-3 (1933). Abstr. - C. A. 27, 3973. Brit. Abstr. 1933, A, 1092.

754. Ventre, E. K., J. A. Ambler, S. Byall and H. C. Henry. Extraction of aconitic acid from plant juices. U. S. Patent 2,359,537, Oct. 3, 1944. Abstr. - C. A. 39, 830.

755. Ventre, E. K., J. A. Ambler, A. C. Henry, S. Byall and H. S. Paine. Extraction of aconitic acid from sorgo. Ind. Eng. Chem. 38, 201-4 (1946). Abstr. - C. A. 40, 2016.

756. Verhaar, L. G. Tartaric acid and other constituents in the fruits of Tamarindus indica. Chronica Naturae 104, 8-11 (1948). Abstr. - C. A. 42, 4648.

757. Vickery, H. B. The formation of starch in leaves of Bryophyllum calycinum cultured in darkness. Plant Physiol. 27, 231-9 (1952). Abstr. - C. A. 46, 6208.

758. Vickery, H. B. and G. W. Pucher. Chemical investigations of the tobacco plant. I. A preliminary study of the non-volatile organic acids of tobacco leaves. Conn. (New Haven) Agr. Expt. Sta. Bull. 323 (1931). Abstr. - C. A. 25, 2458.

759. Vickery, H. B. and G. W. Pucher. The non-volatile organic acids of green tobacco leaves. J. Biol. Chem. 90, 637-53 (1931). Abstr. - C. A. 25, 2458. Brit. Abstr. 1931, A, 775.

760. Vickery, H. B., G. W. Pucher, A. J. Wakeman and C. S. Leavenworth. Chemical investigations of the rhubarb plant. Conn. (New Haven) Agr. Expt. Sta. Bull. 424 (1939). Abstr. - C. A. 33, 8685.

761. Vickery, H. B., G. W. Pucher, A. J. Wakeman and C. S. Leavenworth. Chemical investigations of the tobacco plant. VIII. Effect upon the composition of the tobacco plant of the form in which nitrogen is supplied. Conn. (New Haven) Agr. Expt. Sta. Bull. 442 (1940). Abstr. C. A. 35, 5234.

762. Vickery, H. B., G. W. Pucher, A. J. Wakeman and C. S. Leavenworth. Chemical investigations of the metabolism of plants. I. The nitrogen nutrition of Narcissus poeticus. Conn. (New Haven) Agr. Expt. Sta. Bull. 496 (1946). Abstr. - C. A. 41, 1734.

763. Virtanen, A. I. and M. Alfthan. New α-keto acids in green plants. α-Ketopimelic acid, γ-hydroxy-α-ketopimelic acid, and hydroxypyruvic acid in Aspenium septentrionale. α-Ketoadipic acid in germinating pea seeds. Acta Chem. Scand. 8, 1720-1 (1954). Abstr. - C. A. 49, 6386.

764. Virtanen, A. I. and A. A. Arhimo. Oxalacetic acid in the leguminous plants. Nature 144, 36 (1939). Abstr. - C. A. 33, 6911. Brit. Abstr. 1939, AIII, 881.

765. Virtanen, A. I., A. A. Arhimo and J. Sundman. Oxalacetic acid in leguminous plants. Suomen Kemistilehti B 14, 6 (1941). Abstr. - C. A. 35, 5155. Brit. Abstr. 1942, AIII, 181.

766. Virtanen, A. I., A. A. Arhimo, J. Sundman and L. Jännes. Occurrence and significance of oxaloacetic acid in green plants. J. prakt. Chem. 162, 71-90 (1943). Abstr. - Brit. Abstr. 1943, AIII, 927.

767. Virtanen, A. I., A. A. Arhimo and H. Suomalainen. Estimation and occurrence of keto acids in green plants. Nature 144, 597 (1939). Abstr. - C. A. 34, 474. Brit. Abstr. 1939, AIII, 1111.

768. Virtanen, A. I. and T. Laine. Oxalacetic acid in leguminous plants. Suomen Kemistilehti B 10, 35 (1937). Abstr. - C. A. 32, 2570. Brit. Abstr. 1938, AIII, 250.

769. Virtanen, A. I., J. K. Miettinen, and H. Kunttu. α-Keto acids in green plants. Acta Chem. Scand. 7, 38-44 (1953). Abstr. - C. A. 47, 9388. Brit. Abstr. 1953, AIII, 1275.

770. Vries, H. de The part played by vegetable acids in causing the turgescence of cells. Botan. Zeitung 41, 849-54 (1883). Abstr. - J. Chem. Soc. Abstr. 1884, 1064. Ann. Agron. 10, 139.

771. Wadleigh, C. H. and J. W. Shive. Organic acid content of corn plants as influenced by pH of substrate and form of nitrogen applied. Am. J. Botany 26, 244-8 (1939). Abstr. - C. A. 33, 6907.

772. Walker, J. C., K. P. Link and H. R. Angell. Chemical aspects of disease resistance in the onion. Proc. Ntl. Acad. Sci. U.S. 15, 845-50 (1929). Abstr. - C. A. 24, 2493.

773. Wallis, T. E. Calcium tartrate and oxalate from senna leaves. Pharm. J. London 89, 609, 644-7 (1912). Abstr. - C. A. 7, 864. Chem. Zentr. 1913, i, 123.

774. Walter, E. D. Natural rubber from domestic sources. I. Isolation of partheniol, parthenyl cinnamate, and other constituents from guayule resin. J. Am. Chem. Soc. 66, 419-21 (1944). Abstr. - C. A. 38, 2521.

775. Walz, G. F. Further investigation of the Scrophylariaceae. Jahrb. f. prakt. Pharm. 26, 296-307 (1853); 27, 65-78 (1853); and 27, 129-33 (1853).

776. Walz, G. F. Contribution to information on chelidonic acid. Neues Jahrbuch der Pharmazie u. verwandte facher 15, 22-8. Abstr. - Jahresb. Fortschr. Chemie 1860, 263.

777. Warlich, H. Calcium oxalate in plants. Botan. Zentr. 1892, 113. Abstr. - J. Chem. Soc. 1894, ii, 65. Biedermann's Zentr. 22, 786-7 (1893).

778. Warren, W. H. "Sugar sand" from maple sap. Source of malic acid. J. Am. Chem. Soc. 33, 1205-11 (1911). Abstr. - J. Chem. Soc. 1911, ii, 821. C. A. 5, 2986.

779. Wasowicz, M. D. v. Pharmaceutical-chemical study of Aconitum heterophyllum Wall. and remarks on Aconitum japonicum (Tsaou-woo). Arch. Pharm. 214, 193-225 (1879). Pharm. J. Trans. /3/ 10, 301,341, 463. Abstr. - Jahresbericht über die Fortschritte der Chemie 1879, 927.

780. Wayne, E. S. Researches upon buchu. Amer. J. Pharm. 48, 18-20 (1876).

781. Wehmer, C. Calcium oxalate in the leaves of Symphoricarpus, Alnus, and Crataegus. Bot. Ztg. 47, 165-78 (1889). Abstr. - J. Chem. Soc. Abstr. 1890, 191. Ann. Agron. 15, 420-1.

782. Wehmer, C. Die Pflanzenstoffe. 3 vols. 2nd edition. Gustav Fischer, Jena, 1931.

783. Weisberg, J. Occurrence of oxalic acid in beetroot. Oesterr.-ungar Z. Zuckerind. u. Landwirtsch. 22, 877-8. Abstr. - J. Chem. Soc. 1895, ii, 177. Biedermann's Zentr. 23, 788 (1894).

784. Weiss, A. and J. Wiesner. Investigations of the chemical and physical nature of the milky sap of plants. I. Euphorbia cyparissias. Botan. Ztg. 19, 41-43 (1861).

785. Weiss, A. and J. Wiesner. Investigation of the chemical and physical nature of the milky sap of plants. II. Euphorbia platyphylla. Botan. Ztg. 20, 125-7 (1862).

786. Wells, A. A. and G. S. Reeder. The fruit of Celestrus scandens and Solanum dulcamara. Chem. News 96, 199-200 (1907). Abstr. - J. Chem. Soc. 1908, ii, 58.

787. Werner, O. Accumulation of calcium oxalate in cells of Tradescantia fluminensis rich in starch. Mikrochemie, Festschr. von Hans Molisch 1936, 452-4. Abstr. - Brit. Abstr. 1937, AIII, 243. C. A. 31, 4695.

788. Wetzel, K. The physiology of the anaerobic respiration of higher plants. Ber. deut. botan. Ges. General session. 51, 46-51 (1933).

789. Weurman, C. and T. Swain. Chlorogenic acid and the enzymatic browning of apples and pears. Nature 172, 678 (1953). Abstr. - C. A. 48, 3471.

790. Wicke, W. The presence of fumaric acid in Corydalis bulbosa. Ann. Chem. Justus Liebig 87, 225-7 (1853). Abstr. - Chemical Gazette 12, 137 (1854).

791. Wicke, W. The occurrence of aconitic acid in Delphinium consolida L. Ann. Chem. Justus Liebig 90, 98-9 (1854). Abstr. - Chemical Gazette 12, 388 (1854).

792. Widmark, E. M. P. and G. Ahldin. Oxalic acid content of vegetable foodstuffs. Biochem. Z. 265, 241-4 (1933). Abstr. - C. A. 28, 831. Brit. Abstr. 1933, A, 1342.

793. Wieland, H., W. Konz and R. Sonderhoff. On the curarin of calabash curare. Ann. Chem. Justus Liebig 527, 160-8 (1937). Abstr. - C. A. 31, 1817.

794. Wiggins, L. F. Chromatography of cane non-sugars, ~~by-products investi-~~ gations, etc. Intern. Sugar J. 54, 324-6 (1952).

795. Wight, W. and D. N. Barua. Calcium oxalate crystals as an indicator of nutrient balance in the tea plant. Current Sci. India 23, 78-9 (1954). Abstr. - C. A. 49, 435. J. Sci. Food Agr. Abstr. 5, ii, 113.

796. Wiley, H. W. and W. Maxwell. Organic acids in the juices of the sorghum cane. Am. Chem. J. 12, 216 (1890). Abstr. - J. Chem. Soc. Abstr. 1890, ii, 819. Ber. 23, R 406.

797. Willaman, J. J., R. M. West, D. O. Spriestersbach and G. E. Holm. Notes on the composition of the sorghum plant. J. Agr. Research 18, 1-31 (1919). Abstr. - C. A. 14, 961.

798. Williams, A. H. Phenolic substances of pear - apple hybrids. Nature 175, 213 (1955). Abstr. - C. A. 49, 6390.

799. Willis, J. C. A Dictionary of flowering plants and ferns. Cambridge Univ. Press 6th edition 1931. Revised 1951.

800. Winckler. Note on fumaric acid. Buchn. Repert. 39, 368. Abstr. - Ann. Chem. Justus Liebig 4, 230 (1832). Am. J. Pharm 8, 58 (1836).

801. Windisch, K. Natural occurrence of salicylic acid in strawberries and raspberries. Z. Untersuch. Nahr. u. Genussm. 6, 447-52 (1903). Abstr. - J. Chem. Soc. 1903, ii, 567. Analyst 28, 214 (1903).

802. Windisch, K. and K. Boehm. Chemistry of fruits. Z. Untersuch. Nahr. u. Genussm. 8, 342-52 (1904). Abstr. - J. Chem. Soc. 1904, ii, 766.

803. Windisch, W. On the occurrence of lactic acid. Dingler's Polytech. J. 268, 178. Z. Spiritusind 10, 157 (1888). Abstr. - Chem. Zentr. 1888, i, 711.

804. Winter, H. A study of the composition of sugar cane. Z. d. Ver. f. Rüb-Zuckerind. 25, 780-93 (1888). Abstr. - Chem. Zentr. 1888, 1316-7.

805. Winterstein, A. and W. Hämmerle. Saponin series. IV. Sapogenin of Viscum album. Hoppe-Seyler's Z. physiol. Chem. 199, 56-64 (1931). Abstr. - C. A. 25, 5172.

806. Witanowski, W. R. Chemical composition of the round-leaved sundew (Drosera rotundifolia L.). Wiadomosci Farm. 61, 420-2, 432-3 (1934). Abstr. - C. A. 28, 7257. Brit. Abstr. 1935, A, 420.

807. Wittstein, G. C. Fruit of Hippophaë rhamnoides. Buchner's Repert. /2/, 13, 1 (1838). Abstr. - Ann. Chem. Justus Liebig 28, 328 (1838).

808. Wittstein, G. C. Investigation of the red coloration of leaves in autumn and the nature of this pigment. Wittstein's Vierteljahrsschr. pr. Pharm. 2, 161-79 (1853). Abstr. - Jahresb. Fortschr. Chemie 1853, 564.

809. Wittstein. Lactic acid in the vegetable kingdom. Chemical Gazette 15, 99 (1857). Abstr. - Am. J. Pharm. 29, 311 (1857).

810. Wittstein. Chemical study of sap of the grapevine. Wittstein's Vierteljahrsschr. f. prakt. Pharm. 6, 192-201 (1857). Abstr. - Chem. Zentr. 1858, 13. Jahresbericht über die Fortschritte der Chemie 1857, 520.

811. Wolf, J. Oxygen metabolism of succulent Crassulaceae. IV. Variations in total, malic and citric acid contents. Planta 29, 314-24 (1939). Abstr. - Brit. Abstr. 1941, AIII, 399.

812. Wood, J. G. The relation between respiration rate and metabolism of carbohydrate, protein, and organic acids in leaves. Austral. J. Exptl. Biol. Med. Sci. 19, 313-21 (1941). Abstr. - C. A. 36, 2883. Brit. Abstr. 1942, AIII, 500.

813. Wood, W. M. L. Organic acid metabolism of Sedum praealtum. J. Exptl. Botany (London), 3, 336-55 (1952). Abstr. - C. A. 48, 3481.

814. Wormall, A. Constituents of the sap of the vine (Vitis vinifera L.). Biochem. J. 18, 1187-1202 (1924). Abstr. - J. Chem. Soc. 1925, i, 215.

815. Yamafuji, K. Chemical composition of tobacco. I. Organic bases and acids of fresh leaves. J. Agr. Chem. Soc. Japan. 7, 121-32 (1931). Abstr. - Brit. Abstr. 1931, A, 1101

816. Yamamoto, K. Coloring matter and organic acid in the fruits of the mulberry. J. Agr. Chem. Soc. Japan. 10, 1046-52 (1934). Abstr. - C. A. 29, 831.

817. Yamamoto, R., Y. Osima, and T. Goma. The organic acids in the fruits of Ceylon olive (Elaeocarpus serratus Linn.). Sci. Papers Inst. Phys. Chem. Research (Tokyo) 19, 132-3 (1932). Abstr. - C. A. 27, 348. Brit. Abstr. 1933, 106.

818. Yamashita, T., and F. Sato. Shikimic acid from the leaves of Ginkgo biloba. J. Pharm. Soc. Japan 50, 113-7 (1930). Abstr. - C. A. 24, 2739. Chem. Zentr. 1930, I, 3196.

819. Yatazawa, M. and K. Ogawa. Organic acid metabolism in plants. I. Organic acid in leaf blade of paddy rice. J. Sci. Soil Manure, Japan 25, 203-6 (1955). Abstr. - C. A. 49, 6386.

820. Yeh, H-L and W. H. Adolph. Oxalate content of Chinese leaf vegetables. Chinese J. Physiol. 13, 209-12 (1938). Abstr. - Brit. Abstr. 1938, AIII, 970. C. A. 32, 9318.

821. Yoder, P. A. Notes on the determination of acids in sugar cane juice. J. Ind. Eng. Chem. 3, 640-46 (1911). Abstr. - C. A. 5, 3635.

822. Yoshimura, K. and S. Fujise. Constituents of Astragalus sinicus, L.. J. Chem. Soc. Japan 45, 32-41 (1924). Abstr. - J. Chem. Soc. Abstr. 1924, 1273. C. A. 18, 3205.

823. Zakharova, T. M. The oxidation process in the needles of Picea excelsa in winter. Biochem. Z. 270, 281-90 (1934). Abstr.-C. A. 28, 5099.

824. Zeller, G. H. The constituents of the potato plant (Solanum tuberosum). Communication from Baup. Buchner's Repert. f. Pharm. 53, 390-3 (1835).

825. Zellner, J. Chemical composition of Agave americana L. The chemistry of succulent plants in general. Hoppe-Seyler's Z. physiol. Chem. 104, 2-10 (1919). Abstr. -J. Chem. Soc. 1919, i, 190.

826. Zellner, J. Chemistry of heterotrophic phanerogams. 7. Monatsh. Chem. 45, 535-8 (1925). Abstr. - J. Chem. Soc. 1925, i, 1025.

827. Zerban, F. W. The color change of sugar-cane juice and the nature of cane tannin. J. Ind. Eng. Chem. 11, 1034-6 (1919). Abstr.-C. A. 14, 230.

828. Zlataroff, A. Composition of the fruit of Cicer arietinum L. Z. Untersuch. Nahr. Genussm. 31, 180-3 (1916). Abstr. -J. Chem. Soc. 1916, i, 783.

829. Zwenger, C. Absinthic acid. Ann. Chem. Justus Liebig 48m 122-5 (1843). Abstr. - Chemical Gazette 2, 122-4 (1844).

830. Zwenger, C. Chelidonic acid, a new acid of Chelidonium majus. Ann. Chem. Justus Liebig 114, 350-54 (1860). Abstr. - Jahresbericht über die Fortschritte der Chemie 13, 262 (1860).

831. Zwenger, C. Production of quinic acid from the folige of Vaccinium myrtillus. Ann. Chem. Justus Liebig 115, 108-10 (1860). Abstr. - Chem. Zentr. 1860, 912.

832. Zwenger, C. and H. Bodenbender. On the cumarin of Melilotus officinalis. Ann. Chem. Justus Liebig 126, 257-66 (1863). Abstr.-Chem. Zentr. 1863, 803.

833. Zwenger, C. and S. Siebert. The occurrence of quinic acid in coffee beans. Ann. Chem. Justus Liebig, Suppl. 1, 77-85 (1861). Abstr. - Jahresbericht über die Fortschritte der Chemie 1861, 384.

35a. Balaš, F. Chemistry of natural resins and resin acids. Časopis Československého Lékárnictva 7, 320-38 (1927), 8, 6-8, 27-31, 47-50 (1928). Abstr. - C. A. 23, 1844. Brit. Abstr. 1929, A, 1499. Chem. Zentr. 1929, i, 2530.

265a. Harris, G. C. Resin Acids. V. The composition of the gum oleoresin acids of Pinus palustris. J. Am. Chem. Soc. 70, 3671-4 (1948).

265b. Harris, G. C. and T. F. Sanderson. Resin acids. I. An improved method of isolation of resin acids; the isolation of a new abietic-type acid, neoabietic. J. Am. Chem. Soc. 70, 334-9 (1948).

265c. Hasselstrom, T. and M. T. Bogert. An investigation of certain sapinic acids obtained from various species of pine and spruce. J. Am. Chem. Soc. 57, 2118-21 (1935). Abstr. - Brit. Abstr. 1936, A, 208.

266a. Hebebrand, A. Sesame. Landwirtsch. Vers. -Sta. 51, 45-81 (1898). Abstr. - J. Chem. Soc. 1898, ii, 631.

280a. Hessenland, M., G. Stephani and M. Leo. The properties of the pine balsam prepared by the stimulating-agent process with hydrochloric acid. Ber. deut. chem. Ges. 69B, 2473-82 (1936). Abstr. - C. A. 31, 1416.

344a. Kesler, C. C., A. Lowy and W. F. Faragher. Purification of abietic acid from rosin and preparation of some of its derivatives. J. Am. Chem. Soc. 49, 2898-2903 (1927).

349a. Köhler, J. Chemical investigation of resin from the pine. (Picea excelsa). II. Laevo-pimaric acid. Archiv. Kem. Min. Geol. 4, No. 5, 1-29 (1911). Abstr. - C. A. 6, 162. J. Chem. Soc. 1911, i, 295.

349b. Köhler, J. Occurrence and manner of formation of resinolic acids. II. Chemical investigation of the resins (of Picea excelsa Lk.) III. J. prakt. Chem. 85, 523-34, 534-64 (1912). Abstr. - C. A. 7, 772. J. Chem. Soc. 1912, i, 638, 639.

360a. Kraft, K. The original acids in American pine resins. Ann. Chem. Justus Liebig 520, 133-43 (1935). Abstr. - C. A. 30, 476. Brit. Abstr. 1935 A, 1372.

415a. McCall, E. R. and J. D. Guthrie. The organic acid content of raw cotton fiber. Isolation of L-malic acid and citric acid from cotton fiber. J. Am. Chem. Soc. 67, 2220-21 (1945).

433a. Markley, K. S. and C. E. Sando. The wax-like constituents of the cuticle of the cherry, Prunus avium, L. J. Biol. Chem. 119, 641-5 (1937).

502a. Oparin, A. and S. Rogowin. Nature of cotton pigment. Melliand Textilber. 11, 944-6 (1930). Abstr. - C. A. 26, 1637.

509a. Palkin, S. and T. H. Harris. The resin acids of American turpentine gum. The preparation of the pimaric acids from Pinus palustris. J. Am. Chem. Soc. 55, 3677-84 (1933).

591a. Reeves, W. A. and J. D. Guthrie. Isolation of xanthine, guanine, adenine, proteose, oxalic acid, and glutathione from peanut kernels. Arch. Biochem. 26, 316-18 (1950). Abstr. - C. A. 44, 7466.

624a. Sando, C. E., K. S. Markley and M. B. Matlack. Some chemical constituents of flowering dogwood (Cornus florida). J. Biol. Chem. 114, 39-45 (1936).